



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50210003-005



Feb 13, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
PASSED

MISC.



Cannabinoid

PASSED


Total THC

81.959%

Total THC/Container : 819.590 mg



Total CBD

0.308%

Total CBD/Container : 3.080 mg



Total Cannabinoids

86.160%

Total Cannabinoids/Container : 861.600 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	81.821	0.158	0.294	0.016	ND	2.502	ND	0.816	0.331	ND	0.222
mg/unit	818.21	1.58	2.94	0.16	ND	25.02	ND	8.16	3.31	ND	2.22
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 3605, 3379, 585, 1440

Weight:
0.1023g

Extraction date:
02/11/25 11:29:02

Extracted by:
3335,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083189POT

Instrument Used : DA-LC-003

Analyzed Date : 02/12/25 11:13:37

Batch Date : 02/11/25 09:50:12

Dilution : 400

Reagent : 011325.R06; 010825.48; 011325.R03

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164



Signature
02/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 1g - Green Kush #2 (S)
Green Kush #2 (S)
Matrix : Derivative
Type: Vape

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50210003-005
Harvest/Lot ID: 2026971197710549

Batch# : 2026971197710549 Sample Size Received : 16 units
Sampled : 02/10/25 Total Amount : 980 units
Ordered : 02/10/25 Completed : 02/13/25 Expires: 02/13/26
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	35.53	3.553		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	9.91	0.991		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	7.80	0.780		ALPHA-HUMULENE	0.007	ND	ND	
LIMONENE	0.007	4.30	0.430		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-PINENE	0.007	2.83	0.283		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.27	0.227		CIS-NEROLIDOL	0.003	ND	ND	
BETA-PINENE	0.007	2.05	0.205		GAMMA-TERPINENE	0.007	ND	ND	
VALENCENE	0.007	1.61	0.161		TRANS-NEROLIDOL	0.005	ND	ND	
LINALOOL	0.007	1.59	0.159						
OCIMENE	0.007	1.41	0.141		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINEOL	0.007	0.68	0.068		4451, 3379, 585, 1440	0.2367g	02/11/25 11:31:25	4451	
FENCHYL ALCOHOL	0.007	0.59	0.059		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINOLENE	0.007	0.27	0.027		Analytical Batch : DA003180TER				
CARYOPHYLLENE OXIDE	0.007	0.22	0.022		Instrument Used : DA-GCMS-008			Batch Date : 02/11/25 09:05:06	
3-CARENE	0.007	ND	ND		Analyzed Date : 02/12/25 11:13:40				
BORNEOL	0.013	ND	ND		Dilution : 10				
CAMPHENE	0.007	ND	ND		Reagent : 120224.08				
CAMPHOR	0.007	ND	ND		Consumables : 947.110; 04312111; 2240626; 0000355309				
CEDROL	0.007	ND	ND		Pipette : DA-065				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			3.553						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 1g - Green Kush #2 (S)
Green Kush #2 (S)
Matrix : Derivative
Type: Vape

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50210003-005

Harvest/Lot ID: 2026971197710549

Batch# : 2026971197710549

Sampled : 02/10/25

Ordered : 02/10/25

Sample Size Received : 16 units

Total Amount : 980 units

Completed : 02/13/25 Expires: 02/13/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analized by:	3621, 3379, 585, 1440	Weight:	0.2561g	Extraction date:	02/11/25 13:02:32
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.102.FL, SOP.T.40.102.FL			Extracted by:	450
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA083199PES				
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)			Batch Date :	02/11/25 10:47:37
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analized Date :	02/12/25 11:02:18				
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution :	250				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent :	020525.R29; 020525.R28; 020725.R01; 021125.R02; 012925.R01; 020525.R01; 081023.01				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables :	221021DD				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analized by:	450, 3379, 585, 1440	Weight:	0.2561g	Extraction date:	02/11/25 13:02:32
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151A.FL, SOP.T.40.151.FL			Extracted by:	450
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA083201VOL				
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-GCMS-001			Batch Date :	02/11/25 10:49:45
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized Date :	02/12/25 10:51:05				
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution :	250				
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent :	020725.R01; 081023.01; 012825.R39; 012825.R40				
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables :	221021DD; 040724.CH01; 17473601				
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
02/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 1g - Green Kush #2 (S)
Green Kush #2 (S)
Matrix : Derivative
Type: Vape

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50210003-005

Harvest/Lot ID: 2026971197710549

Batch# : 2026971197710549

Sampled : 02/10/25

Ordered : 02/10/25

Sample Size Received : 16 units

Total Amount : 980 units

Completed : 02/13/25 Expires: 02/13/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 3379, 585, 1440

Weight:
0.0259g

Extraction date:
02/12/25 13:06:58

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA08320850L
Instrument Used : DA-GCMS-002
Analyzed Date : 02/12/25 14:35:16

Batch Date : 02/11/25 12:36:08

Dilution : 1
Reagent : 030420.09
Consumables : 430596; 319008
Pipette : DA-309 25 uL Syringe 35028


Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/13/25



Certificate of Analysis

PASSED


Sunnyside


 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com


 Sample : DA50210003-005
 Harvest/Lot ID: 2026971197710549

 Batch# : 2026971197710549 Sample Size Received : 16 units
 Sampled : 02/10/25 Total Amount : 980 units
 Ordered : 02/10/25 Completed : 02/13/25 Expires: 02/13/26
 Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	
Analyzed by: 4531, 4777, 3379, 585, 1440	Weight: 0.839g	Extraction date: 02/11/25 09:52:02		Extracted by: 4520		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA083171MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Batch Date : 02/11/25 07:41:27 Analyzed Date : 02/12/25 12:40:02						
Dilution : 10 Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12 Consumables : 7580001022 Pipette : N/A						
Analyzed by: 4531, 4044, 585, 1440	Weight: 0.839g	Extraction date: 02/11/25 09:52:02		Extracted by: 4520		
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA083172TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Batch Date : 02/11/25 07:45:08 Analyzed Date : 02/13/25 13:06:42						
Dilution : 10 Reagent : 012525.08; 012525.10; 013025.R13 Consumables : N/A Pipette : N/A						
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						

	Mycotoxins	PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
Analyzed by: 3621, 3379, 585, 1440	Weight: 0.2561g	Extraction date: 02/11/25 13:02:32		Extracted by: 450		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA083200MYC Instrument Used : N/A Batch Date : 02/11/25 10:49:43 Analyzed Date : 02/12/25 10:59:28						
Dilution : 250 Reagent : 020525.R29; 020525.R28; 020725.R01; 021125.R02; 012925.R01; 020525.R01; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

	Heavy Metals	PASSED				
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC	0.020	ppm	ND	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	
MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	ND	PASS	0.5	
Analyzed by: 1022, 3379, 585, 1440	Weight: 0.2654g	Extraction date: 02/11/25 11:06:27		Extracted by: 1022,4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA083190HEA Instrument Used : DA-ICPMS-004 Batch Date : 02/11/25 09:51:31 Analyzed Date : 02/12/25 10:46:41						
Dilution : 50 Reagent : 012925.R32; 013025.R04; 021025.R03; 020325.R03; 021025.R01; 021025.R02; 120324.07; 013125.R04 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 1g - Green Kush #2 (S)
Green Kush #2 (S)
Matrix : Derivative
Type: Vape

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50210003-005

Harvest/Lot ID: 2026971197710549

Batch# : 2026971197710549

Sampled : 02/10/25

Ordered : 02/10/25

Sample Size Received : 16 units

Total Amount : 980 units

Completed : 02/13/25 Expires: 02/13/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 02/12/25 11:28:11	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA083232FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 02/12/25 09:18:55

Analyzed Date : 02/12/25 11:40:35

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.545	PASS	0.85

Analyzed by: 4512, 4444, 3379, 585, 1440	Weight: 0.2731g	Extraction date: 02/11/25 12:49:11	Extracted by: 4512
---	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA083198WAT

Instrument Used : DA257 Rotronic HygroPalm

Batch Date : 02/11/25 09:57:02

Analyzed Date : 02/11/25 14:49:59

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/13/25