

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50210003-008

Kaycha Labs

Supply Vape Cartridge 500mg - Green Kush #2 (S)

Green Kush #2 (S) Matrix: Derivative

Classification: High THC Type: Vape

Production Method: Other - Not Listed Harvest/Lot ID: 3660775734367662

Batch#: 3660775734367662

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 0466033868422115

Harvest Date: 02/04/25

Sample Size Received: 31 units Total Amount: 582 units

Retail Product Size: 0.5 gram

Servings: 1

Ordered: 02/10/25 Sampled: 02/10/25

Completed: 02/13/25

Sampling Method: SOP.T.20.010

PASSED

Feb 13, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pages 1 of 6

SAFETY RESULTS



Pesticides PASSED



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents PASSED



PASSED

Batch Date: 02/11/25 09:50:12



Water Activity **PASSED**



Moisture **NOT TESTED**



Terpenes **PASSED**

PASSED



Cannabinoid

Total THC

83.333% Total THC/Container : 416.665 mg



Total CBD 0.323%

Total CBD/Container: 1.615 mg



Total Cannabinoids

Total Cannabinoids/Container: 437.660

D9-THC THCA CBD CBDA D8-THC CBG CBGA CBN THCV CBDV СВС 83.310 0.027 0.308 0.018 2.546 ND 0.844 0.335 0.144 ND ND 416.55 0.14 1.54 0.09 ND 12.73 ND 4.22 1.68 ND 0.72 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % % % % % %

Extraction date: 02/11/25 11:29:16 Analyzed by: 1665, 3605, 3379, 585, 1440

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA083189POT Instrument Used : DA-LC-003

Analyzed Date: 02/12/25 11:13:55

mg/unit

LOD

Reagent: 011325.R06; 010825.48; 011325.R03

Consumables: 947.110; 04312111; 040724CH01; 0000355309

Pipette: DA-079: DA-108: DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs Supply Vape Cartridge 500mg - Green Kush #2 (S) Green Kush #2 (S) Matrix : Derivative Type: Vape

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50210003-008 Harvest/Lot ID: 3660775734367662

Batch#: 3660775734367662 Sample Size Received: 31 units Sampled: 02/10/25

Total Amount: 582 units Ordered: 02/10/25

Completed: 02/13/25 **Expires:** 02/13/26 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

| Terpenes | LOD (%) | mg/unit | t % | Result (%) | | Terpenes | LOD (%) | mg/unit | t % | Result (%) |
|---------------------|------------|---------|-------|------------|--|---|----------------------------|-----------------|--------------|--|
| TOTAL TERPENES | 0.007 | 16.18 | 3.235 | | | SABINENE HYDRATE | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 4.64 | 0.927 | | | ALPHA-CEDRENE | 0.005 | ND | ND | |
| BETA-MYRCENE | 0.007 | 3.40 | 0.680 | | | ALPHA-HUMULENE | 0.007 | ND | ND | |
| LIMONENE | 0.007 | 1.90 | 0.379 | | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | |
| ALPHA-PINENE | 0.007 | 1.25 | 0.249 | | | ALPHA-TERPINENE | 0.007 | ND | ND | |
| ALPHA-BISABOLOL | 0.007 | 1.12 | 0.224 | | | CIS-NEROLIDOL | 0.003 | ND | ND | |
| BETA-PINENE | 0.007 | 0.92 | 0.183 | | | GAMMA-TERPINENE | 0.007 | ND | ND | |
| VALENCENE | 0.007 | 0.77 | 0.154 | | | TRANS-NEROLIDOL | 0.005 | ND | ND | |
| LINALOOL | 0.007 | 0.73 | 0.146 | | | Analyzed by: | Weight: | Extra | ction date: | Extracted by: |
| OCIMENE | 0.007 | 0.60 | 0.120 | | | 4451, 3379, 585, 1440 | 0.2044g | | ./25 11:31:2 | |
| ALPHA-TERPINEOL | 0.007 | 0.33 | 0.065 | | The state of the s | Analysis Method : SOP.T.30.061A.FL, SO | OP.T.40.061A.FL | | | |
| FENCHYL ALCOHOL | 0.007 | 0.30 | 0.059 | | | Analytical Batch : DA083180TER Instrument Used : DA-GCMS-008 | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | 0.13 | 0.025 | | | Analyzed Date: 02/12/25 11:13:57 | | | Batch D | ate: 02/11/25 09:05:06 |
| ALPHA-TERPINOLENE | 0.007 | 0.12 | 0.024 | | | Dilution: 10 | | | | |
| 3-CARENE | 0.007 | ND | ND | | | Reagent: 120224.08 | | | | |
| BORNEOL | 0.013 | ND | ND | | | Consumables: 947.110; 04312111; 224 | 40626; 0000355309 | | | |
| CAMPHENE | 0.007 | ND | ND | | | Pipette : DA-065 | | | | |
| CAMPHOR | 0.007 | ND | ND | | | Terpenoid testing is performed utilizing Gas | Chromatography Mass Spectr | ometry. For all | Flower samp | les, the Total Terpenes % is dry-weight corrected. |
| CEDROL | 0.007 | ND | ND | | | | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | | |
| FARNESENE | 0.007 | ND | ND | | | | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | | |
| GUAIOL | 0.007 | ND | ND | | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | | |
| NEROL | 0.007 | ND | ND | | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | | |
| SABINENE | 0.007 | ND | ND | | | | | | | |
| Total (%) | | | 3.235 | | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs Supply Vape Cartridge 500mg - Green Kush #2 (S) Green Kush #2 (S) Matrix : Derivative

PASSED

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50210003-008 Harvest/Lot ID: 3660775734367662

Sampled: 02/10/25 Ordered: 02/10/25

Batch#: 3660775734367662 Sample Size Received: 31 units Total Amount: 582 units Completed: 02/13/25 Expires: 02/13/26 Sample Method: SOP.T.20.010

Page 3 of 6

Type: Vape



Pesticides

PASSED

| esticide | | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Resu |
|------------------------------------|-------|-------|-----------------|-----------|--------|--|---------------|---|-----------------|-----------------|-----------|
| OTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | | 5 | PASS | ND | OXAMYL | 0.010 |) ppm | 0.5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.010 | | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 |) ppm | 0.1 | PASS | ND |
| OTAL PERMETHRIN | 0.010 | | 0.1 | PASS | ND | PHOSMET | 0.010 |) ppm | 0.1 | PASS | ND |
| OTAL PYRETHRINS | 0.010 | | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 |) ppm | 3 | PASS | ND |
| TAL SPINETORAM | 0.010 | | 0.2 | PASS | ND | PRALLETHRIN | |) ppm | 0.1 | PASS | ND |
| TAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | | | | 0.1 | PASS | ND |
| AMECTIN B1A | 0.010 | | 0.1 | PASS | ND | PROPICONAZOLE | |) ppm | | | |
| EPHATE | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | |) ppm | 0.1 | PASS | ND |
| EQUINOCYL | 0.010 | | 0.1 | PASS | ND | PYRIDABEN | |) ppm | 0.2 | PASS | ND |
| ETAMIPRID | 0.010 | | 0.1 | PASS | ND | SPIROMESIFEN | |) ppm | 0.1 | PASS | ND |
| DICARB | 0.010 | | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 |) ppm | 0.1 | PASS | ND |
| DXYSTROBIN | 0.010 | | 0.1 | PASS | ND | SPIROXAMINE | 0.010 |) ppm | 0.1 | PASS | ND |
| ENAZATE | 0.010 | | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 |) ppm | 0.1 | PASS | ND |
| ENTHRIN | 0.010 | | 0.1 | PASS | ND | THIACLOPRID | 0.010 |) ppm | 0.1 | PASS | ND |
| SCALID | 0.010 | 1.1 | 0.1 | PASS | ND | THIAMETHOXAM | |) ppm | 0.5 | PASS | ND |
| RBARYL | 0.010 | 1.1. | 0.5 | PASS | ND | TRIFLOXYSTROBIN | | ppm ppm | 0.1 | PASS | ND |
| RBOFURAN | 0.010 | | 0.1 | PASS | ND | | | ppm ppm | 0.15 | PASS | ND |
| LORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | | | | | |
| LORMEQUAT CHLORIDE | 0.010 | | 1 | PASS | ND | PARATHION-METHYL * | |) ppm | 0.1 | PASS | ND |
| ORPYRIFOS | 0.010 | | 0.1 | PASS | ND | CAPTAN * | |) ppm | 0.7 | PASS | ND |
| FENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CHLORDANE * | 0.010 |) ppm | 0.1 | PASS | ND |
| JMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 |) ppm | 0.1 | PASS | ND |
| MINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | CYFLUTHRIN * | 0.050 |) ppm | 0.5 | PASS | ND |
| ZINON | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 |) ppm | 0.5 | PASS | ND |
| HLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: Weight | | xtraction | Inter | Eutros | ted by: |
| ETHOATE | 0.010 | ppm | 0.1 | PASS | ND | 3621, 3379, 585, 1440 0.2149 | | 2/11/25 13 | | 450 | teu by: |
| OPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.102.FL, SOP.T.40.102 | | , _ , _ , _ , _ , _ , _ , _ , _ , _ , _ | .02.00 | 150 | |
| FENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA083199PES | | | | | |
| XAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | Bat | ch Date: 02/11 | /25 10:47:37 | |
| IHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 02/12/25 11:02:24 | | | | | |
| OXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Dilution: 250 | | | | | |
| IPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Reagent: 020525.R29; 020525.R28; 020725.R01 | 021125.R | 02; 012925 | R01; 020525.R | 01; 081023.01 | |
| RONIL | 0.010 | ppm | 0.1 | PASS | ND | Consumables: 221021DD Pipette: DA-093; DA-094; DA-219 | | | | | |
| ONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing | Liquid Chro | matography | Triplo Ouadron | la Macc Sportra | motn/in |
| JDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | accordance with F.S. Rule 64ER20-39. | Liquiu Cilfoi | matography | mpie-Quaurupo | ne mass spectro | metry III |
| CYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: Weight: | E | xtraction d | ate: | Extrac | ted by: |
| ZALIL | 0.010 | ppm | 0.1 | PASS | ND | 450, 3379, 585, 1440 0.2149g | | 2/11/25 13: | | 450 | j . |
| DACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Analysis Method: SOP.T.30.151A.FL, SOP.T.40.15 | 1.FL | | | | |
| SOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA083201VOL | | | | | |
| LATHION | 0.010 | ppm | 0.2 | PASS | ND | Instrument Used : DA-GCMS-001 | | Batch | Date: 02/11/25 | 10:49:45 | |
| TALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 02/12/25 10:51:09 | | | | | |
| THIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Dilution: 250 | 012025 044 | 1 | | | |
| THOMYL | 0.010 | ppm | 0.1 | PASS | ND | Reagent: 020725.R01; 081023.01; 012825.R39; Consumables: 221021DD; 040724CH01; 174736 | | J | | | |
| VINPHOS | 0.010 | | 0.1 | PASS | ND | Pipette: DA-080; DA-146; DA-218 | 01 | | | | |
| CLOBUTANIL | 0.010 | | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing | Gas Chroma | tography Ti | inle-Quadrunole | Mass Spectrome | etry in |
| LED | 0.010 | | 0.25 | PASS | ND | accordance with F.S. Rule 64FR20-39. | | g. upj 11 | .p quadrapore | | , |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs Supply Vape Cartridge 500mg - Green Kush #2 (S) Green Kush #2 (S) Matrix : Derivative Type: Vape

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50210003-008 Harvest/Lot ID: 3660775734367662

Batch#: 3660775734367662 Sample Size Received: 31 units Sampled: 02/10/25 Ordered: 02/10/25

Total Amount: 582 units Completed: 02/13/25 Expires: 02/13/26 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result | |
|--------------------------------------|--------------------|------------------------------|--------------|-----------|----------------------|--|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND | |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND | |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND | |
| ACETONE | 75.000 | ppm | 750 | PASS | ND | |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND | |
| BENZENE | 0.100 | ppm | 1 | PASS | ND | |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND | |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND | |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND | |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND | |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND | |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND | |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND | |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND | |
| METHANOL | 25.000 | ppm | 250 | PASS | ND | |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND | |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND | |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND | |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND | |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND | |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND | |
| Analyzed by: 850, 3379, 585, 1440 | Weight: 0.0233g | Extraction 02/12/25 1 | | | Extracted by: 850 | |

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA083208SOL Instrument Used: DA-GCMS-002

Analyzed Date : $02/12/25 \ 14:35:18$ Dilution: 1

Reagent: 030420.09 Consumables: 430596; 319008 **Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 02/11/25 12:36:08

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs Supply Vape Cartridge 500mg - Green Kush #2 (S) Green Kush #2 (S) Matrix : Derivative

Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50210003-008 Harvest/Lot ID: 3660775734367662

Sampled: 02/10/25 Ordered: 02/10/25

Batch#: 3660775734367662 Sample Size Received: 31 units Total Amount: 582 units Completed: 02/13/25 Expires: 02/13/26 Sample Method: SOP.T.20.010

Page 5 of 6

Batch Date: 02/11/25 10:49:43



Microbial

Batch Date: 02/11/25 07:45:08



SSED

Action

| Analyzed by: | Weight: | CFU/g | ion date: | Extract | |
|--------------------------|---------|--------|-------------|----------------|-----------------|
| TOTAL YEAST AND MOLD | 10 | CELLIa | <10 | PASS | 100000 |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |

4531, 4777, 3379, 585, 1440 0.801g 02/11/25 09:52:03 4520

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA083171MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 02/11/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 02/12/25 12:40:04

Dilution: 10

Reagent: 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12

Consumables: 7580001022

Pipette: N/A

| Pipette: N/A | | | |
|-----------------------|---------|-------------------|---------------|
| | | | |
| Analyzed by: | Weight: | Extraction date: | Extracted by: |
| 4531, 4044, 585, 1440 | 0.801g | 02/11/25 09:52:03 | 4520 |

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA083172TYM

Instrument Used : Incubator (25*C) DA- 328 [calibrated with

DA-3821

Analyzed Date: 02/13/25 13:06:44

Dilution: 10

Reagent: 012525.08; 012525.10; 013025.R13

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| \mathcal{C}° | Mycotoxins | | PA | | |
|-----------------------|------------|-------|-------|--------|--------------|
| nalyte | | LOD | Units | Result | Pass Fail |
| FLATOXIN E | 32 | 0.002 | ppm | ND | PASS |
| FLATOXIN F | 31 | 0.002 | nnm | ND | PASS |

| , | | | | | Fail | Level |
|---------------------------------------|------------------------|---------------------------|----|----|-----------------|-------|
| AFLATOXIN B2 | | 0.002 p | pm | ND | PASS | 0.02 |
| AFLATOXIN B1 | | 0.002 p | pm | ND | PASS | 0.02 |
| OCHRATOXIN A | | 0.002 p | pm | ND | PASS | 0.02 |
| AFLATOXIN G1 | | 0.002 p | pm | ND | PASS | 0.02 |
| AFLATOXIN G2 | | 0.002 p | pm | ND | PASS | 0.02 |
| Analyzed by: 3621, 3379, 585, 1440 | Weight: 0.2149g | Extraction of 02/11/25 13 | | | Extracte 450 | d by: |

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA083200MYC Instrument Used : N/A

Analyzed Date : 02/12/25 10:59:31

Dilution: 250

Reagent: 020525.R29; 020525.R28; 020725.R01; 021125.R02; 012925.R01; 020525.R01; 081023.01

Consumables: 221021DD Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|-------------------------------|-------|-------|--------|----------------|-----------------|
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |
| | | | | | |

Analyzed by: 1022, 3379, 585, 1440 Extraction date: Extracted by: 02/11/25 11:09:55 0.2411g 1022.4056

Analytical Batch : DA083190HEA Instrument Used : DA-ICPMS-004

Batch Date: 02/11/25 09:51:31 **Analyzed Date :** 02/12/25 10:46:43

Dilution: 50

Reagent: 012925.R32; 013025.R04; 021025.R03; 020325.R03; 021025.R01; 021025.R02; 120324.07; 013125.R04

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061; DA-191; DA-216

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50210003-008 Harvest/Lot ID: 3660775734367662

Sampled: 02/10/25 Ordered: 02/10/25

Batch#: 3660775734367662 Sample Size Received: 31 units Total Amount: 582 units Completed: 02/13/25 Expires: 02/13/26 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % NDPASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 02/12/25 11:28:11 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA083232FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 02/12/25 09:18:55 Analyzed Date: 02/12/25 11:40:34

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

| Analyte Water Activity | LOD Un 0.010 aw | Result 0.439 | P/F PASS | Action Level 0.85 |
|---|------------------------|----------------------------------|-------------|-----------------------|
| Analyzed by: 4512, 4444, 3379, 585, 1440 | Weight: 0.3209a | Extraction date: 02/11/25 12:49: | | Extracted by: 4512 |

Analysis Method: SOP.T.40.019

Analytical Batch : DA083198WAT Instrument Used : DA257 Rotronic HygroPalm Batch Date: 02/11/25 09:57:02

Analyzed Date: 02/11/25 14:50:01

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164