

**COMPLIANCE FOR RETAIL** 

Laboratory Sample ID: DA50211009-001

Sunnyside

Feb 14, 2025 | Sunnyside

Chews

## Kaycha Labs

Sunnyside Chews 200mg 10pk Peach 1:1

Peach 1:1

Matrix: Edible Classification: High THC Type: Soft Chew

Production Method: Other - Not Listed Harvest/Lot ID: 4414140424031098

Batch#: 4414140424031098

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 3851807658123462

Harvest Date: 02/04/25

Sample Size Received: 13 units

Total Amount: 2630 units

Retail Product Size: 42.0839 gram Retail Serving Size: 4.20839 gram

> Servings: 10 Ordered: 02/11/25

Sampled: 02/11/25 Completed: 02/14/25

Sampling Method: SOP.T.20.010

PASSED

**Sunnyside** 

Pages 1 of 5

SAFETY RESULTS

22205 Sw Martin Hwv indiantown, FL, 34956, US



Pesticides **PASSED** 



Heavy Metals **PASSED** 



**Certificate of Analysis** 

Microbials **PASSED** 



**Mycotoxins PASSED** 



Residuals Solvents PASSED



Filth **PASSED** 

Batch Date: 02/12/25 09:00:17



Water Activity **PASSED** 



Moisture **NOT TESTED** 



MISC.

Terpenes NOT **TESTED** 

PASSED



Cannabinoid

**Total THC** 0.232%

Total THC/Container: 97.635 mg



**Total CBD** 0.227%

Total CBD/Container: 95.530 mg



**Total Cannabinoids** .474%

Total Cannabinoids/Container: 199.478



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA083225POT Instrument Used: DA-LC-007 Analyzed Date: 02/13/25 10:18:16

Dilution: 40 Reagent: 120324.07; 012825.R19; 010825.20; 010825.48; 011325.R09 Consumables: 947.110; 04312111; 040724CH01; 0000355309 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50211009-001 Harvest/Lot ID: 4414140424031098

Sampled: 02/11/25 Ordered: 02/11/25

Batch#: 4414140424031098 Sample Size Received: 13 units Total Amount : 2630 units **Completed :** 02/14/25 **Expires:** 02/14/26 Sample Method: SOP.T.20.010

Page 2 of 5



### **Pesticides**

## **PASSED**

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		30	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		3	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		1	PASS	ND	PHOSMET		0.010	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.010		1	PASS	ND	PIPERONYL BUTOXIDE		0.010	nnm	3	PASS	ND
OTAL SPINETORAM	0.010		3	PASS	ND	PRALLETHRIN		0.010		0.4	PASS	ND
OTAL SPINOSAD	0.010	1111	3	PASS	ND					1	PASS	ND
BAMECTIN B1A	0.010	I F	0.3	PASS	ND	PROPICONAZOLE		0.010		-		
CEPHATE	0.010	1111	3	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EQUINOCYL	0.010		2	PASS	ND	PYRIDABEN		0.010		3	PASS	ND
ETAMIPRID	0.010		3	PASS	ND	SPIROMESIFEN		0.010	ppm	3	PASS	ND
DICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	3	PASS	ND
OXYSTROBIN	0.010		3	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010	I F	3	PASS	ND	TEBUCONAZOLE		0.010	ppm	1	PASS	ND
ENTHRIN	0.010	1111	0.5	PASS	ND	THIACLOPRID		0.010	mag	0.1	PASS	ND
SCALID	0.010		3	PASS	ND	THIAMETHOXAM		0.010		1	PASS	ND
RBARYL	0.010	I F	0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		3	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND		(5015) +	0.010		0.2	PASS	ND
LORANTRANILIPROLE	0.010	ppm	3	PASS	ND	PENTACHLORONITROBENZ	ENE (PCNB) *					
LORMEQUAT CHLORIDE	0.010		3	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
LORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		3	PASS	ND
DENTEZINE	0.010		0.5	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
JMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	1	PASS	ND
ZINON	0.010	ppm	3	PASS	ND	CYPERMETHRIN *		0.050	ppm	1	PASS	ND
HLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extraction	on date:		Extracted	hv
METHOATE	0.010		0.1	PASS	ND	3621, 585, 1440	0.968q		11:41:57		450,585	Dy.
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.						
DFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA083243						
DXAZOLE	0.010	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS			Batch	Date: 02/12/	/25 09:30:38	
HEXAMID	0.010	ppm	3	PASS	ND	Analyzed Date: 02/13/25 11	:04:35					
IOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250						
NPYROXIMATE	0.010	ppm	2	PASS	ND	Reagent: 020725.R01; 0810 Consumables: 2240626; 04		DD				
RONIL	0.010	ppm	0.1	PASS	ND	Pipette: N/A	U124C∏U1, ZZ1UZ1	טט				
DNICAMID	0.010	ppm	2	PASS	ND	Testing for agricultural agents	is nerformed utilizin	a Liquid Chrom	natography Tr	inle-Ouadruno	le Mass Spectro	metry in
JDIOXONIL	0.010		3	PASS	ND	accordance with F.S. Rule 64E		5 4010 0111011	grupny 11	.p. = 4000.0p0		
XYTHIAZOX	0.010	1111	2	PASS	ND	Analyzed by:	Weight:	Extractio	n date:		Extracted	by:
AZALIL	0.010	I F	0.1	PASS	ND	450, 585, 1440	0.968g	02/12/25	11:41:57		450,585	
DACLOPRID	0.010	ppm	1	PASS	ND	Analysis Method : SOP.T.30.		151.FL				
SOXIM-METHYL	0.010	ppm	1	PASS	ND	Analytical Batch : DA083242						
LATHION	0.010	ppm	2	PASS	ND	Instrument Used : DA-GCMS			Batch Da	ite:02/12/25	09:32:43	
TALAXYL	0.010	ppm	3	PASS	ND	Analyzed Date: 02/13/25 10	1.33.49					
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 020725.R01; 0810	123 01: 012825 030	· 012825 P40				
THOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 2240626; 04						
VINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; D		, _, ., 5001	-			
CLOBUTANIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents	is performed utilizin	g Gas Chromat	ography Trip	e-Quadrupole	Mass Spectrome	etry in
LED	0.010	nnm	0.5	PASS	ND	accordance with F.S. Rule 64E						-

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

## **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





PASSED

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chavez@crescolabs.com Sample: DA50211009-001 Harvest/Lot ID: 4414140424031098

Batch#:4414140424031098 Sample Size Received:13 units Sampled:02/11/25 Total Amount:2630 units

Sampled: 02/11/25 Total Amo Ordered: 02/11/25 Complete

Total Amount: 2630 units Completed: 02/14/25 Expires: 02/14/26 Sample Method: SOP.T.20.010 Page 3 of 5



## **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0265g	<b>Extraction date:</b> 02/13/25 13:07:56			Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA083253SOL

Instrument Used: DA-GCMS-002

Analyzed Date: 02/13/25 14:32:13

Dilution: 1

Reagent: 030420.09 Consumables: 430596; 319008 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date : 02/12/25 12:12:04

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

ical State License # CMTL-0002
Rule ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLATesting 97164

Vivian Celestino
Lab Director
State License # CMTL-0002





# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50211009-001 Harvest/Lot ID: 4414140424031098

Sampled: 02/11/25 Ordered: 02/11/25

Batch#: 4414140424031098 Sample Size Received: 13 units Total Amount: 2630 units Completed: 02/14/25 Expires: 02/14/26 Sample Method: SOP.T.20.010

Page 4 of 5

Batch Date: 02/12/25 09:33:50



## **Microbial**

Batch Date: 02/12/25 07:23:51



Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		ī
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3
Analyzed by: 4531, 4520, 3379, 585, 1440	Weight: 1.125g			Extracte 4520,45		1

**Analysis Method :** SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA083211MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 02/12/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95\*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

**Analyzed Date :** 02/13/25 10:13:44

Dilution: 10

Reagent: 012525.10; 012525.12; 011525.R47; 080724.09

Consumables: 7580001024 Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4531, 4571, 585, 1440	1.125g	02/12/25 08:50:01	4520,4531

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA083212TYM

Instrument Used: Incubator (25\*C) DA- 328 [calibrated with DA-3821

Analyzed Date: 02/14/25 14:46:39

Dilution: 10

Reagent: 012525.10; 012525.12; 013025.R13

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

$\mathcal{C}^{\circ}$	Mycotoxins	P/			
nalyte		LOD	Units	Result	Pas Fai
FLATOXIN B	2	0.002	ppm	ND	PAS
FLATOXIN B	1	0.002	nnm	ND	РΔ

Analyte		LOD	Units	Kesult	Pass / Fail	Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3621, 3379, 585, 1440	Weight:	Extraction			Extracted 450 585	d by:

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch: DA083243MYC Instrument Used : N/A

**Analyzed Date :** 02/13/25 10:12:16

Dilution: 250

Reagent: 020725.R01; 081023.01 Consumables: 2240626; 040724CH01; 221021DD

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## **Heavy Metals**

## **PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Extraction date: Extracted by: 4056, 1022, 3379, 585, 1440 0.2367g 02/12/25 10:33:45

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA083233HEA

Instrument Used: DA-ICPMS-004 Batch Date: 02/12/25 09:21:39 Analyzed Date: 02/13/25 10:10:11

Dilution: 50

Reagent: 012925.R32; 013025.R04; 021025.R03; 020325.R03; 021025.R01; 021025.R02; 120324.07; 021225.R30

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50211009-001 Harvest/Lot ID: 4414140424031098

Batch#: 4414140424031098 Sample Size Received: 13 units Sampled: 02/11/25 Ordered: 02/11/25

Total Amount: 2630 units Completed: 02/14/25 Expires: 02/14/26 Sample Method: SOP.T.20.010

Analyte

(RSD)

(RSD)

Analyzed by

Page 5 of 5

Pass/Fail

**PASS** 

PASS

Weight

Average Extraction date :

Batch Date: 02/12/25 07:40:05

4.175g 02/12/25 10:02:16 4621



## Filth/Foreign **Material**

## **PASSED**

## Homogeneity

**TOTAL THC - HOMOGENEITY** 

**TOTAL CBD - HOMOGENEITY** 

4621, 3702, 3379, 585, 1440

Analytical Batch: DA083213HOM

**Analyzed Date:**  $02/13/25 \ 10:15:47$ 

Instrument Used : DA-LC-004

**PASSED** 

Action Level

Extracted

Bv:

Result

1.462 25

1.486 25

Amount of tests conducted: 24

Analysis Method: SOP.T.30.111.FL, SOP.T.40.111.FL

Analyte		LOD Units		Result	P/F	Action Leve
Filth and Foreign M	laterial	0.100	%	ND	PASS	1
Analyzed by:	Weight:		action dat		Ext	racted by:
1879, 585, 1440	1 a	02/1	2/25 11.2	28.1/	18	70

Analysis Method: SOP.T.40.090

Analytical Batch : DA083232FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 02/12/25 11:31:08

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## **Water Activity**

Batch Date: 02/12/25 09:18:55

$\Delta$	-		
$\neg$		-	

CCED	Dilution: 40
SSED	Reagent: 120324.07; 011325.R05; 010825.

 $\textbf{Consumables:}\ 947.110;\ 04312111;\ 040724\text{CH01};\ 1009487156;\ 0000355309;\ \text{LCJ0311R};$ 

.20; 011325.R04

LOD

0.001 %

0.001

Units

1009389944

Pipette: DA-079; DA-108; DA-078

Analyte LOD Units Result P/F **Action Level Water Activity** PASS 0.010 aw 0.702 0.85 Extraction date: 02/12/25 11:19:31 Analyzed by: 4797, 3379, 585, 1440 Extracted by: 4797

Analysis Method: SOP.T.40.019 Analytical Batch: DA083229WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 02/12/25 09:09:32 Analyzed Date: 02/12/25 12:49:06

Dilution: N/A

Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

 $Homogeneity\ testing\ is\ performed\ utilizing\ High\ Performance\ Liquid\ Chromatography\ with\ UV\ detection\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$ 

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

## **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164