



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50212006-002



**Production Method:** Other - Not Listed  
**Harvest/Lot ID:** 3065813189117452  
**Batch#:** 3065813189117452  
**Cultivation Facility:** FL - Indiantown (4430)  
**Processing Facility:** FL - Indiantown (4430)  
**Source Facility:** FL - Indiantown (4430)  
**Seed to Sale#:** 0124571378616657  
**Harvest Date:** 02/07/25  
**Sample Size Received:** 3 units  
**Total Amount:** 411 units  
**Retail Product Size:** 14 gram  
**Retail Serving Size:** 14 gram  
**Servings:** 1  
**Ordered:** 02/12/25  
**Sampled:** 02/12/25  
**Completed:** 02/15/25  
**Sampling Method:** SOP.T.20.010

Feb 15, 2025 | Sunnyside

22205 Sw Martin Hwy  
 indiantown, FL, 34956, US



**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
 Solvents  
 NOT TESTED



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**PASSED**

### MISC.



### Cannabinoid

**PASSED**



**Total THC**  
**19.390%**  
 Total THC/Container : 2714.600 mg



**Total CBD**  
**0.034%**  
 Total CBD/Container : 4.760 mg



**Total Cannabinoids**  
**22.624%**  
 Total Cannabinoids/Container : 3167.360 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.835	21.158	ND	0.039	0.021	0.069	0.412	ND	ND	ND	0.090
mg/unit	116.90	2962.12	ND	5.46	2.94	9.66	57.68	ND	ND	ND	12.60
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%			%	%	%	%	%	%	%	%	%

Analyzed by:  
 3335, 3605, 585, 1440

Weight:  
 0.2008g

Extraction date:  
 02/13/25 11:42:22

Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA083266POT  
 Instrument Used : DA-LC-001  
 Analyzed Date : 02/15/25 16:55:09

Batch Date : 02/13/25 09:21:51

Dilution : 400  
 Reagent : 011325.R06; 010825.48; 011325.R04  
 Consumables : 947.110; 04312111; 040724CH01; 0000355309  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJA-  
 Testing 97164



Signature  
 02/15/25



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50212006-002  
Harvest/Lot ID : 3065813189117452

Batch# : 3065813189117452 Sample Size Received : 3 units  
Sampled : 02/12/25 Total Amount : 411 units  
Ordered : 02/12/25 Completed : 02/15/25 Expires: 02/15/26  
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				PASSED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	327.18	2.337	VALENCENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	112.14	0.801	ALPHA-CEDRENE	0.005	ND	ND
LIMONENE	0.007	63.70	0.455	ALPHA-PHELLANDRENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	48.30	0.345	ALPHA-TERPINENE	0.007	ND	ND
BETA-MYRCENE	0.007	27.44	0.196	ALPHA-TERPINOLENE	0.007	ND	ND
LINALOOL	0.007	18.34	0.131	CIS-NEROLIDOL	0.003	ND	ND
BETA-PINENE	0.007	12.60	0.090	GAMMA-TERPINENE	0.007	ND	ND
ALPHA-PINENE	0.007	12.32	0.088	TRANS-NEROLIDOL	0.005	ND	ND
FENCHYL ALCOHOL	0.007	8.96	0.064	Analyzed by: 4451, 3379, 585, 1440 Weight: 1.0716g Extraction date: 02/13/25 11:18:05 Extracted by: 4451 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA083271TER Instrument Used : DA-GCMS-004 Analyzed Date : 02/15/25 17:32:08 Batch Date : 02/13/25 09:37:31 Dilution : 10 Reagent : 120224.08 Consumables : 947.110; 04312111; 2240626; 0000355309 Pipette : DA-065 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
ALPHA-BISABOLOL	0.007	8.12	0.058				
ALPHA-TERPINEOL	0.007	7.70	0.055				
OCIMENE	0.007	7.56	0.054				
3-CARENE	0.007	ND	ND				
BORNEOL	0.013	ND	ND				
CAMPHENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.001	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
<b>Total (%)</b>			<b>2.337</b>				





# Certificate of Analysis

**PASSED**

Sunnyside

Sample : DA50212006-002  
Harvest/Lot ID: 3065813189117452

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Batch# : 3065813189117452 Sample Size Received : 3 units  
Sampled : 02/12/25 Total Amount : 411 units  
Ordered : 02/12/25 Completed : 02/15/25 Expires: 02/15/26  
Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3621, 3379, 585, 1440 <b>Weight:</b> 0.9368g <b>Extraction date:</b> 02/13/25 12:23:24 <b>Extracted by:</b> 450,3621 <b>Analysis Method :</b> SOP.T.30.102.FL, SOP.T.40.102.FL <b>Analytical Batch :</b> DA083294PES <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 02/13/25 10:44:16 <b>Analyzed Date :</b> 02/14/25 09:39:46 <b>Dilution :</b> 250 <b>Reagent :</b> 020725.R01; 081023.01 <b>Consumables :</b> 040724CH01; 221021DD <b>Pipette :</b> N/A Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 3379, 585, 1440 <b>Weight:</b> 0.9368g <b>Extraction date:</b> 02/13/25 12:23:24 <b>Extracted by:</b> 450,3621 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA083296VOL <b>Instrument Used :</b> DA-GCMS-010 <b>Batch Date :</b> 02/13/25 10:47:32 <b>Analyzed Date :</b> 02/14/25 09:29:20 <b>Dilution :</b> 250 <b>Reagent :</b> 020725.R01; 081023.01; 012825.R39; 012825.R40 <b>Consumables :</b> 040724CH01; 221021DD; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164



Signature  
02/15/25



# Certificate of Analysis

**PASSED**

**Sunnyside**

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50212006-002  
Harvest/Lot ID: 3065813189117452

Batch# : 3065813189117452 Sample Size Received : 3 units  
Sampled : 02/12/25 Total Amount : 411 units  
Ordered : 02/12/25 Completed : 02/15/25 Expires: 02/15/26  
Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	690	PASS	100000						
<b>Analyzed by:</b> 4531, 4520, 585, 1440 <b>Weight:</b> 0.812g <b>Extraction date:</b> 02/13/25 10:06:52 <b>Extracted by:</b> 4520,4571						<b>Analyzed by:</b> 3621, 3379, 585, 1440 <b>Weight:</b> 0.9368g <b>Extraction date:</b> 02/13/25 12:23:24 <b>Extracted by:</b> 450,3621					
<b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA083260MIC <b>Instrument Used :</b> PathogenDx Scanner DA-111, Fisher Scientific <b>Batch Date :</b> 02/13/25 Isotemp Heat Block (95°C) DA-049, DA-402 Thermo Scientific Heat Block (55 C) 08:10:37 <b>Analyzed Date :</b> 02/14/25 10:26:49						<b>Analysis Method :</b> SOP.T.30.102.FL, SOP.T.40.102.FL <b>Analytical Batch :</b> DA083295MYC <b>Instrument Used :</b> N/A <b>Batch Date :</b> 02/13/25 10:47:14 <b>Analyzed Date :</b> 02/14/25 09:20:07					
<b>Dilution :</b> 10 <b>Reagent :</b> 012425.10; 012425.11; 011525.R47; 080724.09 <b>Consumables :</b> 7580001030 <b>Pipette :</b> N/A						<b>Dilution :</b> 250 <b>Reagent :</b> 020725.R01; 081023.01 <b>Consumables :</b> 040724CH01; 221021DD <b>Pipette :</b> N/A					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
<b>TOTAL CONTAMINANT LOAD METALS</b>					
ARSENIC	0.020	ppm	ND	PASS	1.1
CADMIUM	0.020	ppm	<0.100	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 3379, 585, 1440 <b>Weight:</b> 0.2607g <b>Extraction date:</b> 02/13/25 10:18:33 <b>Extracted by:</b> 4056					
<b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA083269HEA <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 02/13/25 09:36:53 <b>Analyzed Date :</b> 02/14/25 10:28:22					
<b>Dilution :</b> 50 <b>Reagent :</b> 012925.R32; 013025.R04; 021025.R03; 020325.R03; 021025.R01; 021025.R02; 120324.07; 021225.R30 <b>Consumables :</b> 040724CH01; J609879-0193; 179436 <b>Pipette :</b> DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50212006-002  
Harvest/Lot ID: 3065813189117452  
Batch#: 3065813189117452 Sample Size Received : 3 units  
Sampled : 02/12/25 Total Amount : 411 units  
Ordered : 02/12/25 Completed : 02/15/25 Expires: 02/15/26  
Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.100	%	ND	PASS	1	<b>Moisture Content</b>	1.0	%	14.9	PASS	15
Analyzed by: 585, 1440	Weight: 1g	Extraction date: 02/14/25 10:29:58	Extracted by: 1879			Analyzed by: 4797, 585, 3379, 1440	Weight: 0.495g	Extraction date: 02/13/25 12:34:22	Extracted by: 4797		
Analysis Method : SOP.T.40.090 Analytical Batch : DA083345FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 02/15/25 17:38:03 Batch Date : 02/14/25 10:26:23						Analysis Method : SOP.T.40.021 Analytical Batch : DA083277MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 02/15/25 17:32:04 Batch Date : 02/13/25 10:02:18					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.010	aw	0.553	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 1.342g	Extraction date: 02/13/25 11:20:21	Extracted by: 4797		
Analysis Method : SOP.T.40.019 Analytical Batch : DA083279WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 02/14/25 09:15:04 Batch Date : 02/13/25 10:06:15					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

