



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50212006-004



Feb 15, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 5

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
 NOT TESTED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
PASSED

 Terpenes
PASSED

MISC.


Cannabinoid
PASSED


Total THC

19.461%

Total THC/Container : 1362.270 mg



Total CBD

0.030%

Total CBD/Container : 2.100 mg



Total Cannabinoids

22.905%

Total Cannabinoids/Container : 1603.350 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.634	21.468	ND	0.035	ND	0.079	0.651	ND	ND	ND	0.038
mg/unit	44.38	1502.76	ND	2.45	ND	5.53	45.57	ND	ND	ND	2.66
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 3605, 585, 1440

 Weight:
 0.2121g

 Extraction date:
 02/13/25 11:42:22

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083266POT

Instrument Used : DA-LC-001

Analyzed Date : 02/15/25 17:32:28

Batch Date : 02/13/25 09:21:51

Dilution : 400

Reagent : 011325.R06; 010825.48; 011325.R04

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 02/15/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Rollins x Sgr Ddy (S)
Rollins x Sgr Ddy (S)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50212006-004

Harvest/Lot ID: 0367402488119539

Batch# : 0367402488119539

Sampled : 02/12/25

Ordered : 02/12/25

Sample Size Received : 5 units

Total Amount : 820 units

Completed : 02/15/25 Expires: 02/15/26

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	110.88	1.584		VALENCENE	0.007	ND	ND	
BETA-MYRCENE	0.007	43.19	0.617		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	28.49	0.407		ALPHA-PHELLANDRENE	0.007	ND	ND	
LIMONENE	0.007	15.47	0.221		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	9.10	0.130		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	3.43	0.049		CIS-NEROLIDOL	0.003	ND	ND	
LINALOOL	0.007	2.59	0.037		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	2.31	0.033		TRANS-NEROLIDOL	0.005	ND	ND	
FENCHYL ALCOHOL	0.007	2.24	0.032		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-BISABOLOL	0.007	2.10	0.030		Analyzed by: 4451, 585, 1440	Weight: 1.1665g	Extraction date: 02/13/25 11:18:05	Extracted by: 4451	
ALPHA-PINENE	0.007	1.96	0.028		Analysis Batch : DA083271TER				
3-CARENE	0.007	ND	ND		Instrument Used : DA-GCMS-004				Batch Date : 02/13/25 09:37:31
BORNEOL	0.013	ND	ND		Analyzed Date : 02/14/25 10:22:10				
CAMPHENE	0.007	ND	ND		Dilution : 10				
CAMPOR	0.007	ND	ND		Reagent : 120224.08				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : 947.110; 04312111; 2240626; 0000355309				
CEDROL	0.007	ND	ND		Pipette : DA-065				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			1.584						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/15/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664


Kaycha Labs

Supply Smalls 7g - Rollins x Sgr Ddy (S)

Rollins x Sgr Ddy (S)

Matrix : Flower

Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50212006-004

Harvest/Lot ID: 0367402488119539

Batch# : 0367402488119539

Sampled : 02/12/25

Ordered : 02/12/25

Sample Size Received : 5 units

Total Amount : 820 units

Completed : 02/15/25 Expires: 02/15/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	<0.050	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	<0.050	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	3621, 3379, 585, 1440	Weight:	0.8393g	Extraction date:	02/13/25 12:23:24
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.102.FL, SOP.T.40.102.FL				
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA083294PES				
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)			Batch Date :	02/13/25 10:44:16
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed Date :	02/14/25 09:39:49				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Reagent :	020725.R01; 081023.01				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Consumables :	040724CH01; 221021DD				
FIPRONIL	0.010	ppm	0.1	PASS	ND	Pipette :	N/A				
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by:	450, 3379, 585, 1440	Weight:	0.8393g	Extraction date:	02/13/25 12:23:24
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method :	SOP.T.30.151A.FL, SOP.T.40.151.FL				
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA083296VOL				
MALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used :	DA-GCMS-010			Batch Date :	02/13/25 10:47:32
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	02/14/25 09:29:26				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution :	250				
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent :	020725.R01; 081023.01; 012825.R39; 012825.R40				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables :	040724CH01; 221021DD; 17473601				
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/15/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Rollins x Sgr Ddy (S)
Rollins x Sgr Ddy (S)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50212006-004

Harvest/Lot ID: 0367402488119539

Batch# : 0367402488119539

Sampled : 02/12/25

Ordered : 02/12/25


Sample Size Received : 5 units


Total Amount : 820 units


Completed : 02/15/25 Expires: 02/15/26

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		
TOTAL YEAST AND MOLD	10	CFU/g	320	PASS	100000	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.881g	Extraction date: 02/13/25 10:07:05	Extracted by: 4520,4571			
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						
Analytical Batch : DA083260MIC						
Instrument Used : PathogenDx Scanner DA-111,Fisher Scientific						
Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)						
Batch Date : 02/13/25 08:10:37						
Analysis Date : 02/14/25 10:26:51						
Dilution : 10						
Reagent : 012425.10; 012425.11; 011525.R47; 080724.09						
Consumables : 7580001030						
Pipette : N/A						
Analysis Method : SOP.T.40.209.FL						
Analytical Batch : DA083261TYM						
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]						
Batch Date : 02/13/25 08:14:05						
Analysis Date : 02/15/25 17:29:16						
Dilution : 10						
Reagent : 012425.10; 012425.11; 013025.R13						
Consumables : N/A						
Pipette : N/A						
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						

	Mycotoxins					PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL	Weight: 0.8393g	Extraction date: 02/13/25 12:23:24	Extracted by: 450,3621			
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL						
Analytical Batch : DA083295MYC						
Instrument Used : N/A						
Batch Date : 02/13/25 10:47:14						
Analysis Date : 02/14/25 09:20:08						
Dilution : 250						
Reagent : 020725.R01; 081023.01						
Consumables : 040724CH01; 221021DD						
Pipette : N/A						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

	Heavy Metals					PASSED
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC	0.020	ppm	<0.100	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	
MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	ND	PASS	0.5	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2507g	Extraction date: 02/13/25 10:19:28	Extracted by: 4056			
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA083269HEA						
Instrument Used : DA-ICPMS-004						
Batch Date : 02/13/25 09:36:53						
Analysis Date : 02/14/25 10:28:24						
Dilution : 50						
Reagent : 012925.R32; 013025.R04; 021025.R03; 020325.R03; 021025.R01; 021025.R02; 120324.07; 021225.R30						
Consumables : 040724CH01; J609879-0193; 179436						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/15/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Rollins x Sgr Ddy (S)
Rollins x Sgr Ddy (S)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50212006-004

Harvest/Lot ID: 0367402488119539

Batch# : 0367402488119539

Sampled : 02/12/25

Ordered : 02/12/25

Sample Size Received : 5 units

Total Amount : 820 units

Completed : 02/15/25 Expires: 02/15/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	12.9	PASS	15
Analyzed by: 585, 1440	Weight: 1g	Extraction date: 02/14/25 10:29:58	Extracted by: 1879			Analyzed by: 4797, 585, 1440	Weight: 0.503g	Extraction date: 02/13/25 12:14:57	Extracted by: 4797		
Analysis Method : SOP.T.40.090 Analytical Batch : DA083345FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 02/15/25 17:38:07						Analysis Method : SOP.T.40.021 Analytical Batch : DA083277MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 02/14/25 09:12:51					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.511	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 1.604g	Extraction date: 02/13/25 11:19:42	Extracted by: 4797		
Analysis Method : SOP.T.40.019 Analytical Batch : DA083279WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 02/14/25 09:15:05					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/15/25