

**COMPLIANCE FOR RETAIL** 

Laboratory Sample ID: DA50212006-011

# Kaycha Labs

Supply Vape Cartridge 1g - Pnapl Xp (H)

Pnapl Xp (H)

Matrix: Derivative Classification: High THC Type: Distillate

Production Method: Other - Not Listed Harvest/Lot ID: 4053711200472906

Batch#: 4053711200472906

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 5244711404593284

Harvest Date: 02/05/25

Sample Size Received: 16 units Total Amount: 980 units

Retail Product Size: 1 gram Retail Serving Size: 1 gram

Servings: 1

Ordered: 02/12/25 Sampled: 02/12/25

Completed: 02/15/25 Revision Date: 02/18/25

Sampling Method: SOP.T.20.010

PASSED

# Feb 18, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pages 1 of 6

#### SAFETY RESULTS



Pesticides **PASSED** 



Heavy Metals **PASSED** 



**Certificate of Analysis** 

Microbials **PASSED** 



**Mvcotoxins** Residuals **PASSED** Solvents **PASSED** 



Filth **PASSED** 



Water Activity **PASSED** 



Moisture **NOT TESTED** 



Terpenes **TESTED** 

TESTED



#### Cannabinoid

**Total THC** 

89,681% Total THC/Container: 896.810 mg



**Total CBD** 0.355%

Total CBD/Container: 3.550 mg



ma

**Total Cannabinoids** 

Total Cannabinoids/Container: 942.080

THCA CBD CBDA D8-THC CBG CBGA CBN THCV CBDV СВС D9-THC 89.641 0.046 0.334 0.025 ND 2.746 ND 0.894 0.365 0.157 ND 896.41 0.25 ND 27.46 ND 8.94 3.65 0.46 3.34 ND 1.57 mg/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD 0.001 % % % % % % Extraction date: 02/13/25 11:43:43 Extracted by:

Analysis Method: SOP.T.40.031. SOP.T.30.031 Analytical Batch: DA083280POT Instrument Used: DA-LC-003

Analyzed Date: 02/14/25 09:16:16

Reagent: 011325.R06; 012725.06; 011325.R03

Consumables: 947.110; 04312111; 040724CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

Batch Date: 02/13/25 10:09:31

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/15/25





# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50212006-011 Harvest/Lot ID: 4053711200472906

Sampled: 02/12/25 Ordered: 02/12/25

Batch#: 4053711200472906 Sample Size Received: 16 units Total Amount : 980 units

**Completed:** 02/15/25 **Expires:** 02/18/26 Sample Method: SOP.T.20.010

Page 2 of 6



## **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	L0 (%		mg/unit	%	Result (%)
TOTAL TERPENES	0.007	33.74	3.374		SABINENE	0.0		ND	ND	
ALPHA-PINENE	0.007	7.61	0.761		SABINENE HYDRATE	0.0	07	ND	ND	
BETA-MYRCENE	0.007	6.74	0.674		VALENCENE	0.0	07	ND	ND	
IMONENE	0.007	4.99	0.499		ALPHA-CEDRENE	0.0	05	ND	ND	
BETA-PINENE	0.007	4.45	0.445		ALPHA-PHELLANDRENE	0.0	07	ND	ND	
BETA-CARYOPHYLLENE	0.007	4.13	0.413		ALPHA-TERPINENE	0.0	07	ND	ND	
LPHA-HUMULENE	0.007	1.57	0.157		ALPHA-TERPINEOL	0.0	07	ND	ND	
ALPHA-TERPINOLENE	0.007	1.18	0.118		CIS-NEROLIDOL	0.0	03	ND	ND	
LPHA-BISABOLOL	0.007	0.73	0.073		Analyzed by:	Weight:	Е	extraction d	ate:	Extracted by:
RANS-NEROLIDOL	0.005	0.66	0.066			0.2229g		2/13/25 11		4451
ARNESENE	0.007	0.47	0.047		Analysis Method : SOP.T.30.061A.FL, SOP.T	T.40.061A.FL				
SAMMA-TERPINENE	0.007	0.43	0.043		Analytical Batch : DA083273TER Instrument Used : DA-GCMS-008				Datah Da	ite: 02/13/25 09:39:53
INALOOL	0.007	0.37	0.037		Analyzed Date : 02/14/25 09:16:18				patth Da	ne: UZ/13/Z3 U3.33.33
ARYOPHYLLENE OXIDE	0.007	0.21	0.021		Dilution: 10					
UAIOL	0.007	0.20	0.020		Reagent: 120224.08					
-CARENE	0.007	ND	ND		Consumables: 947.110; 04312111; 22406	26; 0000355309				
ORNEOL	0.013	ND	ND		Pipette : DA-065					
AMPHENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chri	omatography Mass	Spectrom	netry. For all I	Flower sampl	es, the Total Terpenes % is dry-weight corrected.
AMPHOR	0.007	ND	ND							
CEDROL	0.007	ND	ND							
UCALYPTOL	0.007	ND	ND							
ENCHONE	0.007	ND	ND							
ENCHYL ALCOHOL	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
SOBORNEOL	0.007	ND	ND							
SOPULEGOL	0.007	ND	ND							
IEROL	0.007	ND	ND							
CIMENE	0.007	ND	ND							
PULEGONE	0.007	ND	ND							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/15/25



#### Kaycha Labs Supply Vape Cartridge 1g - Pnapl Xp (H) Pnapl Xp (H) Matrix : Derivative Type: Distillate

# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50212006-011 Harvest/Lot ID: 4053711200472906

Pacc/Eail Pacult

Sampled: 02/12/25 Ordered: 02/12/25

Batch#: 4053711200472906 Sample Size Received: 16 units Total Amount : 980 units **Completed:** 02/15/25 **Expires:** 02/18/26 Sample Method: SOP.T.20.010

Page 3 of 6



#### **Pesticides**

LOD Unite

### **PASSED**

Dage/Eall

	de	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL	CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	0 ppm	0.5	PASS	ND
	DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0 ppm	0.1	PASS	ND
TOTAL	PERMETHRIN	0.010	ppm	0.1	PASS	ND			0 ppm	0.1	PASS	ND
	PYRETHRINS	0.010	ppm	0.5	PASS	ND	PHOSMET					
TOTAL	SPINETORAM	0.010	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0 ppm	3	PASS	ND
	SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN	0.01	0 ppm	0.1	PASS	ND
ABAME	CTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	0 ppm	0.1	PASS	ND
ACEPH/		0.010		0.1	PASS	ND	PROPOXUR	0.01	0 ppm	0.1	PASS	ND
ACEQUI		0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.01	0 ppm	0.2	PASS	ND
ACETAN		0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	0 ppm	0.1	PASS	ND
ALDICA		0.010		0.1	PASS	ND	SPIROTETRAMAT		0 ppm	0.1	PASS	ND
	TROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0 ppm	0.1	PASS	ND
BIFENA	ZATE	0.010	ppm	0.1	PASS	ND			0 ppm	0.1	PASS	ND
BIFENT		0.010		0.1	PASS	ND	TEBUCONAZOLE					
BOSCAL		0.010		0.1	PASS	ND	THIACLOPRID		0 ppm	0.1	PASS	ND
CARBAR		0.010		0.5	PASS	ND	THIAMETHOXAM		0 ppm	0.5	PASS	ND
CARBOR		0.010		0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	0 ppm	0.1	PASS	ND
	NTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	0 ppm	0.15	PASS	ND
CHLOR	MEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	0 ppm	0.1	PASS	ND
	PYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.07	0 ppm	0.7	PASS	ND
CLOFEN		0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.01	0 ppm	0.1	PASS	ND
COUMA	PHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	0 ppm	0.1	PASS	ND
DAMINO		0.010		0.1	PASS	ND	CYFLUTHRIN *		0 ppm	0.5	PASS	ND
DIAZING		0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0 ppm	0.5	PASS	ND
DICHLO	RVOS	0.010	ppm	0.1	PASS	ND						
DIMETH	OATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 3621, 3379, 585, 1440 0.2496q		Extraction da		Extract 3621	ed by:
ETHOPE	OPHOS	0.010	ppm	0.1	PASS	ND	<b>3621, 3379, 585, 1440</b> 0.2496g <b>Analysis Method</b> : SOP.T.30.102.FL, SOP.T.40.102.		02/13/25 12:3	7:30	3021	
ETOFEN	PROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083288PES	FL				
ETOXAZ	OLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batc	h Date: 02/13	/25 10:27:08	
FENHEX	AMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/14/25 10:46:49					
FENOXY	CARB	0.010	ppm	0.1	PASS	ND	Dilution: 250					
FENPYF	OXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 021125.R01; 021225.R28; 020725.R01;	021125.R	.02; 012925.F	(01; 021225.R	02; 081023.01	
FIPRON	IL	0.010	ppm	0.1	PASS	ND	Consumables: 221021DD Pipette: DA-093; DA-094; DA-219					
FLONIC	AMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing L	iauid Chro	matagraphy 7	rinla Ouadauna	la Mass Chastra	motor in
FLUDIO	XONIL	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	iquiu Ciiru	illatography i	ripie-Quaurupu	не мазя эрессто	neu y in
HEXYTH	IIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	E	xtraction da	te:	Extract	ed bv:
IMAZAL	IL	0.010	ppm	0.1	PASS	ND	<b>450, 3379, 585, 1440</b> 0.2496g	0	2/13/25 12:37	7:38	3621	
IMIDAC	LOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method: SOP.T.30.151A.FL, SOP.T.40.151	L.FL				
KRESO)	IM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083290VOL					
MALATI	IION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001		Batch D	ate:02/13/25	10:29:00	
METALA	XYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/14/25 10:41:42 Dilution : 250					
METHIO	CARB	0.010	ppm	0.1	PASS	ND	Reagent: 020725.R01; 081023.01; 012825.R39; 0	12825 RA	0			
METHO	MYL	0.010	ppm	0.1	PASS	ND	Consumables: 221021DD: 040724CH01: 1747360		.0			
MEVINP	HOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLO	BUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing G	as Chrom	atography Tri	ole-Quadrupole	Mass Spectrome	etry in
			ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

02/15/25





# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50212006-011 Harvest/Lot ID: 4053711200472906

Batch#: 4053711200472906 Sample Size Received: 16 units Sampled: 02/12/25

Total Amount: 980 units Ordered: 02/12/25

Completed: 02/15/25 Expires: 02/18/26 Sample Method: SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 3379, 585, 1440	<b>Weight:</b> 0.0261g	<b>Extraction</b> 02/14/25 1			Extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA083300SOL Instrument Used: DA-GCMS-002

**Analyzed Date:** 02/14/25 14:36:35

Dilution: 1 Reagent: 030420.09 Consumables: 430596; 319008 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 02/13/25 11:40:21

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/15/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical

procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule

5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors



### Kaycha Labs ■ Supply Vape Cartridge 1g - Pnapl Xp (H) Pnapl Xp (H) Matrix : Derivative Type: Distillate

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50212006-011 Harvest/Lot ID: 4053711200472906

Batch#: 4053711200472906 Sample Size Received: 16 units Sampled: 02/12/25

Total Amount: 980 units Ordered: 02/12/25 Completed: 02/15/25 Expires: 02/18/26 Sample Method: SOP.T.20.010

Page 5 of 6

Batch Date: 02/13/25 10:28:58



#### **Microbial**



## PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	4
ASPERGILLUS TERREUS			Not Present	PASS		1
ASPERGILLUS NIGER			Not Present	PASS		1
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		1
ECOLI SHIGELLA			Not Present	PASS		A
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3

Analyzed by: Weight: **Extraction date:** Extracted by: 0.86g 4531, 4520, 585, 1440 02/13/25 10:07:59 4520,4571

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA083260MIC

Instrument Used: PathogenDx Scanner DA-111, Fisher Scientific Batch Date: 02/13/25

Isotemp Heat Block (95\*C) DA-049,DA-402 Thermo Scientific Heat 08:10:37

**Analyzed Date:**  $02/14/25 \ 10:26:57$ 

Dilution: 10

Reagent: 012425.10; 012425.11; 011525.R47; 080724.09

Consumables: 7580001030 Pipette: N/A

Analyzed

4531, 58

d by: 35, 1440	Weight:	Extraction date:	Extracted by:
55, 1440	0.86g	02/13/25 10:07:59	4520,4571

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA083261TYM

Instrument Used: Incubator (25\*C) DA- 328 [calibrated with

DA-3821 Analyzed Date: 02/15/25 17:29:20

Dilution: 10 Reagent: 012425.10; 012425.11; 013025.R13

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

3	Mycocoxiiis	ly COCOXIII 3					
Analyte		LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B	32	0.002	ppm	ND	PASS	0.02	
AFLATOXIN B	31	0.002	ppm	ND	PASS	0.02	
OCHRATOXIN	IA	0.002	ppm	ND	PASS	0.02	

Analyzed by: 3621, 3379, 585, 1440	<b>Weight:</b> 0.2496a	Extraction date: 02/13/25 12:37:38		Extract 3621	ed by:	
AFLATOXIN G2		0.002 ppm	ND	PASS	0.02	
AFLATOXIN GI		0.002 ppm	ND	PASS	0.02	

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA083289MYC Instrument Used : N/A

**Analyzed Date :** 02/14/25 10:49:17

Dilution: 250

Reagent: 021125.R01; 021225.R28; 020725.R01; 021125.R02; 012925.R01; 021225.R02; 081023.01

Consumables: 221021DD Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## **Heavy Metals**

## **PASSED**

Batch Date : 02/13/25 08:14:05	Metal		LOD	Units	Result	Pass / Fail	Action Level	
	TOTAL CONTAMINANT LOAD	METALS	0.080	ppm	ND	PASS	1.1	
	ARSENIC		0.020	ppm	ND	PASS	0.2	
	CADMIUM		0.020	ppm	ND	PASS	0.2	
	MERCURY		0.020	ppm	ND	PASS	0.2	
	LEAD		0.020	ppm	ND	PASS	0.5	
I culture based techniques in	Analyzed by: 1022, 3379, 585, 1440		Extraction 02/13/25			Extracte 4056	d by:	

0.24g Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA083270HEA Instrument Used : DA-ICPMS-004

Batch Date: 02/13/25 09:37:25

Analyzed Date: 02/14/25 10:38:11 Dilution: 50

Reagent: 012925.R32; 013025.R04; 021025.R03; 020325.R03; 021025.R01; 021025.R02;

120324.07; 021225.R30

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 02/15/25





# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50212006-011 Harvest/Lot ID: 4053711200472906

Batch#: 4053711200472906 Sample Size Received: 16 units Sampled: 02/12/25

Total Amount: 980 units Ordered: 02/12/25 Completed: 02/15/25 Expires: 02/18/26 Sample Method: SOP.T.20.010

Page 6 of 6



#### Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % NDPASS Analyzed by: 585, 1440 Extraction date Weight: Extracted by: 1g 02/14/25 10:29:58 1879

Analysis Method: SOP.T.40.090

Analytical Batch: DA083345FIL
Instrument Used: Filth/Foreign Material Microscope Batch Date: 02/14/25 10:26:23

Analyzed Date: 02/15/25 17:41:20

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## **Water Activity**

Analyte		<b>LOD</b>	<b>Units</b>	Result	P/F	Action Level
Water Activity		0.010	aw	0.533	PASS	0.85
Analyzed by: 4797, 585, 1440	<b>Weight:</b> 0.2947g		traction dat /13/25 12:5		<b>Ex</b> t	tracted by: 97

Analysis Method: SOP.T.40.019 Analytical Batch: DA083278WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 02/13/25 10:03:13 **Analyzed Date:** 02/14/25 09:06:55

Dilution: N/A

Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

02/15/25