



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50213011-006



Feb 17, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC

27.270%

Total THC/Container : 954.450 mg



Total CBD

0.055%

Total CBD/Container : 1.925 mg



Total Cannabinoids

32.002%

Total Cannabinoids/Container : 1120.070 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.332	30.717	ND	0.063	0.043	0.096	0.623	ND	ND	0.029	0.099
mg/unit	11.62	1075.10	ND	2.21	1.51	3.36	21.81	ND	ND	1.02	3.47
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
3335, 3605, 585, 1440

Weight:
0.2011g

Extraction date:
02/14/25 12:37:42

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083316POT

Instrument Used : DA-LC-002

Analyzed Date : 02/17/25 09:02:46

Batch Date : 02/14/25 09:22:20

Dilution : 400

Reagent : 011325.R07; 010825.48; 012825.R16

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
02/17/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



FloraCal Craft Cannabis Flower 3.5g Smalls - Slurricrasher Mnts (I)
Slurricrasher Mnts (I)
Matrix : Flower
Type: Flower-Cured-Small

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50213011-006

Harvest/Lot ID: 3842641356626551

Batch# : 3842641356626551

Sampled : 02/13/25

Ordered : 02/13/25

Sample Size Received : 9 units

Total Amount : 773 units

Completed : 02/17/25 Expires: 02/17/26

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	85.44	2.441		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	28.74	0.821		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	17.29	0.494		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	6.37	0.182		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	5.88	0.168		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	5.88	0.168		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-PINENE	0.007	4.90	0.140		GAMMA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	4.31	0.123		TRANS-NEROLIDOL	0.005	ND	ND	
FENCHYL ALCOHOL	0.007	3.33	0.095		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINEOL	0.007	2.94	0.084		4444, 4451, 585, 1440	1.0968g	02/14/25 11:24:54	4444	
ALPHA-BISABOLOL	0.007	2.63	0.075		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
OCIMENE	0.007	2.28	0.065		Analytical Batch : DA083322TER				
CAMPHENE	0.007	0.91	0.026		Instrument Used : DA-GCMS-009			Batch Date : 02/14/25 09:29:30	
3-CARENE	0.007	ND	ND		Analyzed Date : 02/17/25 09:49:11				
BORNEOL	0.013	ND	ND		Dilution : 10				
CAMPHOR	0.007	ND	ND		Reagent : 120224.08				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : 947.110; 04312111; 2240626; 0000355309				
CEDROL	0.007	ND	ND		Pipette : DA-065				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			2.441						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/17/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



FloraCal Craft Cannabis Flower 3.5g Smalls - Slurricrasher Mnts (I)
Slurricrasher Mnts (I)
Matrix : Flower
Type: Flower-Cured-Small

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50213011-006

Harvest/Lot ID: 3842641356626551

Batch# : 3842641356626551

Sampled : 02/13/25

Ordered : 02/13/25

Sample Size Received : 9 units

Total Amount : 773 units

Completed : 02/17/25 Expires: 02/17/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analized by: 3621, 585, 1440	Weight: 1.0446g	Extraction date: 02/14/25 12:18:49	Extracted by: 3621		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083344PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)				Batch Date : 02/14/25 10:24:51	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analized Date : 02/17/25 10:24:37					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 021125.R04; 021225.R28; 021325.R14; 021125.R05; 012925.R01; 021225.R02; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 1440	Weight: 1.0446g	Extraction date: 02/14/25 12:18:49	Extracted by: 3621		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083347VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 02/14/25 10:27:02	
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized Date : 02/17/25 10:23:41					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 021325.R14; 081023.01; 012825.R39; 012825.R40					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 221021DD; 040724CH01; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
02/17/25



Certificate of Analysis

PASSED



Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.chavez@crescolabs.com

 Sample : DA50213011-006
 Harvest/Lot ID: 3842641356626551

 Batch# : 3842641356626551 Sample Size Received : 9 units
 Sampled : 02/13/25 Total Amount : 773 units
 Ordered : 02/13/25 Completed : 02/17/25 Expires: 02/17/26
 Sample Method : SOP.T.20.010

Page 4 of 5

	<h1>Microbial</h1>	<h1>PASSED</h1>		<h1>Mycotoxins</h1>	<h1>PASSED</h1>																																																																																																																																																																																																						
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>8000</td><td>PASS</td><td>100000</td></tr><tr><td>Analyzed by: 3390, 4520, 585, 1440</td><td>Weight: 1.0324g</td><td>Extraction date: 02/14/25 10:55:23</td><td>Extracted by: 4520,3390</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td></tr><tr><td colspan="6">Analytical Batch : DA083302MIC</td></tr><tr><td colspan="3">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)</td><td colspan="3">Batch Date : 02/14/25 08:11:30</td></tr><tr><td colspan="6">Analyzed Date : 02/17/25 08:47:34</td></tr><tr><td colspan="6">Dilution : 10</td></tr><tr><td colspan="6">Reagent : 012425.08; 012425.09; 011525.R47; 080724.09</td></tr><tr><td colspan="6">Consumables : 7580001027</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	8000	PASS	100000	Analyzed by: 3390, 4520, 585, 1440	Weight: 1.0324g	Extraction date: 02/14/25 10:55:23	Extracted by: 4520,3390			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA083302MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)			Batch Date : 02/14/25 08:11:30			Analyzed Date : 02/17/25 08:47:34						Dilution : 10						Reagent : 012425.08; 012425.09; 011525.R47; 080724.09						Consumables : 7580001027						Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analyzed by: 3621, 585, 1440</td><td>Weight: 1.0446g</td><td>Extraction date: 02/14/25 12:18:49</td><td>Extracted by: 3621</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL</td></tr><tr><td colspan="6">Analytical Batch : DA083346MYC</td></tr><tr><td colspan="3">Instrument Used : N/A</td><td colspan="3">Batch Date : 02/14/25 10:27:00</td></tr><tr><td colspan="6">Analyzed Date : 02/17/25 09:48:51</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 021125.R04; 021225.R28; 021325.R14; 021125.R05; 012925.R01; 021225.R02; 081023.01</td></tr><tr><td colspan="6">Consumables : 221021DD</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 3621, 585, 1440	Weight: 1.0446g	Extraction date: 02/14/25 12:18:49	Extracted by: 3621			Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL						Analytical Batch : DA083346MYC						Instrument Used : N/A			Batch Date : 02/14/25 10:27:00			Analyzed Date : 02/17/25 09:48:51						Dilution : 250						Reagent : 021125.R04; 021225.R28; 021325.R14; 021125.R05; 012925.R01; 021225.R02; 081023.01						Consumables : 221021DD						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																						
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																																																							
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																																																							
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																																																							
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																																																							
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																																																							
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																																																							
TOTAL YEAST AND MOLD	10	CFU/g	8000	PASS	100000																																																																																																																																																																																																						
Analyzed by: 3390, 4520, 585, 1440	Weight: 1.0324g	Extraction date: 02/14/25 10:55:23	Extracted by: 4520,3390																																																																																																																																																																																																								
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																																																											
Analytical Batch : DA083302MIC																																																																																																																																																																																																											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)			Batch Date : 02/14/25 08:11:30																																																																																																																																																																																																								
Analyzed Date : 02/17/25 08:47:34																																																																																																																																																																																																											
Dilution : 10																																																																																																																																																																																																											
Reagent : 012425.08; 012425.09; 011525.R47; 080724.09																																																																																																																																																																																																											
Consumables : 7580001027																																																																																																																																																																																																											
Pipette : N/A																																																																																																																																																																																																											
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																						
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																						
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																						
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																						
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																						
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																						
Analyzed by: 3621, 585, 1440	Weight: 1.0446g	Extraction date: 02/14/25 12:18:49	Extracted by: 3621																																																																																																																																																																																																								
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL																																																																																																																																																																																																											
Analytical Batch : DA083346MYC																																																																																																																																																																																																											
Instrument Used : N/A			Batch Date : 02/14/25 10:27:00																																																																																																																																																																																																								
Analyzed Date : 02/17/25 09:48:51																																																																																																																																																																																																											
Dilution : 250																																																																																																																																																																																																											
Reagent : 021125.R04; 021225.R28; 021325.R14; 021125.R05; 012925.R01; 021225.R02; 081023.01																																																																																																																																																																																																											
Consumables : 221021DD																																																																																																																																																																																																											
Pipette : DA-093; DA-094; DA-219																																																																																																																																																																																																											
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																											
<div><div><div>Hg</div></div></div>						<h1>Heavy Metals</h1>					<h1>PASSED</h1>																																																																																																																																																																																																
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td><0.100</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 1022, 585, 1440</td><td>Weight: 0.2299g</td><td>Extraction date: 02/14/25 10:19:58</td><td>Extracted by: 4056</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="6">Analytical Batch : DA083317HEA</td></tr><tr><td colspan="3">Instrument Used : DA-ICPMS-004</td><td colspan="3">Batch Date : 02/14/25 09:25:30</td></tr><tr><td colspan="6">Analyzed Date : 02/17/25 09:32:20</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 012925.R32; 013025.R04; 021025.R03; 021425.R04; 021025.R01; 021025.R02; 120324.07; 021225.R30</td></tr><tr><td colspan="6">Consumables : 040724CH01; J609879-0193; 179436</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>			Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	<0.100	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 1440	Weight: 0.2299g	Extraction date: 02/14/25 10:19:58	Extracted by: 4056			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA083317HEA						Instrument Used : DA-ICPMS-004			Batch Date : 02/14/25 09:25:30			Analyzed Date : 02/17/25 09:32:20						Dilution : 50						Reagent : 012925.R32; 013025.R04; 021025.R03; 021425.R04; 021025.R01; 021025.R02; 120324.07; 021225.R30						Consumables : 040724CH01; J609879-0193; 179436						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																														
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																																																																																																						
ARSENIC	0.020	ppm	<0.100	PASS	0.2																																																																																																																																																																																																						
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																						
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																						
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																																																																																																						
Analyzed by: 1022, 585, 1440	Weight: 0.2299g	Extraction date: 02/14/25 10:19:58	Extracted by: 4056																																																																																																																																																																																																								
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																																																											
Analytical Batch : DA083317HEA																																																																																																																																																																																																											
Instrument Used : DA-ICPMS-004			Batch Date : 02/14/25 09:25:30																																																																																																																																																																																																								
Analyzed Date : 02/17/25 09:32:20																																																																																																																																																																																																											
Dilution : 50																																																																																																																																																																																																											
Reagent : 012925.R32; 013025.R04; 021025.R03; 021425.R04; 021025.R01; 021025.R02; 120324.07; 021225.R30																																																																																																																																																																																																											
Consumables : 040724CH01; J609879-0193; 179436																																																																																																																																																																																																											
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																																																											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



FloraCal Craft Cannabis Flower 3.5g Smalls - Slurricrasher Mnts (I)
Slurricrasher Mnts (I)
Matrix : Flower
Type: Flower-Cured-Small

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50213011-006

Harvest/Lot ID: 3842641356626551

Batch# : 3842641356626551

Sampled : 02/13/25

Ordered : 02/13/25

Sample Size Received : 9 units

Total Amount : 773 units

Completed : 02/17/25 Expires: 02/17/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filtration/Foreign
Material

PASSED



Moisture

PASSED

Analyte		LOD	Units	Result	P/F	Action Level	Analyte		LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material		0.100	%	ND	PASS	1	Moisture Content		1.0	%	14.4	PASS	15
Analyzed by: 585, 1440	Weight: 1g	Extraction date: 02/14/25 10:32:24			Extracted by: 1879		Analyzed by: 4797, 585, 1440	Weight: 0.499g	Extraction date: 02/14/25 12:38:43			Extracted by: 4797,1879	
Analysis Method : SOP.T.40.090 Analytical Batch : DA083345FIL Instrument Used : Filtration/Foreign Material Microscope Analyzed Date : 02/15/25 17:39:18							Analysis Method : SOP.T.40.021 Analytical Batch : DA083335MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 09:54:14 Moisture Analyzer Analyzed Date : 02/17/25 08:58:25						
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066						
Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.													



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.574	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 1.752g	Extraction date: 02/14/25 11:24:53		Extracted by: 4797	
Analysis Method : SOP.T.40.019					
Analytical Batch : DA083336WAT					
Instrument Used : DA257 Rotronic HygroPalm			Batch Date : 02/14/25 09:54:48		
Analyzed Date : 02/17/25 09:01:58					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/17/25