

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Red Pop (I) Red Pop (I)



Production Method: Cured

Batch#: 6453441891889108

Harvest Date: 02/10/25

Servings: 5 Ordered: 02/13/25 Sampled: 02/13/25 Completed: 02/18/25

PASSED

Harvest/Lot ID: 6453441891889108

Seed to Sale#: 9266674414054267

Sample Size Received: 11 units Total Amount: 398 units Retail Product Size: 2.5 gram Retail Serving Size: 0.5 gram

Sampling Method: SOP.T.20.010

Pages 1 of 5

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430)

Matrix: Flower Classification: High THC Type: Preroll

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50213011-009



Feb 18, 2025 | Sunnyside 22205 Sw Martin Hwv indiantown, FL, 34956, US

SAFETY R	ESULTS										MISC.
R Ø	Ę	Hg	Ċ5	ڳ		Ä			$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$		Ô
Pestici PASS		avy Metals PASSED	Microbials PASSED	Mycotoxir PASSEI)	Residuals Solvents TTESTED	Filth PASSED		Activity SSED	Moisture PASSED	Terpenes TESTED
Ä	Cannal	oinoid									TESTED
E	3 19	I THC 9.619 THC/Container :) 0.	I CBD 047%	-		323	Cannabinoids .024%	, D
%	D9-ТНС 0.478	THCA 21.826	CBD	CBDA 0.054	D8-ТНС ND	свд 0.097	CBGA 0.536	CBN ND	тнсv ND	CBDV	свс 0.033
⁷⁰ mg/unit	11.95	545.65	ND		ND	2.43	13.40	ND	ND	ND	0.83
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 3605, 585	5, 1440			Weight: 0.1927g		Extraction date: 02/14/25 12:37:4	12			Extracted by: 3335	
Analytical Batch Instrument Used	d:SOP.T.40.031, S h:DA083316POT d:DA-LC-002 :02/18/25 07:48:10						Batch Date : 02/14/25	09:22:20			
Consumables : 9	25.R07; 010825.48 947.110; 04312111 9; DA-108; DA-078	l; 040724CH01; 000	0355309								

Sunnyside*

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/18/25



. Supply Pre-Roll Multipack 2.5g - Red Pop (I) Red Pop (I) Matrix : Flower



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50213011-009 Harvest/Lot ID: 6453441891889108 Batch#: 6453441891889108 Sample Size Received: 11 units

Sampled : 02/13/25 Ordered : 02/13/25

Total Amount : 398 units Completed : 02/18/25 Expires: 02/18/26 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

Terpenes	LOD (%)	mg/unit	: %	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
DTAL TERPENES	0.007	42.40	1.696		VALENCENE	0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	9.78	0.391		ALPHA-BISABOLOL	0.007	ND	ND	
MONENE	0.007	9.73	0.389		ALPHA-CEDRENE	0.005	ND	ND	
NALOOL	0.007	3.80	0.152		ALPHA-PHELLANDRENE	0.007	ND	ND	
ARNESENE	0.007	3.73	0.149		ALPHA-TERPINENE	0.007	ND	ND	
PHA-HUMULENE	0.007	3.23	0.129		ALPHA-TERPINOLENE	0.007	ND	ND	
CIMENE	0.007	2.83	0.113		CIS-NEROLIDOL	0.003	ND	ND	
TA-MYRCENE	0.007	2.25	0.090		GAMMA-TERPINENE	0.007	ND	ND	
ETA-PINENE	0.007	1.88	0.075		Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
PHA-PINENE	0.007	1.80	0.072		4444, 4451, 585, 1440	1.057g	02/14/	25 11:24:54	4444
PHA-TERPINEOL	0.007	1.43	0.057		Analysis Method : SOP.T.30.061A.FL, SOP	P.T.40.061A.FL			
INCHYL ALCOHOL	0.007	1.18	0.047		Analytical Batch : DA083322TER Instrument Used : DA-GCMS-009				te: 02/14/25 09:29:30
ANS-NEROLIDOL	0.005	0.80	0.032		Analyzed Date : 02/17/25 09:49:13			Batch Da	te: 02/14/25 09:29:30
CARENE	0.007	ND	ND		Dilution : 10				
DRNEOL	0.013	ND	ND		Reagent : 120224.08				
MPHENE	0.007	ND	ND		Consumables : 947.110; 04312111; 2240	0626; 0000355309			
MPHOR	0.007	ND	ND		Pipette : DA-065				
RYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Cl	hromatography Mass Spectro	metry. For all	Flower sampl	es, the Total Terpenes % is dry-weight corrected.
DROL	0.007	ND	ND						
CALYPTOL	0.007	ND	ND						
NCHONE	0.007	ND	ND						
ERANIOL	0.007	ND	ND						
RANYL ACETATE	0.007	ND	ND						
JAIOL	0.007	ND	ND						
EXAHYDROTHYMOL	0.007	ND	ND						
OBORNEOL	0.007	ND	ND						
OPULEGOL	0.007	ND	ND						
EROL	0.007	ND	ND						
JLEGONE	0.007	ND	ND						
	0.007	ND	ND						
ABINENE									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/18/25



. Supply Pre-Roll Multipack 2.5g - Red Pop (I) Red Pop (I) Matrix : Flower



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Sample : DA50213011-009 Harvest/Lot ID: 6453441891889108

Sampled : 02/13/25 Ordered : 02/13/25

Batch#: 6453441891889108 Sample Size Received: 11 units Total Amount : 398 units Completed : 02/18/25 Expires: 02/18/26 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	maa	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND			0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN					PASS	
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1		ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	maa	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND		(DCND) *	0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *				PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1		
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070	1.1.	0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extract	tion date:		Extracted	bv:
DIMETHOATE	0.010		0.1	PASS	ND	3621, 585, 1440	1.0193g	02/14/2	25 12:18:50		3621	-
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.102		.FL				
ETOFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA083344PE						
ETOXAZOLE	0.010		0.1	PASS PASS	ND	Instrument Used :DA-LCMS-005 Analyzed Date :02/17/25 10:24			Batch I	Date :02/14/2	25 10:24:51	
FENHEXAMID	0.010		0.1	PASS	ND	Dilution : 250	.40					
FENOXYCARB	0.010		0.1		ND	Reagent : 021125.R04; 021225.	R28-021325 R14-	· 021125 R0	5. 012925 R0	1· 021225 B0	2.081023.01	
FENPYROXIMATE	0.010		0.1	PASS	ND	Consumables : 221021DD	1120, 021525.1114,	, 021125.110	5, 012525.110.	1, 021225.110	2,001025.01	
FIPRONIL	0.010		0.1	PASS	ND ND	Pipette : DA-093; DA-094; DA-22	19					
FLONICAMID	0.010 0.010		0.1	PASS	ND	Testing for agricultural agents is p		Liquid Chron	natography Trip	ole-Quadrupole	e Mass Spectron	netry in
FLUDIOXONIL HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20						
	0.010		0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	by:
	0.010		0.1	PASS	ND	450, 585, 1440 Analysis Method : SOP.T.30.151	1.0193g		5 12:18:50		3621	
IMIDACLOPRID KRESOXIM-METHYL	0.010		0.4	PASS	ND	Analysis Method :SOP.1.30.151 Analytical Batch :DA083347VO		1.FL				
MALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-010			Batch Dat	te:02/14/25	10:27:02	
METALAXYL	0.010		0.2	PASS	ND	Analyzed Date :02/17/25 10:23	:43					
METALAXTE METHIOCARB	0.010		0.1	PASS	ND	Dilution: 250						
METHOCARD	0.010		0.1	PASS	ND	Reagent: 021325.R14; 081023.						
METHOMYE MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 221021DD; 0407 Pipette : DA-080; DA-146; DA-22		01				
MEVINPHOS MYCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents is p		Gas Chromat	tography Tripla	Quadrupola	Jaco Sportromo	try in
NALED	0.010		0.25	PASS	ND	accordance with F.S. Rule 64ER20		Gas CIIIUMIa	cography mple	-Quadrupole I	nass specifolde	ci y III
MALLY	0.010	Phili	5.25									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



PASSED

PASSED



Supply Pre-Roll Multipack 2.5g - Red Pop (I) Red Pop (I) Matrix : Flower



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50213011-009 Harvest/Lot ID: 6453441891889108

Sampled : 02/13/25 Ordered : 02/13/25

Batch#:6453441891889108 Sample Size Received:11 units Total Amount : 398 units Completed : 02/18/25 Expires: 02/18/26 Sample Method : SOP.T.20.010

Page 4	4 o	f	5
--------	-----	---	---

Ċ,	Micro	bial			PAS	SED	သို့	Му	/cotox i	ns			PAS	SED
Analyte		LOI	O Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	TERREUS			Not Present	PASS		AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	NIGER			Not Present	PASS		AFLATOXIN	B1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELLA	SPECIFIC GEN	IE		Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGEL	LA			Not Present	PASS		Analyzed by:		Weight:	Extraction da	te:		Extracted	l hv:
TOTAL YEAST	AND MOLD	10	CFU/g	12000	PASS	100000	3621, 585, 144	0	1.0193g	02/14/25 12:2			3621	i by.
	, 1440 I : SOP.T.40.056 : DA083302MIC		Extraction d 02/14/25 10 058.FL, SOP.T	:55:24	Extracted 4520,339		Analysis Meth Analytical Bate Instrument Us Analyzed Date	:h : DA083 ed : N/A			Date:0	2/14/25 10	0:27:00	
Consumables : 7 Pipette : N/A	25.08; 012425.0 7580001027				Friday of 1		Pipette : DA-0 Mycotoxins tes accordance wit	ing utilizing h F.S. Rule	g Liquid Chromatog 64ER20-39.		Quadrupo			
Analyzed by: 3390, 4571, 585	, 1440	Weight: 0.8299g	Extraction d 02/14/25 10		Extracted 4520,339		Hg	Не	avy Me	etals			PAS	SED
Analytical Batch	: SOP.T.40.209 DA083304TYM DA083304TYM D: Incubator (25	M	[calibrated wi	th Batch Dat	e: 02/14/2	5 08:16:3	Metal			LOD	Units	Result	Pass / Fail	Action Level
	02/17/25 08:48	:29					TOTAL CONT	AMINAN	T LOAD METAL	S 0.080	ppm	ND	PASS	1.1
Dilution : 10							ARSENIC			0.020	ppm	ND	PASS	0.2
	25.08; 012425.0)9; 013025.R	13				CADMIUM			0.020	ppm	ND	PASS	0.2
consumables : N	N/A						MERCURY			0.020	ppm	ND	PASS	0.2
Pipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	old testing is perf S. Rule 64ER20-3		MPN and tradit	ional culture base	d techniques	s in	Analyzed by: 1022, 585, 144	0	Weight: 0.2857g	Extraction dat 02/14/25 10:2			Extracted 4056	l by:
							Analysis Metho Analytical Bato Instrument Us Analyzed Date	:h : DA083 ed : DA-IC	PMS-004		h Date : ()2/14/25 (9:25:30	
							120324.07; 02	1225.R30	013025.R04; 021 H01; J609879-01		25.R04; ()21025.RC	01; 02102	5.R02;

9-0193; 179436 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

02/18/25



Page 5 of 5

........ Supply Pre-Roll Multipack 2.5g - Red Pop (I) Red Pop (I) Matrix : Flower

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com Sample : DA50213011-009 Harvest/Lot ID: 6453441891889108

Sampled : 02/13/25 Ordered : 02/13/25

Batch#: 6453441891889108 Sample Size Received: 11 units Total Amount : 398 units Completed : 02/18/25 Expires: 02/18/26 Sample Method : SOP.T.20.010



Filth/Foreign **Material**





PASSED

15

Extracted by:

Batch Date : 02/14/25

4797.1879

Action Level

PASSED

Analyte Filth and Foreign M	laterial	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture Content		LOD 1.0	Units %	Result 13.5	P/F PASS	1
Analyzed by: 585, 1440	Weight: 1g		t ion date: 25 10:32:24	ţ	Extr 1879	acted by: 9		eight: 498g		raction da /14/25 12:		Extr 479	
Analysis Method : SO Analytical Batch : DA(Instrument Used : Filt Analyzed Date : 02/15 Dilution : N/A)83345FIL h/Foreign Mate	erial Micro	oscope	Batch I)ate: 02/14	4/25 10:26:23	Analysis Method : SOP.T.40.02 Analytical Batch : DA083335M Instrument Used : DA-003 Moi Analyzer,DA-263 Moisture Ana Moisture Analyzer Analyzed Date : 02/17/25 08:5	101 isture Aı alyser,D				Batch 385 09:54:	
Reagent : N/A Consumables : N/A Pipette : N/A							Dilution : N/A Reagent : 092520.50; 120324 Consumables : N/A						
Filth and foreign materia technologies in accorda				ection utilizi	ng naked ey	e and microscope	Pipette : DA-066						
Ø v	Vater A	Activ	ity		PA	SSED	Moisture Content analysis utilizing	g loss-on-	drying	technology	in accordance	with F.S. Ru	le 64

Analyte Water Activity	LOD Units 0.010 aw			esult 0.536	P/F PASS	Action Level 0.65	
Analyzed by: 4797, 585, 1440		traction 0 /14/25 11		08		tracted by: 97	
Analysis Method : SOP. Analytical Batch : DA08 Instrument Used : DA22 Analyzed Date : 02/17/2	33336WAT 57 Rotronic Hy	/groPaln	n	В	atch Dat	e: 02/14/2	25 09:54:48
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A							

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/18/25