



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50214006-001


Production Method: Other - Not Listed

Harvest/Lot ID: 0202695307348186

Batch#: 0202695307348186

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 4986794784429233

Harvest Date: 02/07/25

Sample Size Received: 10 units

Total Amount: 1625 units

Retail Product Size: 41.9668 gram

Retail Serving Size: 0.1 gram

Servings: 1

Ordered: 02/14/25

Sampled: 02/14/25

Completed: 02/18/25

Sampling Method: SOP.T.20.010

Feb 18, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filth
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
NOT TESTED

MISC.



Cannabinoid

TESTED

Total THC
0.245%

Total THC/Container : 102.819 mg


Total CBD
ND

Total CBD/Container : 0.000 mg


Total Cannabinoids
0.251%

Total Cannabinoids/Container : 105.337 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.245	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.004
mg/unit	102.82	ND	ND	ND	ND	0.84	ND	ND	ND	ND	1.68
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 3605, 585, 4571

Weight:
2.9087g

Extraction date:
02/17/25 11:56:35

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083431POT

Instrument Used : DA-LC-007

Analyzed Date : 02/18/25 10:10:42

Batch Date : 02/17/25 08:24:42

Dilution : 40

Reagent : 120324.07; 012825.R19; 090924.05; 010825.48; 012825.R17

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/18/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 100mg 10pk Watermelon
Watermelon
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50214006-001

Harvest/Lot ID: 0202695307348186

Batch# : 0202695307348186

Sampled : 02/14/25

Ordered : 02/14/25

Sample Size Received : 10 units

Total Amount : 1625 units

Completed : 02/18/25 Expires: 02/18/26

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	ppm	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	ppm	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3621, 585, 4571	1.0946g	02/15/25 16:09:33	3621		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083399PES					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Analyzed Date : 02/18/25 16:41:20					
FENHEXAMID	0.010	ppm	3	PASS	ND	Dilution : 250					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Reagent : 021425.R03; 021225.R28; 021325.R14; 021125.R09; 012925.R01; 021225.R02; 081023.01					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Consumables : 221021DD					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.010	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	450, 585, 4571	1.0946g	02/15/25 16:09:33	3621		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analytical Batch : DA083402VOL					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Instrument Used : DA-GCMS-011					
MALATHION	0.010	ppm	2	PASS	ND	Analyzed Date : 02/18/25 10:08:55					
METALAXYL	0.010	ppm	3	PASS	ND	Dilution : 250					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Reagent : 021325.R14; 081023.01; 012825.R39; 012825.R40					
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD; 040724CH01; 17473601					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
02/18/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 100mg 10pk Watermelon
Watermelon
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50214006-001

Harvest/Lot ID: 0202695307348186

Batch# : 0202695307348186

Sampled : 02/14/25

Ordered : 02/14/25

Sample Size Received : 10 units

Total Amount : 1625 units

Completed : 02/18/25 Expires: 02/18/26

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 4571

Weight:
0.0228g

Extraction date:
02/18/25 11:51:34

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA083411SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 02/18/25 12:34:26

Batch Date : 02/15/25 14:29:26

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 430596
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/18/25



Certificate of Analysis

PASSED



Sunnyside


 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.chavez@crescolabs.com

 Sample : DA50214006-001
 Harvest/Lot ID: 0202695307348186

 Batch# : 0202695307348186 Sample Size Received : 10 units
 Sampled : 02/14/25 Total Amount : 1625 units
 Ordered : 02/14/25 Completed : 02/18/25 Expires: 02/18/26
 Sample Method : SOP.T.20.010

Page 4 of 5

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3621, 585, 4571	Weight: 1.0946g	Extraction date: 02/15/25 16:09:33		Extracted by: 3621	
Analyzed by: 4520, 585, 4571	Weight: 1.092g	Extraction date: 02/15/25 12:20:22	Extracted by: 4520			Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA083401MYC Instrument Used : DA-LCMS-004 (MYC) Analyzed Date : 02/18/25 09:19:02					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA083357MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (95°C) DA-367,DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date : 02/18/25 11:43:26						Batch Date : 02/15/25 08:44:55 Dilution : 250 Reagent : 021425.R03; 021225.R28; 021325.R14; 021125.R09; 012925.R01; 021225.R02; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219					
Dilution : 10 Reagent : 012425.08; 012425.12; 011525.R47; 080724.09 Consumables : 7580001028 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 4520, 3390, 585, 4571	Weight: 1.092g	Extraction date: 02/15/25 12:20:22	Extracted by: 4520								
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA083358TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 02/17/25 16:05:57						Batch Date : 02/15/25 08:46:28					
Dilution : 10 Reagent : 012425.08; 012425.12; 013025.R13 Consumables : N/A Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											


<div></div> <div>Heavy Metals</div> <div>PASSED</div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4571	Weight: 0.2261g	Extraction date: 02/17/25 11:12:45	Extracted by: 1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA083374HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 02/18/25 18:08:41					
Dilution : 50 Reagent : 012925.R32; 013025.R04; 021025.R03; 021425.R04; 021025.R01; 021025.R02; 120324.07; 021225.R30 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 100mg 10pk Watermelon
Watermelon
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50214006-001
Harvest/Lot ID: 0202695307348186

Batch# : 0202695307348186 Sample Size Received : 10 units
Sampled : 02/14/25 Total Amount : 1625 units
Ordered : 02/14/25 Completed : 02/18/25 Expires: 02/18/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 18

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 4571	Weight: 1g	Extraction date: 02/17/25 15:33:10	Extracted by: 585
---------------------------------	---------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA083409FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 02/17/25 15:34:00

Batch Date : 02/15/25 13:45:09

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.690	PASS	0.85

Analyzed by: 4797, 585, 4571	Weight: 11.4909g	Extraction date: 02/15/25 16:47:24	Extracted by: 4797
---------------------------------	---------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA083400WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 02/17/25 15:37:03

Batch Date : 02/15/25 12:54:12

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	0.737	25

4621, 3702, 585, 4571	Average Weight 4.113g	Extraction date : 02/15/25 18:22:57	Extracted By : 4512,4621
-----------------------	--------------------------	----------------------------------------	-----------------------------

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA083375HOM

Instrument Used : DA-LC-004

Analyzed Date : 02/18/25 08:39:59

Average Weight

Extraction date :

Extracted By :

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA083375HOM

Instrument Used : DA-LC-004

Analyzed Date : 02/18/25 08:39:59

Batch Date : 02/15/25 11:58:12

Dilution : 40

Reagent : 120324.07; 012825.R19; 090924.05; 012825.R17

Consumables : 947.110; LCJ0311R; 04402004; 040724CH01; 1009487156; 1009389944;

0000355309

Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/18/25