

# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50214006-009


**Production Method:** Other - Not Listed

**Harvest/Lot ID:** 8602668665008708

**Batch#:** 8602668665008708

**Cultivation Facility:** FL - Indiantown (4430)

**Processing Facility:** FL - Indiantown (4430)

**Source Facility:** FL - Indiantown (4430)

**Seed to Sale#:** 1973875421849631

**Harvest Date:** 02/06/25

**Sample Size Received:** 16 units

**Total Amount:** 905 units

**Retail Product Size:** 1 gram

**Retail Serving Size:** 1 gram

**Servings:** 1

**Ordered:** 02/14/25

**Sampled:** 02/14/25

**Completed:** 02/18/25

**Sampling Method:** SOP.T.20.010

Feb 18, 2025 | Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

# Sunnyside\*

**PASSED**

Pages 1 of 6

### SAFETY RESULTS


 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals  
 Solvents  
**PASSED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
**NOT TESTED**

 Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**TESTED**

**Total THC**
**86.996%**

Total THC/Container : 869.960 mg


**Total CBD**
**0.178%**

Total CBD/Container : 1.780 mg


**Total Cannabinoids**
**91.623%**

Total Cannabinoids/Container : 916.230 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	86.974	0.026	0.162	0.019	ND	2.933	ND	0.966	0.404	ND	0.139
mg/unit	869.74	0.26	1.62	0.19	ND	29.33	ND	9.66	4.04	ND	1.39
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 3335, 3605, 585, 4571

 Weight:  
 0.0895g

 Extraction date:  
 02/17/25 12:03:02

 Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083426POT

Instrument Used : DA-LC-003

Analyzed Date : 02/18/25 08:41:00

Batch Date : 02/17/25 07:47:56

Dilution : 400

Reagent : 012825.R19; 010825.48; 012825.R17

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164




 Signature  
 02/18/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g  
Pride  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50214006-009  
Harvest/Lot ID: 860266865008708

Batch# : 860266865008708 Sample Size Received : 16 units  
Sampled : 02/14/25 Total Amount : 905 units  
Ordered : 02/14/25 Completed : 02/18/25 Expires: 02/18/26  
Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	38.35	3.835		SABINENE HYDRATE	0.007	ND	ND	
VALENCENE	0.007	12.48	1.248		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	8.95	0.895		ALPHA-PHELLANDRENE	0.007	ND	ND	
LIMONENE	0.007	5.80	0.580		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.95	0.295		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-MYRCENE	0.007	1.79	0.179		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-BISABOLOL	0.007	1.74	0.174		GAMMA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	1.12	0.112		TRANS-NEROLIDOL	0.005	ND	ND	
BETA-PINENE	0.007	0.97	0.097		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CARYOPHYLLENE OXIDE	0.007	0.69	0.069		Analytical Batch : DA003406TER				
FENCHYL ALCOHOL	0.007	0.63	0.063		Instrument Used : DA-GCMS-008				
ALPHA-PINENE	0.007	0.54	0.054		Analyzed Date : 02/18/25 09:19:46				
GERANYL ACETATE	0.007	0.44	0.044						
ALPHA-TERPINEOL	0.007	0.25	0.025						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			3.835						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164


Signature  
02/18/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g  
Pride  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
Indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50214006-009

Harvest/Lot ID: 860266865008708

Batch# : 860266865008708

Sampled : 02/14/25

Ordered : 02/14/25

Sample Size Received : 16 units

Total Amount : 905 units

Completed : 02/18/25 Expires: 02/18/26

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
AMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 4571	Weight: 0.2502g	Extraction date: 02/15/25 16:17:47	Extracted by: 3621		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083381PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 02/15/25 12:26:23		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/18/25 08:59:48					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 021425.R03; 021225.R28; 021325.R14; 021125.R02; 012925.R01; 021225.R02; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 4571	Weight: 0.2502g	Extraction date: 02/15/25 16:17:47	Extracted by: 3621		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083384VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 02/15/25 12:30:59		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/17/25 16:08:33					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 021325.R14; 081023.01; 012825.R39; 012825.R40					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 221021DD; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164


Signature  
02/18/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g  
Pride  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50214006-009

Harvest/Lot ID: 8602668665008708

Batch# : 8602668665008708

Sampled : 02/14/25

Ordered : 02/14/25

Sample Size Received : 16 units

Total Amount : 905 units

Completed : 02/18/25 Expires: 02/18/26

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 4571

Weight:  
0.0206g

Extraction date:  
02/18/25 11:51:34

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA083411SOL  
Instrument Used : DA-GCMS-003  
Analyzed Date : 02/18/25 12:34:27

Batch Date : 02/15/25 14:29:26

Dilution : 1  
Reagent : 030420.09  
Consumables : 429651; 430596  
Pipette : DA-309 25 uL Syringe 35028


Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/18/25



# Certificate of Analysis

**PASSED**


Sunnyside


 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com


 Sample : DA50214006-009  
 Harvest/Lot ID: 8602668665008708

 Batch# : 8602668665008708 Sample Size Received : 16 units  
 Sampled : 02/14/25 Total Amount : 905 units  
 Ordered : 02/14/25 Completed : 02/18/25 Expires: 02/18/26  
 Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	
Analyzed by: 4520, 585, 4571	Weight: 0.809g	Extraction date: 02/15/25 12:20:23	Extracted by: 4520			
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA083357MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (95°C) DA-367,DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date : 02/18/25 11:43:34						
Dilution : 10 Reagent : 012425.08; 012425.12; 011525.R47; 080724.09 Consumables : 7580001028 Pipette : N/A						
Analyzed by: 4520, 3390, 585, 4571	Weight: 0.809g	Extraction date: 02/15/25 12:20:23	Extracted by: 4520			
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA083358TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 02/17/25 16:06:02						
Dilution : 10 Reagent : 012425.08; 012425.12; 013025.R13 Consumables : N/A Pipette : N/A						
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						

	Mycotoxins	PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
Analyzed by: 3621, 585, 4571	Weight: 0.2502g	Extraction date: 02/15/25 16:17:47	Extracted by: 3621			
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA083383MYC Instrument Used : DA-LCMS-003 (MYC) Analyzed Date : 02/18/25 09:20:30						
Dilution : 250 Reagent : 021425.R03; 021225.R28; 021325.R14; 021125.R02; 012925.R01; 021225.R02; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						


	Heavy Metals	PASSED				
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC	0.020	ppm	ND	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	
MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	ND	PASS	0.5	
Analyzed by: 1022, 585, 4571	Weight: 0.265g	Extraction date: 02/15/25 16:26:49	Extracted by: 1022,4571			
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA083372HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 02/18/25 11:42:13						
Dilution : 50 Reagent : 012925.R32; 013025.R04; 021025.R03; 021425.R04; 021025.R01; 021025.R02; 120324.07; 021225.R30 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g  
Pride  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA50214006-009

Harvest/Lot ID: 8602668665008708

Batch# : 8602668665008708

Sampled : 02/14/25

Ordered : 02/14/25

Sample Size Received : 16 units

Total Amount : 905 units

Completed : 02/18/25 Expires: 02/18/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign  
Material**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 4571	Weight: 1g	Extraction date: 02/17/25 15:33:11	Extracted by: 585
---------------------------------	---------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA083409FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 02/17/25 15:34:05

Batch Date : 02/15/25 13:45:09

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.670	PASS	0.85

Analyzed by: 4797, 585, 4571	Weight: 0.6173g	Extraction date: 02/15/25 16:47:08	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA083400WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 02/17/25 15:37:04

Batch Date : 02/15/25 12:54:12

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/18/25