

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50214006-013



Production Method: Other - Not Listed

Harvest/Lot ID: 7972069829549871

Batch#: 7972069829549871

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 1138463868569650

Harvest Date: 02/10/25

Sample Size Received: 31 units

Total Amount: 738 units

Retail Product Size: 0.5 gram

Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 02/14/25

Sampled: 02/14/25

Completed: 02/18/25

Sampling Method: SOP.T.20.010

Feb 18, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC

90.409%

Total THC/Container : 452.045 mg



Total CBD

0.270%

Total CBD/Container : 1.350 mg



Total Cannabinoids

95.091%

Total Cannabinoids/Container : 475.455 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|--------|--------|-------|-------|-------|-------|-------|-------|
| % | 90.392 | 0.020 | 0.270 | <0.010 | ND | 2.935 | ND | 0.804 | 0.421 | ND | 0.249 |
| mg/unit | 451.96 | 0.10 | 1.35 | <0.05 | ND | 14.68 | ND | 4.02 | 2.11 | ND | 1.25 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3335, 3605, 585, 4571

Weight:
0.0992g

Extraction date:
02/17/25 12:03:02

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083426POT

Instrument Used : DA-LC-003

Analyzed Date : 02/18/25 08:41:13

Batch Date : 02/17/25 07:47:56

Dilution : 400

Reagent : 012825.R19; 010825.48; 012825.R17

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
02/18/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 500mg - King Louis (I)
King Louis (I)
Matrix : Derivative
Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50214006-013

Harvest/Lot ID: 7972069829549871

Batch# : 7972069829549871

Sampled : 02/14/25

Ordered : 02/14/25

Sample Size Received : 31 units

Total Amount : 738 units

Completed : 02/18/25 Expires: 02/18/26

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|-------|------------|--|--|-------------------|---------------|------------|
| TOTAL TERPENES | 0.007 | 21.22 | 4.243 | | SABINENE | 0.007 | ND | ND | |
| LIMONENE | 0.007 | 5.65 | 1.129 | | SABINENE HYDRATE | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 4.95 | 0.989 | | ALPHA-CEDRENE | 0.005 | ND | ND | |
| BETA-MYRCENE | 0.007 | 2.02 | 0.404 | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | |
| ALPHA-HUMULENE | 0.007 | 1.87 | 0.373 | | ALPHA-TERPINENE | 0.007 | ND | ND | |
| LINALOOL | 0.007 | 1.67 | 0.334 | | CIS-NEROLIDOL | 0.003 | ND | ND | |
| VALENCENE | 0.007 | 1.30 | 0.260 | | GAMMA-TERPINENE | 0.007 | ND | ND | |
| BETA-PINENE | 0.007 | 0.96 | 0.191 | | TRANS-NEROLIDOL | 0.005 | ND | ND | |
| ALPHA-BISABOLOL | 0.007 | 0.76 | 0.152 | | Analyzed by: | Weight: | Extraction date: | Extracted by: | |
| ALPHA-TERPINEOL | 0.007 | 0.71 | 0.141 | | 4451, 585, 4571 | 0.2443g | 02/17/25 12:12:22 | 4451 | |
| ALPHA-PINENE | 0.007 | 0.43 | 0.085 | | Analysis Method : | SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | |
| CARYOPHYLLENE OXIDE | 0.007 | 0.26 | 0.051 | | Analytical Batch : | DA083406TER | | | |
| HEXAHYDROTHYMOL | 0.007 | 0.18 | 0.035 | | Instrument Used : | DA-GCMS-008 | | | |
| ALPHA-TERPINOLENE | 0.007 | 0.16 | 0.031 | | Analyzed Date : | 02/18/25 09:24:31 | | | |
| GERANIOL | 0.007 | 0.13 | 0.026 | | Dilution : | 10 | | | |
| CAMPHOR | 0.007 | 0.11 | 0.022 | | Reagent : | 120224.08 | | | |
| NEROL | 0.007 | 0.10 | 0.020 | | Consumables : | 947.110; 04402004; 2240626; 0000355309 | | | |
| 3-CARENE | 0.007 | ND | ND | | Pipette : | DA-065 | | | |
| BORNEOL | 0.013 | ND | ND | | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| CAMPHENE | 0.007 | ND | ND | | | | | | |
| CEDROL | 0.007 | ND | ND | | | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | |
| FARNESENE | 0.007 | ND | ND | | | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | |
| FENCHYL ALCOHOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| GUAIOL | 0.007 | ND | ND | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| OCIMENE | 0.007 | ND | ND | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | |
| Total (%) | | | 4.243 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/18/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 500mg - King Louis (I)
King Louis (I)
Matrix : Derivative
Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50214006-013

Harvest/Lot ID: 7972069829549871

Batch# : 7972069829549871

Sampled : 02/14/25

Ordered : 02/14/25

Sample Size Received : 31 units

Total Amount : 738 units

Completed : 02/18/25 Expires: 02/18/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-----------------|------------------------------------|--------------------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | ppm | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | ppm | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | ppm | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 3621, 585, 4571 | Weight: 0.2523g | Extraction date: 02/15/25 16:17:47 | Extracted by: 3621 | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL | | | | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA083381PES | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | | Batch Date : 02/15/25 12:26:23 | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 02/18/25 08:59:50 | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 021425.R03; 021225.R28; 021325.R14; 021125.R02; 012925.R01; 021225.R02; 081023.01 | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 221021DD | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 4640, 450, 585, 4571 | Weight: 0.2523g | Extraction date: 02/15/25 16:17:47 | Extracted by: 3621 | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA083384VOL | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-001 | | | Batch Date : 02/15/25 12:30:59 | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 02/17/25 16:08:36 | | | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Dilution : 250 | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 021325.R14; 081023.01; 012825.R39; 012825.R40 | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Consumables : 221021DD; 17473601 | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
02/18/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 500mg - King Louis (I)
King Louis (I)
Matrix : Derivative
Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50214006-013

Harvest/Lot ID: 7972069829549871

Batch# : 7972069829549871

Sampled : 02/14/25

Ordered : 02/14/25

Sample Size Received : 31 units

Total Amount : 738 units

Completed : 02/18/25 Expires: 02/18/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

Analyzed by:
850, 585, 4571

Weight:
0.0235g

Extraction date:
02/18/25 11:51:35

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA083411SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 02/18/25 12:34:30

Batch Date : 02/15/25 14:29:26

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 430596
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/18/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 500mg - King Louis (I)
King Louis (I)
Matrix : Derivative
Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50214006-013

Harvest/Lot ID: 7972069829549871

Batch# : 7972069829549871

Sampled : 02/14/25

Ordered : 02/14/25



Sample Size Received : 31 units

Total Amount : 738 units

Completed : 02/18/25 Expires: 02/18/26

Sample Method : SOP.T.20.010

Page 5 of 6

| <div>Microbial</div> <div>PASSED</div> | | | | | | <div><div></div>Mycotoxins</div> <div>PASSED</div> | | | | | |
|---|------------------|---------------------------------------|-----------------------|-------------|--------------|--|--------------------|---------------------------------------|--------|-----------------------|--------------|
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| ECOLI SHIGELLA | | | Not Present | PASS | | | | | | | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | Analyzed by: 3621, 585, 4571 | Weight: 0.2523g | Extraction date: 02/15/25 16:17:47 | | Extracted by: 3621 | |
| Analyzed by: 4520, 585, 4571 | Weight: 1.15g | Extraction date: 02/15/25 12:20:23 | Extracted by: 4520 | | | Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA083383MYC Instrument Used : DA-LCMS-003 (MYC) Batch Date : 02/15/25 12:30:58 Analyzed Date : 02/18/25 09:20:32 | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA083357MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (95°C) DA-367,DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date : 02/18/25 11:43:36 | | | | | | Dilution : 250 Reagent : 021425.R03; 021225.R28; 021325.R14; 021125.R02; 012925.R01; 021225.R02; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219 | | | | | |
| Dilution : 10 Reagent : 012425.08; 012425.12; 011525.R47; 080724.09 Consumables : 7580001028 Pipette : N/A | | | | | | Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| | | | | | | | | | | | |
| Analyzed by: 4520, 3390, 585, 4571 | Weight: 1.15g | Extraction date: 02/15/25 12:20:23 | Extracted by: 4520 | | | | | | | | |
| Analysis Method : SOP.T.40.209.FL Analytical Batch : DA083358TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 02/17/25 16:06:05 | | | | | | Metal | | | | | |
| Dilution : 10 Reagent : 012425.08; 012425.12; 013025.R13 Consumables : N/A Pipette : N/A | | | | | | TOTAL CONTAMINANT LOAD METALS | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | | ARSENIC | | | | | |
| | | | | | | CADMIUM | | | | | |
| | | | | | | MERCURY | | | | | |
| | | | | | | LEAD | | | | | |
| | | | | | | Analyzed by: 1022, 585, 4571 | | | | | |
| | | | | | | Weight: 0.2187g | | | | | |
| | | | | | | Extraction date: 02/17/25 10:11:44 | | | | | |
| | | | | | | Extracted by: 1022,4571 | | | | | |
| | | | | | | Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | | | | | |



Heavy Metals

PASSED

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|---|--------------------|---------------------------------------|--------------------------------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |
| Analyzed by: 1022, 585, 4571 | Weight: 0.2187g | Extraction date: 02/17/25 10:11:44 | Extracted by: 1022,4571 | | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | | | | | |
| Analytical Batch : DA083372HEA | | | | | |
| Instrument Used : DA-ICPMS-004 | | | Batch Date : 02/15/25 10:40:02 | | |
| Analyzed Date : 02/18/25 11:42:17 | | | | | |
| Dilution : 50 | | | | | |
| Reagent : 012925.R32; 013025.R04; 021025.R03; 021425.R04; 021025.R01; 021025.R02; 120324.07; 021225.R30 | | | | | |
| Consumables : 040724CH01; J609879-0193; 179436 | | | | | |
| Pipette : DA-061; DA-191; DA-216 | | | | | |

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/18/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 500mg - King Louis (I)
King Louis (I)
Matrix : Derivative
Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50214006-013

Harvest/Lot ID: 7972069829549871

Batch# : 7972069829549871

Sampled : 02/14/25

Ordered : 02/14/25

Sample Size Received : 31 units

Total Amount : 738 units

Completed : 02/18/25 Expires: 02/18/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|---------------------------------|---------------|---------------------------------------|----------------------|
| Analyzed by: 1879, 585, 4571 | Weight: 1g | Extraction date: 02/17/25 15:33:12 | Extracted by: 585 |
|---------------------------------|---------------|---------------------------------------|----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA083409FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 02/17/25 15:34:07

Batch Date : 02/15/25 13:45:09

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.553 | PASS | 0.85 |

| | | | |
|---------------------------------|--------------------|---------------------------------------|-----------------------|
| Analyzed by: 4797, 585, 4571 | Weight: 0.2702g | Extraction date: 02/15/25 16:48:18 | Extracted by: 4797 |
|---------------------------------|--------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA083400WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 02/17/25 15:37:06

Batch Date : 02/15/25 12:54:12

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/18/25