

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50218009-001

Kaycha Labs

Sunnyside Chews 100mg 10pk Blue Raspberry

Blue Raspberry

Matrix: Edible Classification: High THC

Type: Soft Chew

Production Method: Other - Not Listed Harvest/Lot ID: 2406793812298023

Batch#: 2406793812298023

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 2381396328437944

Harvest Date: 02/10/25

Sample Size Received: 14 units

Total Amount: 3679 units Retail Product Size: 41.5625 gram

Retail Serving Size: 4.1 gram

Servings: 10 Ordered: 02/18/25

Sampled: 02/18/25 **Completed: 02/21/25**

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

Sunnyside

SAFETY RESULTS

22205 Sw Martin Hwv indiantown, FL, 34956, US

Sunnyside[®]

Chews



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 02/19/25 09:05:04



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes NOT **TESTED**

TESTED



Cannabinoid

Feb 21, 2025 | Sunnyside



Total THC/Container: 100.581 mg



Total CBD

Total CBD/Container: 0.000 mg



Total Cannabinoids .247%

Total Cannabinoids/Container: 102.659

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA083484POT Instrument Used: DA-LC-007 Analyzed Date: 02/21/25 08:02:33

Dilution: 400

Dilution : 400
Reagent : 120324.07; 090924.05; 010825.48; 021825.R06; 021825.R03
Consumables : 947.110; 04312111; 040724CH01; 0000355309
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50218009-001 Harvest/Lot ID: 2406793812298023

Sampled: 02/18/25 Ordered: 02/18/25

Batch#: 2406793812298023 Sample Size Received: 14 units Total Amount: 3679 units Completed: 02/21/25 Expires: 02/21/26 Sample Method: SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		30	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010	P. P.	3	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		1	PASS	ND	PHOSMET		0.010	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.010		1	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
OTAL SPINETORAM	0.010	1.1.	3	PASS	ND	PRALLETHRIN		0.010		0.4	PASS	ND
OTAL SPINOSAD	0.010	1.1.	3	PASS	ND	PROPICONAZOLE		0.010		1	PASS	ND
BAMECTIN B1A	0.010	1.1.	0.3	PASS	ND					0.1	PASS	ND
CEPHATE	0.010		3	PASS	ND	PROPOXUR		0.010				
CEQUINOCYL	0.010		2	PASS	ND	PYRIDABEN		0.010		3	PASS	ND
CETAMIPRID	0.010		3	PASS	ND	SPIROMESIFEN		0.010		3	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	3	PASS	ND
OXYSTROBIN	0.010		3	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		3	PASS	ND	TEBUCONAZOLE		0.010	ppm	1	PASS	ND
FENTHRIN	0.010		0.5	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010	P. P.	3	PASS	ND	THIAMETHOXAM		0.010		1	PASS	ND
ARBARYL	0.010	11.11	0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		3	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND		NE (DOND) *	0.010		0.2	PASS	ND
ILORANTRANILIPROLE	0.010		3	PASS	ND	PENTACHLORONITROBENZE	:NE (PCNB) *				PASS	
LORMEQUAT CHLORIDE	0.010	1.1.	3	PASS	ND	PARATHION-METHYL *		0.010		0.1		ND
LORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		3	PASS	ND
DFENTEZINE	0.010		0.5	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	1	PASS	ND
ZINON	0.010		3	PASS	ND	CYPERMETHRIN *		0.050	ppm	1	PASS	ND
HLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracted	hv:
METHOATE	0.010		0.1	PASS	ND	3621, 585, 1440	1.0493q		11:00:50		450,585	~ 1.
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.						
DFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA083494	IPES					
OXAZOLE	0.010		1.5	PASS	ND	Instrument Used : DA-LCMS-			Batch	Date: 02/19/	25 09:26:36	
NHEXAMID	0.010		3	PASS	ND	Analyzed Date : 02/20/25 09	:02:49					
NOXYCARB	0.010		0.1	PASS	ND	Dilution: 250	122.01					
NPYROXIMATE	0.010		2	PASS	ND	Reagent: 021725.R01; 0810 Consumables: 040724CH01						
PRONIL	0.010		0.1	PASS	ND	Pipette: N/A	,					
ONICAMID	0.010		2	PASS	ND	Testing for agricultural agents	is performed utilizing	Liquid Chrom	atography T	riple-Ouadruno	le Mass Spectroi	metry in
UDIOXONIL	0.010		3	PASS	ND	accordance with F.S. Rule 64EI		,========		,		,
XYTHIAZOX	0.010		2	PASS	ND	Analyzed by:	Weight:	Extractio			Extracted	by:
AZALIL	0.010		0.1	PASS	ND	450, 585, 1440	1.0493g	02/19/25	11:00:50		450,585	
IDACLOPRID	0.010		1	PASS	ND	Analysis Method : SOP.T.30.		51.FL				
ESOXIM-METHYL	0.010		1	PASS	ND	Analytical Batch : DA083497			Datel D	nto +02/10/25	00.20.17	
LATHION	0.010		2	PASS	ND	Instrument Used : DA-GCMS- Analyzed Date : 02/20/25 08			Batch D	ate:02/19/25	03.23:11	
TALAXYL	0.010		3	PASS	ND	Dilution : 250						
THIOCARB	0.010		0.1	PASS	ND	Reagent: 021725.R01; 0810	23.01: 012825.R39:	012825.R40				
THOMYL	0.010		0.1	PASS	ND	Consumables: 040724CH01						
VINPHOS	0.010		0.1	PASS	ND	Pipette: DA-080; DA-146; DA						
YCLOBUTANIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents		Gas Chromat	ography Trip	le-Quadrupole	Mass Spectrome	etry in
ALED	0.010	ppm	0.5	PASS	ND	accordance with F.S. Rule 64EI	R20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Sunnyside Chews 100mg 10pk Blue Raspberry Blue Raspberry

Matrix : Edible Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

DAVIE, FL, 33314, US (954) 368-7664

> Sample : DA50218009-001 Harvest/Lot ID: 2406793812298023

Batch#: 2406793812298023 Sample Size Received: 14 units Sampled: 02/18/25 Ordered: 02/18/25

Total Amount: 3679 units **Completed:** 02/21/25 **Expires:** 02/21/26 Sample Method: SOP.T.20.010

Page 3 of 5



Residual Solvents

□.	$\boldsymbol{\Lambda}$			_	п
_/	н	Э	_		ш
_	_	_	_	_	_

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm		TESTED	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 850, 585, 1440	Weight: 0.024g	Extraction date: 02/20/25 11:43:05			Extracted by: 850	

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA083501SOL Instrument Used: DA-GCMS-002

Analyzed Date: 02/20/25 12:14:53

Dilution: 1 Reagent: 030420.09

Consumables: 430596: 319008 **Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Batch Date: 02/19/25 13:48:25

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50218009-001 Harvest/Lot ID: 2406793812298023

Batch#: 2406793812298023 Sample Size Received: 14 units Sampled: 02/18/25

Total Amount: 3679 units Ordered: 02/18/25 Completed: 02/21/25 Expires: 02/21/26 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial

Batch Date: 02/19/25 07:27:59



1ycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		4
ASPERGILLUS NIGER			Not Present	PASS		4
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		1
SALMONELLA SPECIFIC GENE			Not Present	PASS		4
ECOLI SHIGELLA			Not Present	PASS		_
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3

Analyzed by: 4044, 4571, 585, 1440 Weight: **Extraction date:** Extracted by: 02/19/25 09:28:43 4777,4044 0.923g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA083462MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 02/19/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 02/20/25 10:32:48

Dilution: 10

Reagent: 012425.05; 012725.15; 011525.R47; 080724.14

Consumables: 7580001014 Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4044, 4531, 585, 1440	0.923g	02/19/25 09:28:43	4777,4044

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA083463TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with

DA-3821

Analyzed Date: 02/21/25 11:44:21

Dilution: 10

Reagent: 012425.05; 012725.15; 013025.R13

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

\$\hat{C}_{\text{c}}	M

	Analyte		LOD	Units	Result	Pass / Fail	Action Level
	AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
	AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
	OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
	AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
	AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
)	Analyzed by: 3621, 585, 1440	Weight: 1.0493g	Extraction date: 02/19/25 11:00:50			xtracted I 50,585	oy:

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA083495MYC Instrument Used: DA-LCMS-003 (MYC)

Analyzed Date: 02/20/25 09:02:27

Dilution: 250

Reagent: 021725.R01; 081023.01 Consumables: 040724CH01; 221021DD

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Batch Date: 02/19/25 09:28:25

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by Weight: **Extraction date:** Extracted by: 1022, 585, 1440 0.2785g 02/19/25 10:04:00

Analysis Method: SOP.T.30.082.FL. SOP.T.40.082.FL Analytical Batch : DA083481HEA

Instrument Used: DA-ICPMS-004 Batch Date: 02/19/25 08:41:36 Analyzed Date: 02/20/25 11:21:29

Dilution: 50

Reagent: 012925.R32; 013025.R04; 021725.R22; 021425.R04; 021725.R20; 021725.R21; 120324.07; 021225.R30

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50218009-001 Harvest/Lot ID: 2406793812298023

Sampled: 02/18/25 Ordered: 02/18/25

Batch#: 2406793812298023 Sample Size Received: 14 units Total Amount: 3679 units Completed: 02/21/25 Expires: 02/21/26 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED

Homogeneity

PASSED

Amount of tests conducted: 26

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440 Extraction date: Extracted by: 1g 02/19/25 09:26:54 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA083489FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 02/19/25 09:21:09 Analyzed Date: 02/21/25 11:45:56

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

nalyte	LOD	Units	Pass/Fail	Result	Action

TOTAL THC - HOMOGENEITY 0.001 PASS 5.235 25

Average **Extracted By** Analyzed by Extraction date : Weight 4512, 3702, 585, 1440 02/19/25 10:41:57 4.109g 4512

Analysis Method: SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA083466HOM Instrument Used : DA-LC-004

Analyzed Date: 02/20/25 08:01:53

Batch Date: 02/19/25 07:51:48

Αr

Reagent: 120324.07; 021825.R06; 090924.05; 021825.R02

Consumables: 9291.110; 04312111; LCJ0311R; 040724CH01; 1009487156; 1009468599;

R1KB45277

Pipette: DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Analyte LOD Units Result P/F **Action Level Water Activity** PASS 0.010 aw 0.705 0.85 Extraction date: 02/19/25 10:32:47 Analyzed by: 4797, 3379, 585, 1440 Extracted by: 4797

Analysis Method: SOP.T.40.019 Analytical Batch: DA083496WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 02/19/25 09:28:59

Analyzed Date: 02/19/25 14:42:52

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164