

COMPLIANCE FOR RETAIL

Sunnyside DA50218009-010

Laboratory Sample ID: DA50218009-010

Kaycha Labs

Cresco Premium Flower 3.5g - Bsctti Mnt Shrbt (I)

Bsctti Mnt Shrbt (I)

Matrix: Flower Classification: High THC

Type: Flower-Cured-Big Production Method: Other - Not Listed

Harvest/Lot ID: 5049986341782168 Batch#: 5049986341782168

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 5337236865246288

Harvest Date: 02/12/25

Sample Size Received: 9 units

Total Amount: 550 units Retail Product Size: 3.5 gram Retail Serving Size: 3.5 gram

Servings: 1

Ordered: 02/18/25 Sampled: 02/18/25

Completed: 02/23/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

Sunnyside

SAFETY RESULTS

22205 Sw Martin Hwv indiantown, FL, 34956, US



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents **NOT TESTED**



Filth **PASSED**



Water Activity **PASSED**



PASSED



MISC.

Terpenes **TESTED**

TESTED



Analyzed by: 3335, 585, 1440

Cannabinoid

Total THC

Feb 23, 2025 | Sunnyside

Total THC/Container : 851.935 mg



Total CBD

0.051%

Total CBD/Container: 1.785 mg



Total Cannabinoids

Extracted by: 3335

Total Cannabinoids/Container: 1031.415

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	0.532	27.149	ND	0.059	0.030	0.080	1.547	ND	ND	ND	0.072
% mg/unit	0.532 18.62	27.149 950.22	ND ND	0.059 2.07	0.030 1.05	0.080 2.80	1.547 54.15	ND ND	ND ND	ND ND	0.072 2.52

Analysis Method: SOP.T.40.031. SOP.T.30.031

Analytical Batch: DA083468POT Instrument Used: DA-LC-002 Analyzed Date: 02/20/25 08:01:46

Dilution: 400
Reagent: 021725.R02; 010825.48; 021825.R01

Consumables: 947.110; 04312111; 040724CH01; 0000355309 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Batch Date: 02/19/25 07:58:24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50218009-010 Harvest/Lot ID: 5049986341782168

Sampled: 02/18/25

Ordered: 02/18/25

Batch#: 5049986341782168 Sample Size Received: 9 units Total Amount: 550 units

Completed: 02/23/25 **Expires:** 02/23/26 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	: %	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	54.46	1.556			SABINENE HYDRATE		0.007	ND	ND	
LIMONENE	0.007	12.22	0.349			VALENCENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	10.36	0.296			ALPHA-CEDRENE		0.005	ND	ND	
INALOOL	0.007	7.81	0.223			ALPHA-PHELLANDRENE		0.007	ND	ND	
BETA-MYRCENE	0.007	4.59	0.131			ALPHA-TERPINENE		0.007	ND	ND	
ALPHA-BISABOLOL	0.007	3.36	0.096			ALPHA-TERPINOLENE		0.007	ND	ND	
ALPHA-HUMULENE	0.007	3.15	0.090			CIS-NEROLIDOL		0.003	ND	ND	
BETA-PINENE	0.007	2.80	0.080			GAMMA-TERPINENE		0.007	ND	ND	
ALPHA-PINENE	0.007	2.63	0.075			Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
FRANS-NEROLIDOL	0.005	2.14	0.061			4451, 585, 1440	1.1068g		02/19/25 10		4451
DCIMENE	0.007	1.96	0.056		Ī	Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL				
ALPHA-TERPINEOL	0.007	1.82	0.052		i i	Analytical Batch : DA083472TER					02/20/25 00:02:52
FENCHYL ALCOHOL	0.007	1.65	0.047		i i	Instrument Used : DA-GCMS-004 Analyzed Date : 02/20/25 08:19:38				Batch [Date: 02/19/25 08:03:53
3-CARENE	0.007	ND	ND			Dilution: 10					
BORNEOL	0.013	ND	ND			Reagent: 120224.07					
CAMPHENE	0.007	ND	ND			Consumables: 947.110; 04312111; 224	10626; 00003553	09			
AMPHOR	0.007	ND	ND			Pipette : DA-065					
CARYOPHYLLENE OXIDE	0.007	ND	ND			Terpenoid testing is performed utilizing Gas	Chromatography M	ass Spectn	ometry. For all	Flower sam	ples, the Total Terpenes % is dry-weight corrected.
CEDROL	0.007	ND	ND								
UCALYPTOL	0.007	ND	ND								
ARNESENE	0.001	ND	ND								
FENCHONE	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
SABINENE	0.007	ND	ND								
otal (%)			1.556								

Total (%) 1.556

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

LOD Unite

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50218009-010 Harvest/Lot ID: 5049986341782168

Pacc/Eail Pacult

Sampled: 02/18/25 Ordered: 02/18/25

Batch#: 5049986341782168 Sample Size Received: 9 units Total Amount : 550 units **Completed:** 02/23/25 **Expires:** 02/23/26 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Dage/Eail Beauth

Pesticide	LOD U	Jnits Actio Level	n Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010 p		PASS	ND	OXAMYL		0.010	nnm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010 p		PASS	ND					0.1	PASS	ND
TOTAL PERMETHRIN	0.010 p		PASS	ND	PACLOBUTRAZOL		0.010				
TOTAL PYRETHRINS	0.010 p		PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TOTAL SPINETORAM	0.010 p	I .	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINOSAD	0.010 p		PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010 p		PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010 p		PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010 p		PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010 p	P	PASS	ND	SPIROMESIFEN		0.010	1.1.	0.1	PASS	ND
ALDICARB	0.010 p		PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
AZOXYSTROBIN	0.010 p		PASS	ND							
BIFENAZATE	0.010 p		PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENTHRIN	0.010 p	P	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
BOSCALID	0.010 p		PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
	0.010 p	P	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBARYL CARBOFURAN	0.010 p		PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010 p	P	PASS	ND	PENTACHLORONITROBENZENE ((PCNB) *	0.010	ppm	0.15	PASS	ND
	0.010 p		PASS	ND	PARATHION-METHYL *	,	0.010	ppm	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010 p	I.	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CHLORPYRIFOS CLOFENTEZINE	0.010 p		PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
		P	PASS	ND							
COUMAPHOS	0.010 pp	P	PASS	ND	CHLORFENAPYR *		0.010	1.1.	0.1	PASS	ND
DAMINOZIDE		P	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
DIAZINON	0.010 pp		PASS		CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
DICHLORVOS	0.010 pp		PASS	ND ND	Analyzed by:	Weight:	Extracti	ion date:		Extracted	by:
DIMETHOATE	0.010 pp		PASS	ND	3621, 585, 1440	1.1555g	02/19/2	5 10:59:01		450,585	
ETHOPROPHOS	0.010 pp	P	PASS		Analysis Method: SOP.T.30.102.F	FL, SOP.T.40.102.F	L				
ETOFENPROX	0.010 pp			ND ND	Analytical Batch : DA083490PES	(200)					
ETOXAZOLE	0.010 pp		PASS PASS		Instrument Used : DA-LCMS-004 Analyzed Date : 02/20/25 10:01:4			Batch	Date: 02/19/	25 09:21:13	
FENHEXAMID	0.010 pp			ND	Dilution: 250	+9					
FENOXYCARB	0.010 pp		PASS	ND	Reagent: 021725.R01; 081023.0	1					
FENPYROXIMATE	0.010 pp		PASS	ND	Consumables: 040724CH01; 221						
FIPRONIL	0.010 pp		PASS	ND	Pipette: N/A						
FLONICAMID	0.010 pp		PASS	ND	Testing for agricultural agents is pe		quid Chron	natography Ti	riple-Quadrupo	le Mass Spectroi	metry in
FLUDIOXONIL	0.010 pp		PASS	ND	accordance with F.S. Rule 64ER20-3						
HEXYTHIAZOX	0.010 pp		PASS	ND		Weight:	Extractio			Extracted	by:
IMAZALIL	0.010 pp		PASS	ND		1.1555g	02/19/25	10:59:01		450,585	
IMIDACLOPRID	0.010 pp		PASS	ND	Analysis Method: SOP.T.30.151A Analytical Batch: DA083493VOL		FL				
KRESOXIM-METHYL	0.010 pp		PASS	ND	Instrument Used : DA-GCMS-010			Batch D	ate:02/19/25	09-25-13	
MALATHION	0.010 pp	I.	PASS	ND	Analyzed Date : 02/20/25 09:30:0			Duten D	102/13/23	05.25.15	
METALAXYL	0.010 pp		PASS	ND	Dilution: 250						
METHIOCARB	0.010 pp		PASS	ND	Reagent: 021725.R01; 081023.0	1; 012825.R39; 01	2825.R40				
METHOMYL	0.010 pp		PASS	ND	Consumables: 040724CH01; 221		L				
MEVINPHOS	0.010 pp		PASS	ND	Pipette : DA-080; DA-146; DA-218						
MYCLOBUTANIL	0.010 pp		PASS	ND	Testing for agricultural agents is pe		as Chroma	tography Trip	le-Quadrupole	Mass Spectrome	etry in
NALED	0.010 pp	ppm 0.25	PASS	ND	accordance with F.S. Rule 64ER20-3	39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs Cresco Premium Flower 3.5g - Bsctti Mnt Shrbt (I) Bsctti Mnt Shrbt (I) Matrix: Flower Type: Flower-Cured-Big

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50218009-010 Harvest/Lot ID: 5049986341782168

Batch#: 5049986341782168 Sample Size Received: 9 units

Sampled: 02/18/25 Ordered: 02/18/25

Total Amount: 550 units Completed: 02/23/25 Expires: 02/23/26 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial



PASSED

ASPERGILLUS NIGER Not Present PASS AFLA ASPERGILLUS FUMIGATUS Not Present PASS OCH ASPERGILLUS FLAVUS Not Present PASS AFLA SALMONELLA SPECIFIC GENE Not Present PASS AFLA ECOLI SHIGELLA Not Present PASS Analy	Analyte	LOD	Units	Result	Pass / Fail	Action Level	Anal
ASPERGILLUS FUMIGATUS Not Present PASS OCH ASPERGILLUS FLAVUS Not Present PASS AFLA SALMONELLA SPECIFIC GENE Not Present PASS AFLA ECOLI SHIGELLA Not Present PASS Analy	ASPERGILLUS TERREUS			Not Present	PASS		AFLA
ASPERGILLUS FLAVUS SALMONELLA SPECIFIC GENE ECOLI SHIGELLA Not Present Not Present PASS AFLA Analy Analy	ASPERGILLUS NIGER			Not Present	PASS		AFLA
SALMONELLA SPECIFIC GENE Not Present PASS AFLA ECOLI SHIGELLA Not Present PASS Analy	ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHI
ECOLI SHIGELLA Not Present PASS Analy	ASPERGILLUS FLAVUS			Not Present	PASS		AFLA
Analy	SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLA
	ECOLI SHIGELLA			Not Present	PASS		Δnalv
	TOTAL YEAST AND MOLD	10	CFU/g	50000	PASS	100000	3621,

Analyzed by: 4044, 4571, 585, 1440 Weight: **Extraction date:** Extracted by: 0.8806g 02/19/25 09:28:44 4777,4044

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA083462MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 02/19/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 02/20/25 10:32:55

Dilution: 10

Reagent: 012425.05; 012725.15; 011525.R47; 080724.14

Consumables: 7580001014 Pipette: N/A

Analyzed by:	Weight: Extraction date:	Extracted by
4044, 4531, 585, 1879, 4777, 1440	0.8806g02/19/25 09:28:44	14777,4044

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA083463TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with Batch Date: 02/19/25 07:27:59

DA-3821

Analyzed Date: 02/23/25 17:21:31

Dilution: 10

Reagent: 012425.05; 012725.15; 013025.R13

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Ç	Mycotoxins	
alyte		LOD

Analyte		LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02		
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02		
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02		
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02		
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02		
Analyzed by:	Weight:	Extraction dat			Extracted by:			

1.1555g 02/19/25 10:59:01 Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA083491MYC Instrument Used: DA-LCMS-004 (MYC) Analyzed Date: 02/20/25 09:57:28

Dilution: 250

Reagent: 021725.R01; 081023.01 Consumables: 040724CH01; 221021DD

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Batch Date: 02/19/25 09:23:27

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINA	ANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5

Extraction date: Extracted by: 1022, 585, 1440 0.2609g 02/19/25 09:43:30

Analysis Method: SOP.T.30.082.FL. SOP.T.40.082.FL

Analytical Batch : DA083479HEA Instrument Used: DA-ICPMS-004 Batch Date: 02/19/25 08:37:58

Analyzed Date: 02/20/25 10:31:08

Dilution: 50 Reagent: 012925.R32; 013025.R04; 021725.R22; 021425.R04; 021725.R20; 021725.R21; 120324.07; 021225.R30

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs Cresco Premium Flower 3.5g - Bsctti Mnt Shrbt (I) Bsctti Mnt Shrbt (I) Matrix: Flower Type: Flower-Cured-Big

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50218009-010 Harvest/Lot ID: 5049986341782168

Batch#: 5049986341782168 Sample Size Received: 9 units Sampled: 02/18/25 Ordered: 02/18/25

Total Amount: 550 units Completed: 02/23/25 Expires: 02/23/26 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture

PASSED

Batch Date: 02/19/25 09:12:32

Analyte Filth and Foreign Mate	erial	LOD 0.100		Result ND	P/F PASS	Action Level	Analyte Moisture Content	LOD 1.0	Units %	Result 14.0	P/F PASS	Action Level 15
Analyzed by: 1879, 585, 1440	Weight:		action date: 19/25 09:26:5	54	Extra 1879	acted by:	Analyzed by: 4797, 3379, 585, 1440	Weight: 0.501g	Extraction 02/19/25	on date: 5 10:58:18		Extracted by: 4797

Analysis Method: SOP.T.40.090

Analytical Batch : DA083489FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 02/21/25 11:46:01

Batch Date: 02/19/25 09:21:09

Dilution: N/A

Reagent: N/A Consumables : N/A Pipette: N/A

Analysis Method: SOP.T.40.021 Analytical Batch: DA083485MOI Instrument Used: DA-003 Moisture Analyzer

Analyzed Date : 02/19/25 14:39:57 Dilution: N/A

Consumables : N/A

Reagent: 092520.50; 120324.07

Pipette: DA-066

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte Water Activity	LOD 0.010	Units aw	Result 0.518	P/F PASS	.,. ,		
Analyzed by: 4797, 3379, 585, 1440	Weight: 1.509q		on date: 5 10:23:24		Extracted by: 4797		

Analysis Method: SOP.T.40.019 Analytical Batch: DA083492WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 02/19/25 09:23:34

Analyzed Date: 02/19/25 14:34:15

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164