



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50219007-010



Feb 22, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

TESTED


Total THC

84.609%

Total THC/Container : 423.045 mg



Total CBD

0.094%

Total CBD/Container : 0.470 mg



Total Cannabinoids

89.520%

Total Cannabinoids/Container : 447.600 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	84.538	0.081	0.094	ND	ND	3.703	ND	0.130	0.491	ND	0.483
mg/unit	422.69	0.41	0.47	ND	ND	18.52	ND	0.65	2.46	ND	2.42
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 3605, 585, 1440

Weight:
0.1049g

Extraction date:
02/20/25 12:35:01

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083531POT

Instrument Used : DA-LC-003

Analyzed Date : 02/21/25 09:40:32

Batch Date : 02/20/25 10:24:11

Dilution : 400

Reagent : 021825.R05; 010825.48; 021825.R02

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
02/22/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 500mg - Bsccti Mnt Shrht (I)
Bsccti Mnt Shrht (I)
Matrix : Derivative
Type: Live Resin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50219007-010
Harvest/Lot ID: 6184560591456247

Batch# : 6184560591456247 Sample Size Received : 31 units
Sampled : 02/19/25 Total Amount : 485 units
Ordered : 02/19/25 Completed : 02/22/25 Expires: 02/22/26
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	19.67	3.934		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	5.80	1.159		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	3.36	0.671		ALPHA-CEDRENE	0.005	ND	ND	
LINALOOL	0.007	2.51	0.501		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.87	0.374		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	1.82	0.363		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.29	0.257		CIS-NEROLIDOL	0.003	ND	ND	
TRANS-NEROLIDOL	0.005	0.62	0.123		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.60	0.120		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PINENE	0.007	0.58	0.116		4451, 585, 1440	0.2267g	02/20/25 10:31:36	4451	
ALPHA-TERPINEOL	0.007	0.58	0.116		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
OCIMENE	0.007	0.35	0.069		Analytical Batch : DA003520TER				
BETA-PINENE	0.007	0.33	0.065		Instrument Used : DA-GCMS-008				
3-CARENE	0.007	ND	ND		Analyzed Date : 02/21/25 09:40:34				Batch Date : 02/20/25 09:32:17
BORNEOL	0.013	ND	ND		Dilution : 10				
CAMPHENE	0.007	ND	ND		Reagent : 120224.07				
CAMPHOR	0.007	ND	ND		Consumables : 947.110; 04312111; 2240626; 0000355309				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : DA-065				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			3.934						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/22/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 500mg - Bsccti Mnt Shrbrt (I)
Bsccti Mnt Shrbrt (I)
Matrix : Derivative
Type: Live Resin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50219007-010
Harvest/Lot ID: 6184560591456247

Batch# : 6184560591456247 Sample Size Received : 31 units
Sampled : 02/19/25 Total Amount : 485 units
Ordered : 02/19/25 Completed : 02/22/25 Expires: 02/22/26
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3621, 585, 1440	0.2501g	02/20/25 11:59:51	3621		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083517PES					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)				Batch Date : 02/20/25 09:29:41	
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/21/25 09:26:05					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Reagent : 021725.R01; 081023.01; 021925.R46; 021925.R45; 022025.R05; 021725.R05; 012925.R01; 021925.R01					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	450, 585, 1440	0.2501g	02/20/25 11:59:51	3621		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analytical Batch : DA083521VOL					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 02/20/25 09:32:44	
MALATHION	0.010	ppm	0.2	PASS	ND	Analyzed Date : 02/21/25 09:23:33					
METALAXYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Reagent : 021725.R01; 081023.01; 012825.R39; 012825.R40					
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD; 17473601					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
02/22/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 500mg - Bscetti Mnt Shrbt (I)
Bscetti Mnt Shrbt (I)
Matrix : Derivative
Type: Live Resin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50219007-010
Harvest/Lot ID: 6184560591456247

Batch# : 6184560591456247 Sample Size Received : 31 units
Sampled : 02/19/25 Total Amount : 485 units
Ordered : 02/19/25 Completed : 02/22/25 Expires: 02/22/26
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0242g

Extraction date:
02/21/25 16:12:41

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA083551SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 02/21/25 17:19:51

Batch Date : 02/20/25 14:22:23

Dilution : 1
Reagent : 030420.09
Consumables : 430596; 319008
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/22/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 500mg - Bsccti Mnt Shrbt (I)
Bsccti Mnt Shrbt (I)
Matrix : Derivative
Type: Live Resin

Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com


Sample : DA50219007-010
Harvest/Lot ID: 6184560591456247

Batch# : 6184560591456247 Sample Size Received : 31 units
Sampled : 02/19/25 Total Amount : 485 units
Ordered : 02/19/25 Completed : 02/22/25 Expires: 02/22/26
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED	
Analyte		LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS				Not Present	PASS		
ASPERGILLUS NIGER				Not Present	PASS		
ASPERGILLUS FUMIGATUS				Not Present	PASS		
ASPERGILLUS FLAVUS				Not Present	PASS		
SALMONELLA SPECIFIC GENE				Not Present	PASS		
ECOLI SHIGELLA				Not Present	PASS		
TOTAL YEAST AND MOLD		10	CFU/g	<10	PASS	100000	
Analyzed by: 4044, 4520, 585, 1440		Weight: 0.884g	Extraction date: 02/20/25 10:04:03		Extracted by: 4520,4044		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL							
Analytical Batch : DA083503MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)				Batch Date : 02/20/25 07:23:09			
Analyzed Date : 02/21/25 10:35:56							
Dilution : 10							
Reagent : 012725.15; 021725.14; 011525.R47; 080724.14							
Consumables : 7580001014							
Pipette : N/A							
Analyzed by: 4044, 4531, 585, 1440		Weight: 0.884g	Extraction date: 02/20/25 10:04:03		Extracted by: 4520,4044		
Analysis Method : SOP.T.40.209.FL							
Analytical Batch : DA083504TYM							
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]				Batch Date : 02/20/25 07:25:08			
Analyzed Date : 02/22/25 16:09:53							
Dilution : 10							
Reagent : 012725.15; 021725.14; 013025.R13							
Consumables : N/A							
Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							


	Mycotoxins					PASSED	
Analyte		LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02	
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02	
Analyzed by: 3621, 585, 1440		Weight: 0.2501g	Extraction date: 02/20/25 11:59:51		Extracted by: 3621		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL							
Analytical Batch : DA083519MYC							
Instrument Used : DA-LCMS-005 (MYC)				Batch Date : 02/20/25 09:32:11			
Analyzed Date : 02/21/25 09:24:17							
Dilution : 250							
Reagent : 021725.R01; 081023.01							
Consumables : 040724CH01; 221021DD							
Pipette : N/A							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

	Heavy Metals					PASSED	
Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1	
ARSENIC		0.020	ppm	ND	PASS	0.2	
CADMIUM		0.020	ppm	ND	PASS	0.2	
MERCURY		0.020	ppm	ND	PASS	0.2	
LEAD		0.020	ppm	ND	PASS	0.5	
Analyzed by: 1022, 585, 1440		Weight: 0.2554g	Extraction date: 02/20/25 10:32:09		Extracted by: 4056,1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL							
Analytical Batch : DA083514HEA							
Instrument Used : DA-ICPMS-004				Batch Date : 02/20/25 09:22:48			
Analyzed Date : 02/21/25 13:04:24							
Dilution : 50							
Reagent : 012925.R32; 013025.R04; 021725.R22; 021425.R04; 021725.R20; 021725.R21; 120324.07; 021225.R30							
Consumables : J609879-0193; 179436; 040724CH01							
Pipette : DA-061; DA-191; DA-216							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 500mg - Bscetti Mnt Shrbt (I)
Bscetti Mnt Shrbt (I)
Matrix : Derivative
Type: Live Resin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50219007-010

Harvest/Lot ID: 6184560591456247

Batch# : 6184560591456247

Sampled : 02/19/25

Ordered : 02/19/25

Sample Size Received : 31 units

Total Amount : 485 units

Completed : 02/22/25 Expires: 02/22/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 02/21/25 12:53:45	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA083604FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 02/21/25 12:43:43

Analyzed Date : 02/21/25 13:22:17

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.493	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 0.5198g	Extraction date: 02/20/25 15:33:32	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA083518WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date : 02/20/25 09:32:07

Analyzed Date : 02/21/25 09:39:51

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/22/25