

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50220013-002

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Mt. Ripsmore (H) 🧸

Mt. Ripsmore (H)

Matrix: Derivative Classification: High THC Type: Live Resin

Production Method: Other - Not Listed Harvest/Lot ID: 4411279671696390

Batch#: 4411279671696390

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 7162542234848643

Harvest Date: 02/13/25

Sample Size Received: 31 units

Total Amount: 490 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 02/20/25 Sampled: 02/20/25

Completed: 02/25/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

SAFETY RESULTS

22205 Sw Martin Hwv indiantown, FL, 34956, US



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Sunnyside

Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 02/21/25 08:43:59



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Feb 25, 2025 | Sunnyside

Total THC

83.840% Total THC/Container: 419.200 mg



Total CBD


 $\boldsymbol{0.088\%}$

Total CBD/Container: 0.440 mg



Total Cannabinoids 86.617%

Total Cannabinoids/Container: 433.085



Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA083561POT Instrument Used: DA-LC-003

Analyzed Date: 02/25/25 09:42:41

Dilution: 400 Reagent: 021825.R05; 010825.48; 021825.R01

Consumables: 947.110; 04312111; 040724CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

rum cannabinoid analysis utilizing High Performance Liguid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Cresco Liquid Live Resin Cartridge 500mg - Mt. Ripsmore (H)

Mt. Ripsmore (H) Matrix : Derivative Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50220013-002 Harvest/Lot ID: 4411279671696390

Sampled: 02/20/25 Ordered: 02/20/25

Batch#: 4411279671696390 Sample Size Received: 31 units Total Amount : 490 units

Completed: 02/25/25 **Expires:** 02/25/26 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/un	it %	Result (%)	Terpe	nes	LOD (%)	mg/unit	t %	Result (%)
TOTAL TERPENES	0.007	26.56	5.312		SABINI	ENE	0.007	ND	ND	
BETA-MYRCENE	0.007	6.12	1.224		SABINI	NE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	5.32	1.064		VALEN	CENE	0.007	ND	ND	
LIMONENE	0.007	4.56	0.911		ALPHA	-CEDRENE	0.005	ND	ND	
LINALOOL	0.007	3.77	0.753		ALPHA	-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.79	0.358		ALPHA	-TERPINENE	0.007	ND	ND	
FARNESENE	0.007	1.36	0.272		CIS-NE	ROLIDOL	0.003	ND	ND	
ALPHA-BISABOLOL	0.007	0.98	0.195		GAMM	A-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	0.80	0.160		Analyzed	l by:	Weight:	Extraction	on date:	Extracted by:
FENCHYL ALCOHOL	0.007	0.69	0.137		4444, 44	51, 585, 1440	0.208g	02/21/25	5 12:58:13	4451,4444
TRANS-NEROLIDOL	0.005	0.41	0.081			Method: SOP.T.30.061A.FL, SOP	T.40.061A.FL			
BETA-PINENE	0.007	0.39	0.077			al Batch : DA083571TER ent Used : DA-GCMS-009			Datab D	ate: 02/21/25 08:57:41
ALPHA-PINENE	0.007	0.30	0.060			Date: 02/25/25 09:42:53			Daten D	ate: 02/21/25 00.57.41
ALPHA-TERPINOLENE	0.007	0.10	0.020		Dilution	: 10				
3-CARENE	0.007	ND	ND		Reagent	: 120224.07				
BORNEOL	0.013	ND	ND		Consuma Pipette :	bles: 947.110; 04402004; 0000	1355309; 2240626			
CAMPHENE	0.007	ND	ND						-	
CAMPHOR	0.007	ND	ND		Terpenoid	testing is performed utilizing Gas Cr	nromatograpny Mass Specti	ometry. For all	riower samp	les, the Total Terpenes % is dry-weight corrected.
CARYOPHYLLENE OXIDE	0.007	ND	ND							
CEDROL	0.007	ND	ND							
EUCALYPTOL	0.007	ND	ND							
FENCHONE	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
OCIMENE	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
Fotal (9/)			E 212							

Total (%)

5.312

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Signature 02/25/25



Cresco Liquid Live Resin Cartridge 500mg - Mt. Ripsmore (H) Mt. Ripsmore (H)

Matrix : Derivative Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50220013-002 Harvest/Lot ID: 4411279671696390

Sampled: 02/20/25 Ordered: 02/20/25

Batch#: 4411279671696390 Sample Size Received: 31 units Total Amount : 490 units

Completed: 02/25/25 **Expires:** 02/25/26 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010	1.1	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
BAMECTIN B1A	0.010	1.1	0.1	PASS	ND			0.010		0.1	PASS	ND
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR				0.1	PASS	
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010				ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
IFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
OSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZE	NE (DCND) *	0.010		0.15	PASS	ND
HLORANTRANILIPROLE	0.010		1	PASS	ND		NE (PUND)			0.13	PASS	ND
HLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010				
ILORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
OFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
DUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
AZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
CHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extractio	n date:		Extracted by	
METHOATE	0.010		0.1	PASS	ND	3621, 585, 1440	0.2508g	02/21/25			450,4640,585	
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.1	102.FL, SOP.T.40.10	02.FL				
OFENPROX	0.010		0.1	PASS	ND	Analytical Batch: DA083572						
OXAZOLE	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-			Batcl	Date: 02/21/	25 09:12:33	
NHEXAMID	0.010		0.1	PASS	ND	Analyzed Date : 02/24/25 08:	:54:46					
NOXYCARB	0.010		0.1	PASS	ND	Dilution: 250 Reagent: 021725.R01; 0810	23.01					
ENPYROXIMATE	0.010		0.1	PASS	ND	Consumables: 040724CH01;						
PRONIL	0.010		0.1	PASS	ND	Pipette: N/A	,					
LONICAMID	0.010		0.1	PASS	ND	Testing for agricultural agents	is performed utilizin	g Liquid Chrom	natography T	riple-Quadrupo	le Mass Spectroi	netry in
UDIOXONIL	0.010		0.1	PASS	ND	accordance with F.S. Rule 64EF			3 11 9			, ,
EXYTHIAZOX	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extractio			Extracted by	
IAZALIL	0.010		0.1	PASS	ND	4640, 585, 1440	0.2508g	02/21/25	12:18:16		450,4640,585	5
IIDACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.1		151.FL				
RESOXIM-METHYL	0.010		0.1	PASS	ND	Analytical Batch: DA083574 Instrument Used: DA-GCMS-			Batch D	ate:02/21/25	00-10-30	
ALATHION	0.010		0.2	PASS	ND	Analyzed Date: 02/24/25 08:			Datch D	ate: UZ/Z1/Z3	05.10.30	
ETALAXYL	0.010		0.1	PASS	ND	Dilution: 250						
ETHIOCARB	0.010		0.1	PASS	ND	Reagent: 021725.R01; 0810	23.01; 012825.R39	; 012825.R40				
ETHOMYL	0.010		0.1	PASS	ND	Consumables: 040724CH01;	; 221021DD; 17473					
EVINPHOS	0.010		0.1	PASS	ND	Pipette: DA-080; DA-146; DA						
IYCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents		g Gas Chromat	ography Trip	le-Quadrupole	Mass Spectrome	try in
ALED	0.010	ppm	0.25	PASS	ND	accordance with F.S. Rule 64EF	R20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Cresco Liquid Live Resin Cartridge 500mg - Mt. Ripsmore (H) Mt. Ripsmore (H)

Matrix: Derivative Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50220013-002 Harvest/Lot ID: 4411279671696390

Batch#: 4411279671696390 Sample Size Received: 31 units

Sampled: 02/20/25 Ordered: 02/20/25

Total Amount: 490 units

Completed: 02/25/25 Expires: 02/25/26 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

Э Л			
- 14		3	ы
-	_		

				11		
Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 850, 585, 1440	Weight: 0.0228a	Extraction date: 02/22/25 14:06:06			ctracted by:	

850, 585, 1440 0.0228g 02/22/25 14:06:06 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA083660SOL Instrument Used: DA-GCMS-003 **Analyzed Date:** $02/24/25\ 17:01:01$

Dilution: 1 Reagent: 030420.09

Consumables: 430596; 319008 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 02/22/25 13:54:45

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Vivian Celestino

Lab Director



Cresco Liquid Live Resin Cartridge 500mg - Mt. Ripsmore (H) Mt. Ripsmore (H)

Matrix: Derivative Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50220013-002 Harvest/Lot ID: 4411279671696390

Sampled: 02/20/25 Ordered: 02/20/25

Batch#: 4411279671696390 Sample Size Received: 31 units Total Amount: 490 units

Completed: 02/25/25 Expires: 02/25/26 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED

Batch Date: 02/21/25 08:14:37



ycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	1
ASPERGILLUS TERREUS			Not Present	PASS		1
ASPERGILLUS NIGER			Not Present	PASS		1
ASPERGILLUS FUMIGATUS			Not Present	PASS		(
ASPERGILLUS FLAVUS			Not Present	PASS		1
SALMONELLA SPECIFIC GENE			Not Present	PASS		1
ECOLI SHIGELLA			Not Present	PASS		Α
TOTAL YEAST AND MOLD	10	CFU/q	<10	PASS	100000	3

Analyzed by: 4044, 4520, 585, 1440 Weight: **Extraction date:** Extracted by: 02/21/25 09:56:56 4520,4044 1.2g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA083556MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 02/21/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 02/22/25 12:27:02

Dilution: 10

Reagent: 012725.14; 021725.14; 011525.R47; 080724.14

Consumables: 7580001021 Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4044, 1879, 4777, 585, 1440	1.2g	02/21/25 09:56:56	4520,4044

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA083557TYM

Instrument Used : Incubator (25*C) DA- 328 [calibrated with

DA-3821

Analyzed Date: 02/24/25 08:37:39

Dilution: 10

Reagent: 012725.14; 021725.14; 013025.R13

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Ů.	M

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by:	Weight:	Extraction date		Ext	racted by	:

3621, 585, 1440 0.2508g 02/21/25 12:18:16 450,4640,585 Analysis Method: SOP.T.30.102.FL. SOP.T.40.102.FL

Analytical Batch : DA083573MYC Instrument Used: DA-LCMS-003 (MYC)

Analyzed Date: 02/24/25 08:33:01

Dilution: 250

Reagent: 021725.R01; 081023.01 Consumables: 040724CH01; 221021DD

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

0.2522g

PASSED

Batch Date: 02/21/25 09:17:59

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD	METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extraction	ı date:		Extracte	d by:

02/21/25 09:54:09

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA083562HEA Instrument Used: DA-ICPMS-004 Batch Date: 02/21/25 08:44:01

Analyzed Date: 02/22/25 12:26:18 Dilution: 50

Reagent: 012925.R32; 013025.R04; 021725.R22; 021425.R04; 021725.R20; 021725.R21; 120324.07; 021225.R30

1022, 4056, 585, 1440

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs Cresco Liquid Live Resin Cartridge 500mg - Mt. Ripsmore (H) Mt. Ripsmore (H) Matrix: Derivative

PASSED

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50220013-002 Harvest/Lot ID: 4411279671696390

Sampled: 02/20/25 Ordered: 02/20/25

Batch#: 4411279671696390 Sample Size Received: 31 units Total Amount: 490 units Completed: 02/25/25 Expires: 02/25/26 Sample Method: SOP.T.20.010

Page 6 of 6

Type: Live Resin



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 02/21/25 12:53:48 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA083604FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 02/21/25 12:43:43 Analyzed Date : 02/21/25 13:17:46

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte Water Activity		LOD 0.010	Units aw	Result 0.450	P/F PASS	Action Level 0.85
Analyzed by: 4797, 585, 1440	Weight: 0.415g		traction d /21/25 16		Ext 47	tracted by: 97

Analysis Method: SOP.T.40.019 Analytical Batch: DA083567WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date: 02/21/25 08:49:35 Analyzed Date: 02/22/25 12:28:45

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors Signature Testing 97164 02/25/25