



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50220013-009



Feb 24, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



**Cannabinoid**

**TESTED**



**Total THC**  
**21.397%**

Total THC/Container : 2995.580 mg



**Total CBD**  
**0.049%**

Total CBD/Container : 6.860 mg



**Total Cannabinoids**  
**24.712%**

Total Cannabinoids/Container : 3459.680 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.567	22.612	ND	0.056	0.037	0.085	0.277	ND	ND	ND	0.078
mg/unit	219.38	3165.68	ND	7.84	5.18	11.90	38.78	ND	ND	ND	10.92
LOD	0.001	0.001	ND	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
3605, 585, 1440

Weight:  
0.2015g

Extraction date:  
02/21/25 13:00:58

Extracted by:  
3335,3605

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083565POT

Instrument Used : DA-LC-001

Analyzed Date : 02/24/25 08:50:27

Batch Date : 02/21/25 08:48:25

Dilution : 400

Reagent : 021825.R07; 010825.48; 021825.R04

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/24/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Rnbw Shrbrt (I)  
Rnbw Shrbrt (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50220013-009  
Harvest/Lot ID: 8026261449750425

Batch# : 8026261449750425 Sample Size Received : 5 units  
Sampled : 02/20/25 Total Amount : 1020 units  
Ordered : 02/20/25 Completed : 02/24/25 Expires: 02/24/26  
Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	217.70	1.555		VALENCENE	0.007	ND	ND	
LINALOOL	0.007	49.56	0.354		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	41.86	0.299		ALPHA-PHELLANDRENE	0.007	ND	ND	
LIMONENE	0.007	38.36	0.274		ALPHA-PINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	15.82	0.113		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	14.70	0.105		ALPHA-TERPINOLENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	13.30	0.095		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-HUMULENE	0.007	13.30	0.095		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	10.22	0.073						
TRANS-NEROLIDOL	0.005	9.94	0.071		Analysis by:	Weight:	Extraction date:	Extracted by:	
BETA-PINENE	0.007	5.46	0.039		4444, 4451, 585, 1440	1.005g	02/21/25 12:58:15	4451,4444	
OCIMENE	0.007	5.18	0.037		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	ND	ND		Analytical Batch : DA083571TER				
BORNEOL	0.013	ND	ND		Instrument Used : DA-GCMS-009				
CAMPHENE	0.007	ND	ND		Analyzed Date : 02/24/25 09:37:43				
CAMPHOR	0.007	ND	ND		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent : 120224.07				
CEDROL	0.007	ND	ND		Consumables : 947.110; 04402004; 0000355309; 2240626				
EUCALYPTOL	0.007	ND	ND		Pipette : DA-065				
FARNESENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						

Total (%) 1.555

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164


Signature  
02/24/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Rnbw Shrbrt (I)  
Rnbw Shrbrt (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50220013-009  
Harvest/Lot ID: 8026261449750425

Batch# : 8026261449750425 Sample Size Received : 5 units  
Sampled : 02/20/25 Total Amount : 1020 units  
Ordered : 02/20/25 Completed : 02/24/25 Expires: 02/24/26  
Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analized by: 3621, 585, 1440	Weight: 1.0659g	Extraction date: 02/21/25 12:20:02	Extracted by: 450,4640,585		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083575PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)					Batch Date : 02/21/25 09:25:15
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analized Date : 02/24/25 08:49:57					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 022025.R05; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analized by: 4640, 585, 1440	Weight: 1.0659g	Extraction date: 02/21/25 12:20:02	Extracted by: 450,4640,585		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083578VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010					Batch Date : 02/21/25 09:28:46
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized Date : 02/24/25 08:48:15					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 022025.R05; 081023.01; 012825.R39; 012825.R40					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 040724CH01; 221021DD; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/24/25



# Certificate of Analysis

**PASSED**


Sunnyside


 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: julio.chavez@crescolabs.com


 Sample : DA50220013-009  
 Harvest/Lot ID: 8026261449750425

 Batch# : 8026261449750425 Sample Size Received : 5 units  
 Sampled : 02/20/25 Total Amount : 1020 units  
 Ordered : 02/20/25 Completed : 02/24/25 Expires: 02/24/26  
 Sample Method : SOP.T.20.010

Page 4 of 5

	<h1>Microbial</h1>	<h2>PASSED</h2>																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>75000</td><td>PASS</td><td>100000</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	75000	PASS	100000	
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																												
ASPERGILLUS TERREUS			Not Present	PASS																																													
ASPERGILLUS NIGER			Not Present	PASS																																													
ASPERGILLUS FUMIGATUS			Not Present	PASS																																													
ASPERGILLUS FLAVUS			Not Present	PASS																																													
SALMONELLA SPECIFIC GENE			Not Present	PASS																																													
ECOLI SHIGELLA			Not Present	PASS																																													
TOTAL YEAST AND MOLD	10	CFU/g	75000	PASS	100000																																												
<table><tr><td>Analyzed by: 4044, 4520, 585, 1440</td><td>Weight: 0.914g</td><td>Extraction date: 02/21/25 09:56:57</td><td>Extracted by: 4520,4044</td></tr></table>	Analyzed by: 4044, 4520, 585, 1440	Weight: 0.914g	Extraction date: 02/21/25 09:56:57	Extracted by: 4520,4044																																													
Analyzed by: 4044, 4520, 585, 1440	Weight: 0.914g	Extraction date: 02/21/25 09:56:57	Extracted by: 4520,4044																																														
<p>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA083556MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date : 02/22/25 12:27:07</p>		<p>Batch Date : 02/21/25 08:12:29</p>																																															
<p>Dilution : 10 Reagent : 012725.14; 021725.14; 011525.R47; 080724.14 Consumables : 7580001021 Pipette : N/A</p>																																																	
<table><tr><td>Analyzed by: 4044, 1879, 4777, 585, 1440</td><td>Weight: 0.914g</td><td>Extraction date: 02/21/25 09:56:57</td><td>Extracted by: 4520,4044</td></tr></table>	Analyzed by: 4044, 1879, 4777, 585, 1440	Weight: 0.914g	Extraction date: 02/21/25 09:56:57	Extracted by: 4520,4044																																													
Analyzed by: 4044, 1879, 4777, 585, 1440	Weight: 0.914g	Extraction date: 02/21/25 09:56:57	Extracted by: 4520,4044																																														
<p>Analysis Method : SOP.T.40.209.FL Analytical Batch : DA083557TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 02/24/25 08:37:43</p>		<p>Batch Date : 02/21/25 08:14:37</p>																																															
<p>Dilution : 10 Reagent : 012725.14; 021725.14; 013025.R13 Consumables : N/A Pipette : N/A</p>																																																	
<p>Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</p>																																																	

	<h1>Mycotoxins</h1>	<h2>PASSED</h2>																																			
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																
<table><tr><td>Analyzed by: 3621, 585, 1440</td><td>Weight: 1.0659g</td><td>Extraction date: 02/21/25 12:20:02</td><td>Extracted by: 450,4640,585</td></tr></table>	Analyzed by: 3621, 585, 1440	Weight: 1.0659g	Extraction date: 02/21/25 12:20:02	Extracted by: 450,4640,585																																	
Analyzed by: 3621, 585, 1440	Weight: 1.0659g	Extraction date: 02/21/25 12:20:02	Extracted by: 450,4640,585																																		
<p>Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA083577MYC Instrument Used : DA-LCMS-004 (MYC) Analyzed Date : 02/22/25 12:19:22</p>		<p>Batch Date : 02/21/25 09:27:17</p>																																			
<p>Dilution : 250 Reagent : 022025.R05; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A</p>																																					
<p>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</p>																																					


	<h1>Heavy Metals</h1>	<h2>PASSED</h2>																																			
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	
Metal	LOD	Units	Result	Pass / Fail	Action Level																																
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																
ARSENIC	0.020	ppm	ND	PASS	0.2																																
CADMIUM	0.020	ppm	ND	PASS	0.2																																
MERCURY	0.020	ppm	ND	PASS	0.2																																
LEAD	0.020	ppm	ND	PASS	0.5																																
<table><tr><td>Analyzed by: 1022, 4056, 585, 1440</td><td>Weight: 0.2914g</td><td>Extraction date: 02/21/25 09:11:31</td><td>Extracted by: 4056</td></tr></table>	Analyzed by: 1022, 4056, 585, 1440	Weight: 0.2914g	Extraction date: 02/21/25 09:11:31	Extracted by: 4056																																	
Analyzed by: 1022, 4056, 585, 1440	Weight: 0.2914g	Extraction date: 02/21/25 09:11:31	Extracted by: 4056																																		
<p>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA083560HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 02/22/25 12:23:17</p>		<p>Batch Date : 02/21/25 08:43:16</p>																																			
<p>Dilution : 50 Reagent : 012925.R32; 013025.R04; 021725.R22; 021425.R04; 021725.R20; 021725.R21; 120324.07; 021225.R30 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216</p>																																					
<p>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</p>																																					



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Rnbw Shrbt (I)  
Rnbw Shrbt (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50220013-009  
Harvest/Lot ID: 8026261449750425

Batch# : 8026261449750425 Sample Size Received : 5 units  
Sampled : 02/20/25 Total Amount : 1020 units  
Ordered : 02/20/25 Completed : 02/24/25 Expires: 02/24/26  
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	13.8	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 02/21/25 12:53:49			Extracted by: 1879	Analyzed by: 4797, 585, 1440	Weight: 0.487g	Extraction date: 02/21/25 09:35:09			Extracted by: 4797,585
Analysis Method : SOP.T.40.090 Analytical Batch : DA083604FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 02/21/25 13:13:00						Analysis Method : SOP.T.40.021 Analytical Batch : DA083569MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 02/22/25 12:33:39					
Batch Date : 02/21/25 12:43:43						Batch Date : 02/21/25 08:52:55					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.535	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 2.081g	Extraction date: 02/21/25 09:04:36	Extracted by: 4797		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA083568WAT					
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 02/21/25 08:51:48		
Analyzed Date : 02/22/25 12:35:31					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/24/25