

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50221015-002

## Kaycha Labs

Sunnyside Chews 100mg 10pk Blue Raspberry

Blue Raspberry

Classification: High THC Type: Soft Chew

Matrix: Edible



Batch#: 7869037865452671

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 7692425675921670

Harvest Date: 02/12/25

Sample Size Received: 14 units

Total Amount: 3299 units Retail Product Size: 43.0264 gram

Retail Serving Size: 4.1 gram

Servings: 10 Ordered: 02/21/25

Sampled: 02/21/25 Completed: 02/25/25

Sampling Method: SOP.T.20.010

PASSED

Feb 25, 2025 | Sunnyside 22205 Sw Martin Hwv

indiantown, FL, 34956, US

Sunnyside<sup>2</sup>

Chews



Pages 1 of 5

SAFETY RESULTS



Pesticides **PASSED** 



Heavy Metals **PASSED** 



**Certificate of Analysis** 

Microbials **PASSED** 



**Mycotoxins PASSED** 



Residuals Solvents PASSED



Filth **PASSED** 

Batch Date: 02/24/25 08:28:32



Water Activity **PASSED** 



Moisture **NOT TESTED** 



MISC.

Terpenes NOT **TESTED** 

TESTED



## Cannabinoid

**Total THC** 0.230%

Total THC/Container: 98.961 mg



**Total CBD** 

Total CBD/Container: 0.000 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 101.112

%	рэ-тнс <b>0.230</b>	THCA ND	CBD ND	CBDA ND	D8-THC	CBG 0.003	CBGA ND	CBN ND	THCV ND	CBDV ND	CBC 0.002
mg/unit	98.96	ND	ND	ND	ND	1.29	ND	ND	ND	ND	0.86
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3605, 585, 1440			Weight: 3.0077g		<b>Extraction</b> 02/24/25				Extracted 3335,360		

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA083682POT Instrument Used: DA-LC-007 Analyzed Date: 02/25/25 11:02:08

Dilution: 40

Dilution: 40
Reagent: 021825.R06; 010825.48; 021825.R03
Consumables: 947.110; 04312111; 040724CH01; 0000355309
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50221015-002 Harvest/Lot ID: 7869037865452671

Batch#: 7869037865452671 Sample Size Received: 14 units Sampled: 02/21/25 Ordered: 02/21/25

Total Amount: 3299 units Completed: 02/25/25 Expires: 02/25/26 Sample Method: SOP.T.20.010

Page 2 of 5



## **Pesticides**

## **PASSED**

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		30	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		3	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		1	PASS	ND	PHOSMET		0.010	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.010		1	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TAL SPINETORAM	0.010		3	PASS	ND	PRALLETHRIN		0.010		0.4	PASS	ND
TAL SPINOSAD	0.010		3	PASS	ND			0.010		1	PASS	ND
AMECTIN B1A	0.010		0.3	PASS	ND	PROPICONAZOLE				_		
EPHATE	0.010		3	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EQUINOCYL	0.010		2	PASS	ND	PYRIDABEN		0.010		3	PASS	ND
TAMIPRID	0.010		3	PASS	ND	SPIROMESIFEN		0.010	ppm	3	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	3	PASS	ND
DXYSTROBIN	0.010		3	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		3	PASS	ND	TEBUCONAZOLE		0.010	ppm	1	PASS	ND
ENTHRIN	0.010		0.5	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		3	PASS	ND	THIAMETHOXAM		0.010		1	PASS	ND
RBARYL	0.010	1.1	0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		3	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND		ENE (DCND) *	0.010		0.2	PASS	ND
LORANTRANILIPROLE	0.010		3	PASS	ND	PENTACHLORONITROBENZ	ENE (PUNB) T			0.2	PASS	ND
LORMEQUAT CHLORIDE	0.010		3	PASS	ND	PARATHION-METHYL *		0.010		3		
ORPYRIFOS	0.010	1.1.	0.1	PASS	ND	CAPTAN *		0.070		-	PASS	ND
FENTEZINE	0.010	1.1.	0.5	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
IMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	1	PASS	ND
ZINON	0.010	1.1	3	PASS	ND	CYPERMETHRIN *		0.050	ppm	1	PASS	ND
HLORVOS	0.010	1.1.	0.1	PASS	ND	Analyzed by:	Weight:	Extractio	n date:		Extracted by	r:
ETHOATE	0.010		0.1	PASS	ND	3621, 585, 1440	0.9242q	02/22/25			4640.450.585	
OPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30		2.FL				
FENPROX	0.010	1.1.	0.1	PASS	ND	Analytical Batch : DA08364						
XAZOLE	0.010		1.5	PASS	ND	Instrument Used : DA-LCMS			Batch	Date: 02/22	/25 11:37:30	
HEXAMID	0.010	ppm	3	PASS	ND	Analyzed Date: 02/25/25 09	9:37:19					
OXYCARB	0.010		0.1	PASS	ND	Dilution : 250	025 045 022025 005	021025 04	0 012025 0	01 001005 0	1 00102201	
IPYROXIMATE	0.010		2	PASS	ND	Reagent: 021925.R47; 021 Consumables: 221021DD	925.K45; U22U25.R05	); UZ19Z5.R4	o; U12925.R	U1; U21925.R(	JI; U81U23.U1	
RONIL	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; D	A-219					
DNICAMID	0.010		2	PASS	ND	Testing for agricultural agents		Liquid Chrom	natography T	riple-Ouadrupo	le Mass Spectro	metry in
IDIOXONIL	0.010		3	PASS	ND	accordance with F.S. Rule 64E		4		,		. ,
CYTHIAZOX	0.010		2	PASS	ND	Analyzed by:	Weight:		ction date:		Extracted	
ZALIL	0.010	1.1.	0.1	PASS	ND	4640, 450, 585, 1440	0.9242g		2/25 14:14:1	2	4640,450,5	85
DACLOPRID	0.010		1	PASS	ND	Analysis Method : SOP.T.30		51.FL				
SOXIM-METHYL	0.010		1	PASS	ND	Analytical Batch : DA08365 Instrument Used : DA-GCMS			Dotal: D	ate:02/22/25	11.40.12	
ATHION	0.010	1.1	2	PASS	ND	Analyzed Date: 02/24/25 13			Batch D	ate: UZ/ZZ/Z5	11:40:13	
ALAXYL	0.010	1.1	3	PASS	ND	Dilution : 250	2.02.00					
THIOCARB	0.010		0.1	PASS	ND	Reagent: 021925.R47; 021	925.R45: 022025.R05	: 021925.R4	8: 012925.R	01: 021925.R0	01: 081023.01	
THOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD		,	-,	,	,	
VINPHOS	0.010	1.1.	0.1	PASS	ND	Pipette: DA-093; DA-094; D	A-219					
CLOBUTANIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents		Gas Chromat	ography Trip	le-Quadrupole	Mass Spectrome	etry in
LED	0.010	mag	0.5	PASS	ND	accordance with F.S. Rule 64E	R20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50221015-002 Harvest/Lot ID: 7869037865452671

Sampled: 02/21/25 Ordered: 02/21/25

Batch#: 7869037865452671 Sample Size Received: 14 units Total Amount: 3299 units **Completed :** 02/25/25 **Expires:** 02/25/26 Sample Method: SOP.T.20.010

Page 3 of 5



## **Residual Solvents**

л		_	п
н	Э	Е.	ш
-	_	_	_

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm		TESTED	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 850, 585, 1440	Weight: 0.0223g	Extraction date: 02/22/25 14:22:20			xtracted by:	

0.0223g 02/22/25 14:22:20

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA083661SOL Instrument Used: DA-GCMS-002 **Analyzed Date:** 02/24/25 15:35:42

Dilution: 1 Reagent: 030420.09 Consumables: 430596; 319008 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 02/22/25 14:12:26

pass/fail does not include the MU. Any calculated totals may contain rounding errors

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50221015-002 Harvest/Lot ID: 7869037865452671

Sampled: 02/21/25 Ordered: 02/21/25

Batch#: 7869037865452671 Sample Size Received: 14 units Total Amount: 3299 units Completed: 02/25/25 Expires: 02/25/26 Sample Method: SOP.T.20.010

Page 4 of 5



## **Microbial**

Batch Date: 02/22/25 08:00:48



PASS

Batch Date: 02/22/25 11:40:12

0.02

d bv:
100000
Action Level

4520, 4531, 585, 1440 0.845g 02/22/25 09:50:28 4520

Analysis Method: SOP.T.40.056C. SOP.T.40.058.FL. SOP.T.40.209.FL

Analytical Batch : DA083617MIC

**Instrument Used :** PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 02/22/25 07:59:23

2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95\*C) DA-049, DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date:

Dilution: 10

Reagent: 012425.03; 012725.16; 011525.R47; 080724.14

**Consumables :** 7580002050

Pipette : N/A

Analyzed by: 4520, 4777, 585, 1440

02/25/25 11:55:21	

Weight: Extraction date: Extracted by: 02/22/25 09:50:28

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA083619TYM

Instrument Used : Incubator (25\*C) DA- 328 [calibrated with

DA-3821

Analyzed Date: 02/24/25 17:41:20

Dilution: 10

Reagent: 012425.03; 012725.16; 013025.R13

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

LOXIIIS				PASSED					
LOD	Units	Result	Pass / Fail	Action Level					
0.002	ppm	ND	PASS	0.02					
0.002	ppm	ND	PASS	0.02					
0.002	ppm	ND	PASS	0.02					
	<b>LOD</b> 0.002 0.002	LOD Units  0.002 ppm 0.002 ppm	LOD Units Result  0.002 ppm ND 0.002 ppm ND	LOD         Units         Result Fail           0.002         ppm         ND         PASS           0.002         ppm         ND         PASS           0.002         ppm         ND         PASS					

AFLATOXIN G2		0.002 ppm	ND	PASS	0.02
Analyzed by:	Weight:	Extraction date:	Ex	tracted by	y:
3621, 585, 1440	0 9242a	02/22/25 14:14:12	46	40 450 5	85

0.002 ppm

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA083649MYC

Instrument Used: DA-LCMS-005 (MYC)

Analyzed Date: 02/25/25 09:34:04

Dilution: 250

AFLATOXIN G1

Reagent: 021925.R47; 021925.R45; 022025.R05; 021925.R48; 012925.R01; 021925.R01; 081023.01

Consumables: 221021DD Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## **Heavy Metals**

## **PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 4056, 1022, 585, 1440 **Extraction date** Extracted by: 02/22/25 14:06:00 0.2302g 4056.4571

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA083634HEA Instrument Used : DA-ICPMS-004

Batch Date: 02/22/25 11:00:30 Analyzed Date: 02/24/25 10:13:13

Dilution: 50

Reagent: 012925.R32; 013025.R04; 021725.R22; 021425.R04; 021725.R20; 021725.R21;

120324.07; 021225.R30

Consumables: 040724CH01: I609879-0193: 179436 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





## Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50221015-002 Harvest/Lot ID: 7869037865452671

Sampled: 02/21/25 Ordered: 02/21/25

Batch#: 7869037865452671 Sample Size Received: 14 units Total Amount: 3299 units Completed: 02/25/25 Expires: 02/25/26 Sample Method: SOP.T.20.010

Page 5 of 5



## Filth/Foreign **Material**

## **PASSED**

## Homogeneity

**PASSED** 

Amount of tests conducted: 26

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440 Extraction date: Extracted by: 02/24/25 00:39:01 1g 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA083659FIL
Instrument Used : Filth/Foreign Material Microscope Batch Date: 02/22/25 13:49:54

**Analyzed Date:** 02/24/25 01:34:00

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## **Water Activity**

## PASSED

Analyte LOD Units Pass/Fail Result Action Level

**TOTAL THC - HOMOGENEITY** 0.001 % PASS 0.923 25 (RSD)

Average Extraction date : **Extracted** Analyzed by 4621, 3702, 585, 1440 4.144g 02/22/25 14:25:36 4512,4621

Analysis Method: SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA083615HOM Instrument Used : DA-LC-004

Batch Date: 02/22/25 07:55:28 **Analyzed Date :** 02/24/25 12:18:09

**Reagent :** 120324.07; 021925.R58; 090924.05; 021925.R55

Consumables: 947.110; 04312111; LCJ0311R; 040724CH01; 1009903467; 1009389944;

0000355309

Pipette: DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Analyte LOD Units Result P/F **Action Level** 0.674 PASS Water Activity 0.010 aw 0.85 Extraction date: 02/23/25 10:22:23 Analyzed by: 4797, 585, 1440 Extracted by: 4797

Analysis Method: SOP.T.40.019 Analytical Batch: DA083655WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 02/22/25 11:45:11

Analyzed Date: 02/24/25 12:18:16

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164