



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50221015-011



**Production Method:** Other - Not Listed

**Harvest/Lot ID:** 4867866024450971

**Batch#:** 4867866024450971

**Cultivation Facility:** FL - Indiantown (4430)

**Processing Facility:** FL - Indiantown (4430)

**Source Facility:** FL - Indiantown (4430)

**Seed to Sale#:** 4639957825150951

**Harvest Date:** 02/18/25

**Sample Size Received:** 31 units

**Total Amount:** 4111 units

**Retail Product Size:** 0.5 gram

**Retail Serving Size:** 0.5 gram

**Servings:** 1

**Ordered:** 02/21/25

**Sampled:** 02/21/25

**Completed:** 02/26/25

**Sampling Method:** SOP.T.20.010

Feb 26, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**TESTED**



**Total THC**

**72.341%**

Total THC/Container : 361.705 mg



**Total CBD**

**17.076%**

Total CBD/Container : 85.380 mg



**Total Cannabinoids**

**92.852%**

Total Cannabinoids/Container : 464.260 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	72.263	0.089	17.062	0.016	ND	2.529	ND	0.674	ND	0.057	0.162
mg/unit	361.32	0.45	85.31	0.08	ND	12.65	ND	3.37	ND	0.29	0.81
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3605, 585, 3335, 1440

Weight:  
0.1012g

Extraction date:  
02/24/25 11:10:57

Extracted by:  
3335,3605

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083675POT

Instrument Used : DA-LC-003

Analyzed Date : 02/26/25 09:55:09

Batch Date : 02/24/25 08:05:14

Dilution : 400

Reagent : 021825.R05; 010825.48; 021825.R02

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/26/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Remedi 1:4 Cartridge 500mg - Anml Mnts (H)  
Anml Mnts (H)  
Matrix : Derivative  
Type: Distillate

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50221015-011  
Harvest/Lot ID: 4867866024450971

Batch# : 4867866024450971 Sample Size Received : 31 units  
Sampled : 02/21/25 Total Amount : 4111 units  
Ordered : 02/21/25 Completed : 02/26/25 Expires: 02/26/26  
Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	17.43	3.485		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	10.16	2.032		ALPHA-CEDRENE	0.005	ND	ND	
ALPHA-PINENE	0.007	1.73	0.345		ALPHA-HUMULENE	0.007	ND	ND	
BETA-PINENE	0.007	1.37	0.274		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	1.09	0.218		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.80	0.160		CIS-NEROLIDOL	0.003	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.69	0.137		GAMMA-TERPINENE	0.007	ND	ND	
CAMPHENE	0.007	0.41	0.081		TRANS-NEROLIDOL	0.005	ND	ND	
OCIMENE	0.007	0.32	0.064		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	0.31	0.061		4451, 585, 1440	0.256g	02/24/25 12:39:19	4451	
ALPHA-BISABOLOL	0.007	0.25	0.050		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINOLENE	0.007	0.17	0.034		Analytical Batch : DA003621TER				
ALPHA-TERPINEOL	0.007	0.15	0.029		Instrument Used : DA-GCMS-008				
3-CARENE	0.007	ND	ND		Analyzed Date : 02/26/25 09:55:14				Batch Date : 02/22/25 08:55:18
BORNEOL	0.013	ND	ND		Dilution : 10				
CAMPHOR	0.007	ND	ND		Reagent : 120224.07				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : 947.110; 04402004; 2240626; 0000355309				
CEDROL	0.007	ND	ND		Pipette : DA-065				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			3.485						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/26/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Remedi 1:4 Cartridge 500mg - Anml Mnts (H)  
Anml Mnts (H)  
Matrix : Derivative  
Type: Distillate

# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50221015-011

Harvest/Lot ID: 4867866024450971

Batch# : 4867866024450971

Sampled : 02/21/25

Ordered : 02/21/25

Sample Size Received : 31 units

Total Amount : 4111 units

Completed : 02/26/25 Expires: 02/26/26

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 0.2503g	Extraction date: 02/22/25 13:18:50	Extracted by: 4640,585		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083637PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 02/22/25 11:28:33	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/25/25 10:06:56					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 022125.R04; 021925.R45; 022025.R05; 022125.R03; 012925.R01; 021925.R01; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440	Weight: 0.2503g	Extraction date: 02/22/25 13:18:50	Extracted by: 4640,585		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083640VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 02/22/25 11:30:58	
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/25/25 10:05:16					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 022125.R04; 021925.R45; 022025.R05; 022125.R03; 012925.R01; 021925.R01; 081023.01					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 221021DD					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director


State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
02/26/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Remedi 1:4 Cartridge 500mg - Anml Mnts (H)  
Anml Mnts (H)  
Matrix : Derivative  
Type: Distillate

# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50221015-011

Harvest/Lot ID: 4867866024450971

Batch# : 4867866024450971

Sampled : 02/21/25

Ordered : 02/21/25

Sample Size Received : 31 units

Total Amount : 4111 units

Completed : 02/26/25 Expires: 02/26/26

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0207g

Extraction date:  
02/22/25 14:22:20

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA083661SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 02/24/25 15:36:32

Batch Date : 02/22/25 14:12:26

Dilution : 1  
Reagent : 030420.09  
Consumables : 430596; 319008  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/26/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Remedi 1:4 Cartridge 500mg - Anml Mnts (H)  
Anml Mnts (H)  
Matrix : Derivative  
Type: Distillate

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50221015-011  
Harvest/Lot ID: 4867866024450971

Batch# : 4867866024450971 Sample Size Received : 31 units  
Sampled : 02/21/25 Total Amount : 4111 units  
Ordered : 02/21/25 Completed : 02/26/25 Expires: 02/26/26  
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial PASSED							Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level		Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS			AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS NIGER			Not Present	PASS			AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FUMIGATUS			Not Present	PASS			OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FLAVUS			Not Present	PASS			AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
SALMONELLA SPECIFIC GENE			Not Present	PASS			AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
ECOLI SHIGELLA			Not Present	PASS									
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		Analyzed by:		Weight:		Extraction date:		Extracted by:
							4520, 4531, 585, 1440	0.995g	02/22/25 09:50:29		4520		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL							
Analytical Batch : DA083617MIC						Analytical Batch : DA083639MYC							
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95°C) DA-049, DA-402 Thermo Scientific Heat Block (55 C)						Instrument Used : DA-LCMS-003 (MYC)							
Batch Date : 02/22/25 07:59:23						Batch Date : 02/22/25 11:30:55							
Analyzed Date : 02/25/25 11:55:40						Analyzed Date : 02/25/25 08:50:17							
Dilution : 10						Dilution : 250							
Reagent : 012425.03; 012725.16; 011525.R47; 080724.14						Reagent : 022125.R04; 021925.R45; 022025.R05; 022125.R03; 012925.R01; 021925.R01; 081023.01							
Consumables : 7580002050						Consumables : 221021DD							
Pipette : N/A						Pipette : DA-093; DA-094; DA-219							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
							Heavy Metals PASSED						
Metal	LOD	Units	Result	Pass / Fail	Action Level								
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1								
ARSENIC	0.020	ppm	ND	PASS	0.2								
CADMIUM	0.020	ppm	ND	PASS	0.2								
MERCURY	0.020	ppm	ND	PASS	0.2								
LEAD	0.020	ppm	ND	PASS	0.5								
Analyzed by:		Weight:		Extraction date:		Extracted by:							
4056, 1022, 585, 1440	0.2404g	02/22/25 13:17:07		4056									
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL							
Analytical Batch : DA083631HEA						Analytical Batch : DA083631HEA							
Instrument Used : DA-ICPMS-004						Instrument Used : DA-ICPMS-004							
Batch Date : 02/24/25 11:31:30						Batch Date : 02/22/25 10:48:57							
Analyzed Date : 02/24/25 11:31:30						Analyzed Date : 02/24/25 11:31:30							
Dilution : 50						Dilution : 50							
Reagent : 012925.R32; 013025.R04; 021725.R22; 021425.R04; 021725.R20; 021725.R21; 120324.07; 021225.R30						Reagent : 012925.R32; 013025.R04; 021725.R22; 021425.R04; 021725.R20; 021725.R21; 120324.07; 021225.R30							
Consumables : 040724CH01; J609879-0193; 179436						Consumables : 040724CH01; J609879-0193; 179436							
Pipette : DA-061; DA-191; DA-216						Pipette : DA-061; DA-191; DA-216							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director


State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/26/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Remedi 1:4 Cartridge 500mg - Anml Mnts (H)  
Anml Mnts (H)  
Matrix : Derivative  
Type: Distillate

# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50221015-011

Harvest/Lot ID: 4867866024450971

Batch# : 4867866024450971

Sampled : 02/21/25

Ordered : 02/21/25

Sample Size Received : 31 units

Total Amount : 4111 units

Completed : 02/26/25 Expires: 02/26/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign  
Material**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 02/24/25 00:39:02	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA083659FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 02/24/25 01:33:54

Batch Date : 02/22/25 13:49:54

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.433	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 0.5313g	Extraction date: 02/23/25 10:11:10	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA083655WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 02/24/25 11:46:50

Batch Date : 02/22/25 11:45:11

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/26/25