



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50224001-003



Feb 27, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**TESTED**



Total THC

**83.463%**

Total THC/Container : 834.630 mg



Total CBD

**0.165%**

Total CBD/Container : 1.650 mg



Total Cannabinoids

**87.982%**

Total Cannabinoids/Container : 879.820 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	83.379	0.096	0.165	ND	ND	3.023	ND	0.825	0.376	ND	0.118
mg/unit	833.79	0.96	1.65	ND	ND	30.23	ND	8.25	3.76	ND	1.18
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 3605, 1665, 585, 1440

Weight:  
0.1013g

Extraction date:  
02/25/25 12:51:38

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083724POT

Instrument Used : DA-LC-003

Analyzed Date : 02/27/25 08:15:38

Batch Date : 02/25/25 10:25:22

Dilution : 400

Reagent : 021825.R05; 010825.48; 021825.R02

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/27/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 1g - Northern Lights (I)  
Northern Lights (I)  
Matrix : Derivative  
Type: Distillate

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA50224001-003  
Harvest/Lot ID: 2149606243314207

Batch# : 2149606243314207 Sample Size Received : 16 units  
Sampled : 02/24/25 Total Amount : 507 units  
Ordered : 02/24/25 Completed : 02/27/25 Expires: 02/27/26  
Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	47.36	4.736		ISOPULEGOL	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	14.62	1.462		NEROL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	6.23	0.623		PULEGONE	0.007	ND	ND	
LIMONENE	0.007	5.30	0.530		SABINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	5.21	0.521		SABINENE HYDRATE	0.007	ND	ND	
BETA-PINENE	0.007	3.05	0.305		VALENENE	0.007	ND	ND	
ALPHA-PINENE	0.007	2.14	0.214		CIS-NEROLIDOL	0.003	ND	ND	
LINALOOL	0.007	1.10	0.110		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-TERPINEOL	0.007	1.04	0.104		Analyzed by:	Weight:	Extraction date:	Extracted by:	
3-CARENE	0.007	0.92	0.092		4451, 585, 1440	0.2091g	02/25/25 12:13:49	4451	
ALPHA-PHELLANDRENE	0.007	0.88	0.088		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-BISABOLOL	0.007	0.81	0.081		Analytical Batch : DA003699TER				
FENCHYL ALCOHOL	0.007	0.78	0.078		Instrument Used : DA-GCMS-004				
ALPHA-TERPINENE	0.007	0.58	0.058		Analyzed Date : 02/27/25 08:15:42				Batch Date : 02/25/25 09:26:19
GERANIOL	0.007	0.57	0.057		Dilution : 10				
ALPHA-HUMULENE	0.007	0.49	0.049		Reagent : 120224.07				
OCIMENE	0.007	0.44	0.044		Consumables : 947.110; 04312111; 2240626; 0000355309				
CARYOPHYLLENE OXIDE	0.007	0.42	0.042		Pipette : DA-065				
ISOBORNEOL	0.007	0.39	0.039		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GAMMA-TERPINENE	0.007	0.39	0.039						
ALPHA-CEDRENE	0.005	0.38	0.038						
HEXAHYDROTHYMOL	0.007	0.37	0.037						
EUCALYPTOL	0.007	0.33	0.033						
CAMPHOR	0.007	0.32	0.032						
GUAIOL	0.007	0.32	0.032						
CAMPHENE	0.007	0.28	0.028						
BORNEOL	0.013	ND	ND						
CEDROL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
Total (%)			4.736						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/27/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 1g - Northern Lights (I)  
Northern Lights (I)  
Matrix : Derivative  
Type: Distillate

# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
Indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50224001-003  
Harvest/Lot ID: 2149606243314207

Batch# : 2149606243314207 Sample Size Received : 16 units  
Sampled : 02/24/25 Total Amount : 507 units  
Ordered : 02/24/25 Completed : 02/27/25 Expires: 02/27/26  
Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 0.2832g	Extraction date: 02/25/25 12:50:13	Extracted by: 3621,450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083700PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 02/25/25 09:26:47	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/26/25 11:05:29					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 022025.R05; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2832g	Extraction date: 02/25/25 12:50:13	Extracted by: 3621,450,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083702VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 02/25/25 09:28:11	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 02/26/25 10:44:27					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 022025.R05; 081023.01; 012825.R39; 012825.R40					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director


State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/27/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 1g - Northern Lights (I)  
Northern Lights (I)  
Matrix : Derivative  
Type: Distillate

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50224001-003

Harvest/Lot ID: 2149606243314207

Batch# : 2149606243314207

Sampled : 02/24/25

Ordered : 02/24/25

Sample Size Received : 16 units

Total Amount : 507 units

Completed : 02/27/25 Expires: 02/27/26

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0253g

Extraction date:  
02/26/25 11:04:24

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA083733SOL  
Instrument Used : DA-GCMS-003  
Analyzed Date : 02/26/25 12:00:56

Batch Date : 02/25/25 11:46:57

Dilution : 1  
Reagent : 030420.09  
Consumables : 430596; 319008  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/27/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 1g - Northern Lights (I)  
Northern Lights (I)  
Matrix : Derivative  
Type: Distillate

# Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com


Sample : DA50224001-003  
Harvest/Lot ID: 2149606243314207

Batch# : 2149606243314207 Sample Size Received : 16 units  
Sampled : 02/24/25 Total Amount : 507 units  
Ordered : 02/24/25 Completed : 02/27/25 Expires: 02/27/26  
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED	
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		
Analyzed by: 4520, 4777, 585, 1440		Weight: 0.919g	Extraction date: 02/25/25 09:13:05		Extracted by: 4520,4777		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL							
Analytical Batch : DA083689MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)				Batch Date : 02/25/25 07:27:42			
Analyzed Date : 02/26/25 11:58:55							
Dilution : 10							
Reagent : 012725.13; 013025.02; 021925.R61; 080724.14							
Consumables : N/A							
Pipette : N/A							
Analyzed by: 4520, 585, 1440							
Weight: 0.919g		Extraction date: 02/25/25 09:13:05		Extracted by: 4520,4777			
Analysis Method : SOP.T.40.209.FL							
Analytical Batch : DA083690TYM							
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]				Batch Date : 02/25/25 07:29:18			
Analyzed Date : 02/27/25 14:00:40							
Dilution : 10							
Reagent : 012725.13; 013025.02; 013025.R13							
Consumables : N/A							
Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							


	Mycotoxins					PASSED	
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02		
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02		
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
Analyzed by: 3621, 585, 1440		Weight: 0.2832g	Extraction date: N/A		Extracted by: 3621,450,585		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL							
Analytical Batch : DA083701MYC							
Instrument Used : DA-LCMS-003 (MYC)				Batch Date : 02/25/25 09:27:46			
Analyzed Date : 02/26/25 10:45:29							
Dilution : 250							
Reagent : 022025.R05; 081023.01							
Consumables : 040724CH01; 221021DD							
Pipette : N/A							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

	Heavy Metals					PASSED	
Metal	LOD	Units	Result	Pass / Fail	Action Level		
TOTAL CONTAMINANT LOAD METALS			0.080	ppm	ND	1.1	
ARSENIC	0.020	ppm	ND	PASS	0.2		
CADMIUM	0.020	ppm	ND	PASS	0.2		
MERCURY	0.020	ppm	ND	PASS	0.2		
LEAD	0.020	ppm	ND	PASS	0.5		
Analyzed by: 1022, 585, 1440		Weight: 0.2385g	Extraction date: 02/25/25 12:48:28		Extracted by: 1022,4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL							
Analytical Batch : DA083716HEA							
Instrument Used : DA-ICPMS-004				Batch Date : 02/25/25 09:54:03			
Analyzed Date : 02/26/25 10:41:51							
Dilution : 50							
Reagent : 012925.R32; 022425.R19; 022425.R17; 022425.R11; 022425.R15; 022425.R16; 120324.07; 022425.R18							
Consumables : 040724CH01; J609879-0193; 179436							
Pipette : DA-061; DA-191; DA-216							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 1g - Northern Lights (I)  
Northern Lights (I)  
Matrix : Derivative  
Type: Distillate

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA50224001-003

Harvest/Lot ID: 2149606243314207

Batch# : 2149606243314207

Sampled : 02/24/25

Ordered : 02/24/25

Sample Size Received : 16 units

Total Amount : 507 units

Completed : 02/27/25 Expires: 02/27/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 02/27/25 12:27:17	Extracted by: N/A
---------------------------------	---------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA083778FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 02/26/25 11:42:26

Analyzed Date : 02/26/25 11:58:03

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.515	PASS	0.85

Analyzed by: 4444, 585, 1440	Weight: 0.2895g	Extraction date: 02/25/25 14:33:01	Extracted by: 4444
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA083729WAT

Instrument Used : DA256 Rotronic HygroPalm

Batch Date : 02/25/25 10:45:33

Analyzed Date : 02/26/25 10:25:44

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/27/25