

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Production Method: Other - Not Listed

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430)

Pages 1 of 6

Harvest/Lot ID: 0641791378613552

Seed to Sale#: 5565737016023526

Sampling Method: SOP.T.20.010

Batch#: 0641791378613552

Harvest Date: 02/20/25 Sample Size Received: 16 units Total Amount: 711 units Retail Product Size: 1 gram

> Servings: 1 Ordered: 02/25/25 Sampled: 02/25/25 Completed: 02/28/25

> > PASSED

Supply Vape Cartridge 1g - Durban Poison (S) Durban Poison (S) Matrix: Derivative Classification: High THC Type: Distillate



Certificate of Analysis


COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50225014-009



Feb 28, 2025 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS



Sunnyside

Full Spectrum cannabinoid analysis utilizing High Performance Liguid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 02/28/25



..... Supply Vape Cartridge 1g - Durban Poison (S) Durban Poison (S) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50225014-009 Harvest/Lot ID: 0641791378613552 Batch#:0641791378613552 Sample Size Received:16 units Sampled : 02/25/25 Ordered : 02/25/25

Total Amount : 711 units Completed : 02/28/25 Expires: 02/28/26 Sample Method : SOP.T.20.010

Page 2 of 6

â	
Ŷ	

Terpenes

	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOI (%)		%	Result (%)
DTAL TERPENES	0.007	40.41	4.041		ISOBORNEOL	0.00		ND	
LPHA-TERPINOLENE	0.007	11.10	1.110		ISOPULEGOL	0.00	7 ND	ND	
ETA-MYRCENE	0.007	7.03	0.703		NEROL	0.00	7 ND	ND	
MONENE	0.007	4.53	0.453		PULEGONE	0.00	7 ND	ND	
CIMENE	0.007	4.28	0.428		SABINENE HYDRATE	0.00	7 ND	ND	
PHA-PINENE	0.007	2.56	0.256		VALENCENE	0.00	7 ND	ND	
ETA-PINENE	0.007	2.32	0.232	,	ALPHA-CEDRENE	0.00	5 ND	ND	
LPHA-PHELLANDRENE	0.007	1.35	0.135		CIS-NEROLIDOL	0.00	3 ND	ND	
CARENE	0.007	1.07	0.107		Analyzed by:	Weight:	Extraction d	late:	Extracted by:
LPHA-TERPINENE	0.007	0.83	0.083		4451, 585, 1440	0.2343g	02/26/25 10		4451
AMMA-TERPINENE	0.007	0.65	0.065		Analysis Method : SOP.T.30.061A.FL, SC	P.T.40.061A.FL			
ETA-CARYOPHYLLENE	0.007	0.52	0.052		Analytical Batch : DA083746TER Instrument Used : DA-GCMS-004			Detab	Date: 02/26/25 08:47:37
AMPHENE	0.007	0.50	0.050		Analyzed Date : 02/27/25 09:23:54			Batch	Date: 02/20/25 08:47:37
NALOOL	0.007	0.48	0.048		Dilution : 10				
ENCHYL ALCOHOL	0.007	0.43	0.043		Reagent : 120224.07				
PHA-BISABOLOL	0.007	0.43	0.043		Consumables : 947.110; 04312111; 224	0626; 0000355309			
PHA-HUMULENE	0.007	0.38	0.038		Pipette : DA-065				
ARNESENE	0.001	0.36	0.036		Terpenoid testing is performed utilizing Gas (hromatography Mass S	ectrometry. For all	Flower sam	ples, the Total Terpenes % is dry-weight corrected.
PHA-TERPINEOL	0.007	0.36	0.036						
	0.005	0.35	0.035						
RANS-NEROLIDOL	0.005	0.35 0.34	0.035 0.034						
RANS-NEROLIDOL ARYOPHYLLENE OXIDE UAIOL									
RANS-NEROLIDOL ARYOPHYLLENE OXIDE UAIOL	0.007	0.34	0.034						
RANS-NEROLIDOL ARYOPHYLLENE OXIDE UAIOL BRINENE DRNEOL	0.007	0.34 0.28	0.034 0.028						
RANS-NEROLIDOL ARYOPHYLLENE OXIDE UAIOL BRINENE ORNEOL	0.007 0.007 0.007	0.34 0.28 0.26	0.034 0.028 0.026						
NANS-NEROLIDOL ARYOPHYLLENE OXIDE JAIOL ABINENE SINEOL AMPHOR	0.007 0.007 0.007 0.013	0.34 0.28 0.26 ND	0.034 0.028 0.026 ND						
ANS-NEROLIDOL IRVOPHYLLENE OXIDE JAIOL BINENE IRNEOL MPHOR DOL	0.007 0.007 0.007 0.013 0.007	0.34 0.28 0.26 ND ND	0.034 0.028 0.026 ND ND						
IANS-NEROLIDOL IRYOPPYLLENE OXIDE JJAIOL BINENE DRNEOL JRNEOL JEROL JCALYPTOL	0.007 0.007 0.013 0.007 0.007	0.34 0.28 0.26 ND ND ND	0.034 0.028 0.026 ND ND ND						
RANS-NEROLIDOL RRYOPHYLLENE OXIDE JAIOL ABUNENE DORNEOL MOPHOR EDROL JCALYPTOL NCHONE	0.007 0.007 0.013 0.007 0.007 0.007	0.34 0.28 0.26 ND ND ND ND	0.034 0.028 0.026 ND ND ND ND						
RANS-NEROLIDOL ARYOPHYLLENE OXIDE UAIOL ABINENE ORNEOL MAPHOR EDROL UGALYPTOL ENCHONE ERANIOL	0.007 0.007 0.013 0.007 0.007 0.007 0.007	0.34 0.28 0.26 ND ND ND ND	0.034 0.028 0.026 ND ND ND ND ND						
RANS-NEROLIDOL ARYOPHYLLENE OXIDE UXIAOL ABINENE EOROL UGALYPTOL EEROL UGALYPTOL EERANIOL EERANIOL EERANYL ACCETATE EEXANYL ACCETATE	0.007 0.007 0.013 0.007 0.007 0.007 0.007 0.007	0.34 0.28 0.26 ND ND ND ND ND ND	0.034 0.028 0.026 ND ND ND ND ND ND						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/28/25



. Supply Vape Cartridge 1g - Durban Poison (S) Durban Poison (S) Matrix : Derivative



PASSED

PASSED

Result

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com

Sample : DA50225014-009 Harvest/Lot ID: 0641791378613552

Sampled : 02/25/25 Ordered : 02/25/25

Batch#:0641791378613552 Sample Size Received:16 units Total Amount : 711 units Completed : 02/28/25 Expires: 02/28/26 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

D Un 10 ppr 10 ppr	nits Action								
	Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
10 ppr	m 5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
ppi		PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
10 ppr		PASS	ND	PHOSMET	0.010	maa	0.1	PASS	ND
10 ppr		PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
10 ppr		PASS	ND			ppm	0.1	PASS	ND
10 ppr		PASS	ND	PRALLETHRIN			0.1	PASS	ND
10 ppr		PASS	ND	PROPICONAZOLE		ppm			
10 ppr		PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
10 ppr		PASS	ND	PYRIDABEN		ppm	0.2	PASS	ND
10 ppr		PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
10 ppr	m 0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
10 ppr		PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
10 ppr	m 0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
10 ppr		PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
10 ppr	m 0.1	PASS	ND	THIAMETHOXAM		ppm	0.5	PASS	ND
10 ppr		PASS	ND		0.010		0.1	PASS	ND
10 ppr	m 0.1	PASS	ND	TRIFLOXYSTROBIN					
10 ppr	m 1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
10 ppr	m 1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
10 ppr	m 0.1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
10 ppr	m 0.2	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
10 ppr	m 0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
10 ppr	m 0.1	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
10 ppr	m 0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
10 ppr	m 0.1	PASS	ND					Extra stod	
10 ppr	m 0.1	PASS	ND						by:
10 ppr	m 0.1	PASS	ND			5 12.42.15		450,505	
10 ppr	m 0.1	PASS	ND	Analytical Batch : DA083762PES					
10 ppr	m 0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch	Date :02/26/2	5 09:47:45	
10 ppr	m 0.1	PASS	ND	Analyzed Date :02/27/25 09:47:43					
10 ppr	m 0.1	PASS	ND	Dilution : 250					
10 ppr	m 0.1	PASS	ND						
10 ppr	m 0.1	PASS	ND						
10 ppr	m 0.1	PASS	ND		zing Liquid Chron	natography Tri		Mass Sportron	notry in
10 ppr	m 0.1	PASS	ND		2111g Liquid Chioi	natography in	pie-Quadrupoi	e mass spectron	neu y in
10 ppr	m 0.1	PASS	ND		Extractio	on date:		Extracted k	ov:
10 ppr	m 0.1	PASS	ND	450, 585, 1440 0.2441g				450,585	.,.
10 ppr	m 0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.4	0.151.FL				
10 ppr	m 0.1	PASS	ND	Analytical Batch : DA083766VOL					
10 000	m 0.2	PASS	ND	Instrument Used :DA-GCMS-001		Batch Da	te:02/26/25	L0:00:02	
το μρι	m 0.1	PASS	ND						
		PASS	ND		20. 012025 040				
10 ppr	m 0.1								
10 ppr		PASS	ND						
10 ppr 10 ppr 10 ppr	m 0.1		ND ND	Consumables : 040724CH01; 221021DD; 174					
10 ppr 10 ppr	m 0.1 m 0.1	PASS			73601		e-Quadrupole I	lass Spectrome	trv in
	10 pp 10 pp	10 ppm 0.1 10 ppm 0.2 10 ppm 0.2 10 ppm 0.2 10 ppm 0.1	10 ppm 0.1 PASS 10 ppm 0.4 PASS 10 ppm 0.2 PASS	10 ppm 0.1 PASS ND 10 ppm 0.4 PASS ND 10 ppm 0.2 PASS ND 10 ppm 0.1	10 ppm 0.1 PASS ND CYPERMETHENN* 10 ppm 0.1 PASS ND CYPERMETHENN* 10 ppm 0.1 PASS ND Analyzed by: 0.2441g 10 ppm 0.1 PASS ND Analyzed by: 0.2441g 10 ppm 0.1 PASS ND Analyzed by: 0.2441g 10 ppm 0.1 PASS ND Analyzed bate: 10.272.50:947.43 10 ppm 0.1 PASS ND Analyzed Date: 10.272.52:09:47.43 10 ppm 0.1 PASS ND Dilution: 22525:R02:081023.01 10 ppm 0.1 PASS ND Reagent: 22252:R02:081023.01 10 ppm 0.1 PASS ND Consumables: 040724CH01; 221021DD 10 ppm 0.1 PASS ND Testing for agricultural agents is performed utilit 10 ppm 0.1<	10 ppm 0.1 PASS ND CTPERMETHENT* 0.050 10 ppm 0.1 PASS ND CYPERMETHENT* 0.050 10 ppm 0.1 PASS ND Analyzed by: 0.2441g 0.2241g 0.2241g 0.22612 10 ppm 0.1 PASS ND Analyzis Method :SOPT.30.102.FL, SOP.T.40.102.FL 0.102.FL 0.2702 0.2712 0.299.47:43 0.22612 10 ppm 0.1 PASS ND Analyzis Method :SOPT.30.102.FL, SOP.T.40.102.FL Analyzis Method :SOPT.30.102.FL Analyzis Method :SOPT.30.102.FL ND Analyzis Method :SOPT.30.102.FL ND Analyzis Method :SOPT.30.102.FL ND	10 ppm 0.1 PASS ND CTPERMETHENT* 0.0305 ppm 10 ppm 0.1 PASS ND CTPERMETHENT* 0.0305 ppm 10 ppm 0.1 PASS ND Analyzed by: 0.2441g 0.226125 12:42:19 10 ppm 0.1 PASS ND Analyzed by: 0.2441g 0.226125 12:42:19 10 ppm 0.1 PASS ND Analyzed be: 0.27275 0.2411g 0.226125 12:42:19 10 ppm 0.1 PASS ND Analyzed be: 0.27275 0.97:43 0.226125 12:42:19 10 ppm 0.1 PASS ND Dilution : 250 Batch 10 ppm 0.1 PASS ND Consumables : 040724CH01; 221021DD 10 10 ppm 0.1 PASS ND Testing for agricultural agents is performed utilizing Liquid Chromatography Tri accordance with F.S. Rule 64ER20-39. 0.2441g 02/26/25 12:42:19<	Oppm 0.1 PASS ND CTPERMETHENT* 0.0305 ppm 0.5 10 ppm 0.1 PASS ND CTPERMETHENT* 0.0305 ppm 0.5 10 ppm 0.1 PASS ND Analyzed by: 0.2441g 02/26/25 12:42:19 10 ppm 0.1 PASS ND 3621, 585, 1440 02/26/25 12:42:19 10 10 ppm 0.1 PASS ND Analyzed by: 0.2441g 02/26/25 12:42:19 10 ppm 0.1 PASS ND Analyzed be: 02/27/25 10:2:42:19 10 ppm 0.1 PASS ND Analyzed bate: 02/27/25 09:47:43 02/26/25 12:42:19 10 ppm 0.1 PASS ND Dilution: 250 Batch Date: 02/27/25 12:42:10 10 ppm 0.1 PASS ND Consumables: 040724CH01; 221021DD 12 12 140 12 12	Opp 0.1 PASS ND CYPERMETHRIN* 0.000 ppm 0.3 PASS 10 ppm 0.1 PASS ND CYPERMETHRIN* 0.000 ppm 0.5 PASS 10 ppm 0.1 PASS ND Analyzed by: 0.2441g 0.2/26/25 12:42:19 450.585 10 ppm 0.1 PASS ND 3621, 585, 1440 0.2/26/25 12:42:19 450.585 10 ppm 0.1 PASS ND Analyzed bethod: 50P.T.30.102.FL SOP.T.40.102.FL Analyzed bethod: 50P.T.40.102.FL SOP.T.40.102.FL SOP.T.40.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

02/28/25



..... Supply Vape Cartridge 1g - Durban Poison (S) Durban Poison (S) Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50225014-009 Harvest/Lot ID: 0641791378613552 Batch#:0641791378613552 Sample Size Received:16 units Sampled : 02/25/25 Ordered : 02/25/25

Total Amount : 711 units Completed : 02/28/25 Expires: 02/28/26 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result				
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND				
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND				
2-PROPANOL	50.000	ppm	500	PASS	ND				
ACETONE	75.000	ppm	750	PASS	ND				
ACETONITRILE	6.000	ppm	60	PASS	ND				
BENZENE	0.100	ppm	1	PASS	ND				
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND				
CHLOROFORM	0.200	ppm	2	PASS	ND				
DICHLOROMETHANE	12.500	ppm	125	PASS	ND				
ETHANOL	500.000	ppm	5000	PASS	ND				
ETHYL ACETATE	40.000	ppm	400	PASS	ND				
ETHYL ETHER	50.000	ppm	500	PASS	ND				
THYLENE OXIDE	0.500	ppm	5	PASS	ND				
IEPTANE	500.000	ppm	5000	PASS	ND				
METHANOL	25.000	ppm	250	PASS	ND				
N-HEXANE	25.000	ppm	250	PASS	ND				
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND				
PROPANE	500.000	ppm	5000	PASS	ND				
TOLUENE	15.000	ppm	150	PASS	ND				
TOTAL XYLENES	15.000	ppm	150	PASS	ND				
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND				
Analyzed by: 850, 585, 1440	Weight: 0.0211g	Extraction date: 02/27/25 10:06:06		E x 85	tracted by:				
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA083780SOL Instrument Used : DA-GCMS-002 Analyzed Date : 02/28/25 12:49:36		Batch Date : 02/26/25 16:01:50							
Analyzed Date: 02/28/25 12:49:36 Dilution: 1 Reagent: N/A									

Consumables : N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/28/25



Supply Vape Cartridge 1g - Durban Poison (S) Durban Poison (S) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50225014-009 Harvest/Lot ID: 0641791378613552 Batch#:0641791378613552 Sample Size Received:16 units

Sampled : 02/25/25 Ordered : 02/25/25

Total Amount : 711 units Completed : 02/28/25 Expires: 02/28/26 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ,	Microbia	I			PAS	SED	ۍ <u>ې</u>	My	/cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
SPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
SPERGILLU				Not Present			AFLATOXIN			0.002	1.1.	ND	PASS	0.02
	A SPECIFIC GENE			Not Present			AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
COLI SHIGE	LLA T AND MOLD	10	CFU/q	Not Present <10	PASS	100000	Analyzed by:	•	Weight:	Extraction dat			xtracted	by:
			. 5	<10					0.2441g	02/26/25 12:4	2:19	2	150,585	
nalyzed by: 520, 585, 144	0 0.815g		6/25 09:38:1	16	Extracted 4520	by:	Analytical Bate	h:DA083	.30.102.FL, SOF 3765MYC					
	d: SOP.T.40.056C, SOP h: DA083735MIC	.T.40.058	B.FL, SOP.T.4	40.209.FL			Instrument Us Analyzed Date		5 08.41.35	Batch	Date: 0.	2/26/25 09	9:59:13	
ilution : 10	: 02/27/25 10:17:51 025.06; 013025.18; 021 7580002042	925.R61;	080724.14				accordance wit	n F.S. Rule	64ER20-39.	ography with Triple	-Quadrupo			
nalyzed by: 520, 585, 144	Weight: 0 0.815g		action date: 6/25 09:38:1	LG	Extracted 4520	by:	[Hg	не	avy M	etais			PAS	SED
nalytical Batc	d : SOP.T.40.209.FL h : DA083736TYM	220 [07.00.4	Metal			LOD	Units	Result	Pass / Fail	Action Level
A-3821	ed : Incubator (25*C) DA	- 328 [Ca	ilibrated wit	Batch Da	ite: 02/26/2	5 07:36:4	້ TOTAL CON1		T LOAD META	LS 0.080	ppm	ND	PASS	1.1
	: 02/28/25 12:21:30						ARSENIC			0.020	ppm	ND	PASS	0.2
ilution : 10							CADMIUM			0.020	ppm	ND	PASS	0.2
	25.06; 013025.18; 013	025.R13					MERCURY			0.020	ppm	ND	PASS	0.2
onsumables : ipette : N/A	N/A						LEAD			0.020	ppm	ND	PASS	0.5
otal yeast and i	mold testing is performed u	utilizing MR	PN and tradition	onal culture bas	ed techniques	s in	Analyzed by: 1022, 585, 144	0	Weight: 0.2075g	Extraction dat 02/26/25 11:1			xtracted k 022,4571	y:
cordance with:	F.S. Rule 64ER20-39.						Analysis Metho Analytical Bato Instrument Us Analyzed Date	h : DA083 ed : DA-IC	PMS-004		h Date : ()2/26/25 0	9:58:36	
							Dilution : 50 Reagent : 012 120324.07; 02	925.R32; (2425.R18 040724C	D22425.R19; 02 H01; J609879-0	22425.R17; 0224 0193; 179436	25.R11; ()22425.R1	5; 02242!	5.R16;

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

02/28/25



Page 6 of 6

..... Supply Vape Cartridge 1g - Durban Poison (S) Durban Poison (S) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Eilth/Eoreign

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50225014-009 Harvest/Lot ID: 0641791378613552 Batch#:0641791378613552 Sample Size Received:16 units Sampled : 02/25/25 Ordered : 02/25/25

DACCED

Total Amount : 711 units Completed : 02/28/25 Expires: 02/28/26 Sample Method : SOP.T.20.010

	Materia	_	n 		PA	33ED	
Analyte Filth and Forei	gn Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	
Analyzed by: 1879, 585, 1440	Weight: 1g		action da 26/25 11:4		Extracted by: 1879		
	: Filth/Foreign Mater 02/26/25 11:56:49	ial Micro	oscope	Batch D	pate : 02/20	6/25 11:42:26	
ilth and foreign m	aterial inspection is pe ordance with F.S. Rule			spection utilizi	ng naked ey	ve and microscope	
(\bigcirc)	Water A	ctiv	ity		ΡΑ	SSED	
Analyte Water Activity		LOD 0.010	Units	Result	P/F PASS	Action Level	

Analyzed by: 4797, 585, 1440	Weight: 0.8678g	Extraction date: 02/26/25 15:13:39	Extracted by: 4797
Analysis Method : SOP.T. Analytical Batch : DA083 Instrument Used : DA-02 Analyzed Date : 02/27/25	776WAT 8 Rotronic Hyg	ropalm Batch Dat	e:02/26/25 10:23:31
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A			
Water Activity is performed	using a Rotronic	HygroPalm HP 23-AW in accord	ance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 02/28/25