

Production Method: Other - Not Listed

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430)

Pages 1 of 6

Harvest/Lot ID: 4191764798613311

Seed to Sale#: 3820535779315748

Sample Size Received: 31 units Total Amount: 605 units Retail Product Size: 0.5 gram

Sampling Method: SOP.T.20.010

Batch#: 4191764798613311

Harvest Date: 02/19/25

Servings: 1 Ordered: 02/25/25 Sampled: 02/25/25 Completed: 02/28/25

PASSED

Supply Vape Cartridge 500mg - Durban Poison (S) Durban Poison (S) Matrix: Derivative Classification: High THC Type: Distillate



DAVIE, FL, 33314, US (954) 368-7664 **Certificate of Analysis**


COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50225014-016



Feb 28, 2025 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS



Sunnyside

Full Spectrum cannabinoid analysis utilizing High Performance Liguid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 02/28/25



..... Supply Vape Cartridge 500mg - Durban Poison (S) Durban Poison (S)



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50225014-016 Harvest/Lot ID: 4191764798613311 Batch#: 4191764798613311 Sample Size Received: 31 units Sampled : 02/25/25 Ordered : 02/25/25

Total Amount : 605 units Completed : 02/28/25 Expires: 02/28/26 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

erpenes	LOD (%)	mg/unit	: %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	20.04	4.008		NEROL		0.007	ND	ND	
LPHA-TERPINOLENE	0.007	5.76	1.151		PULEGONE		0.007	ND	ND	
ETA-MYRCENE	0.007	3.64	0.727		SABINENE HY	DRATE	0.007	ND	ND	
MONENE	0.007	2.34	0.468		VALENCENE		0.007	ND	ND	
CIMENE	0.007	2.18	0.436		ALPHA-CEDR	INE	0.005	ND	ND	
PHA-PINENE	0.007	1.34	0.267		ALPHA-PHEL	ANDRENE	0.007	ND	ND	
ETA-PINENE	0.007	1.20	0.239		CIS-NEROLID	DL	0.003	ND	ND	
CARENE	0.007	0.56	0.111		TRANS-NERO	LIDOL	0.005	ND	ND	
PHA-TERPINENE	0.007	0.43	0.086		Analyzed by:		Weight:	Extraction d	ate:	Extracted by:
AMMA-TERPINENE	0.007	0.34	0.068		4451, 585, 144	l.	0.2204g	02/26/25 10		4451
MPHENE	0.007	0.27	0.053			: SOP.T.30.061A.FL, SO	P.T.40.061A.FL			
TA-CARYOPHYLLENE	0.007	0.27	0.053			: DA083746TER d: DA-GCMS-004				ate: 02/26/25 08:47:37
NALOOL	0.007	0.25	0.050			02/27/25 09:24:26			Batch D	ate: 02/20/25 08:47:37
PHA-BISABOLOL	0.007	0.23	0.045		Dilution : 10					
NCHYL ALCOHOL	0.007	0.22	0.044		Reagent : 1202	24.07				
PHA-HUMULENE	0.007	0.20	0.040			947.110; 04312111; 224	0626; 0000355309			
PHA-TERPINEOL	0.007	0.19	0.038		Pipette : DA-06					
CALYPTOL	0.007	0.19	0.037		Terpenoid testing	is performed utilizing Gas C	hromatography Mass Spect	rometry. For all I	lower samp	oles, the Total Terpenes % is dry-weight corrected.
RNESENE	0.001	0.18	0.036							
JAIOL	0.007	0.16	0.031							
BINENE	0.007	0.14	0.028							
DRNEOL	0.013	ND	ND							
AMPHOR	0.007	ND	ND							
ARYOPHYLLENE OXIDE	0.007	ND	ND							
DROL	0.007	ND	ND							
INCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
MANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
ERANYL ACETATE EXAHYDROTHYMOL SOBORNEOL	0.007	ND ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/28/25



Supply Vape Cartridge 500mg - Durban Poison (S) Durban Poison (S)



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Sample : DA50225014-016 Harvest/Lot ID: 4191764798613311 Batch#: 4191764798613311 Sample Size Received: 31 units

Sampled : 02/25/25 Ordered : 02/25/25

Total Amount : 605 units Completed : 02/28/25 Expires: 02/28/26 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
	0.010		Level 5	PASS	ND					Level		
TOTAL CONTAMINANT LOAD (PESTICIDES) TOTAL DIMETHOMORPH	0.010 0.010		0.2	PASS	ND	OXAMYL		0.010	P.P.	0.5	PASS	ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010		0.5	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
	0.010	1.1.	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINETORAM TOTAL SPINOSAD	0.010		0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010	maa	0.1	PASS	ND
ACEQUINOCYL	0.010	T P	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND							
BIFENAZATE	0.010		0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.010	ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	T P	1	PASS	ND	PARATHION-METHYL *		0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070	maa	0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND			0.010		0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYFLUTHRIN *						
DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
DIMETHOATE	0.010		0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	by:
ETHOPROPHOS	0.010		0.1	PASS	ND	3621, 585, 1440	0.251g		5 12:42:20		450,585	
ETOFENPROX	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.102. Analytical Batch : DA083762PES		2.FL				
ETOXAZOLE	0.010	P.P.	0.1	PASS	ND	Instrument Used : DA-LCMS-003			Batch	Date :02/26/	25 09-47-45	
FENHEXAMID	0.010		0.1	PASS	ND	Analyzed Date :02/27/25 09:47:			butch	Date 102/20/	20 00.47.40	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution: 250						
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 022525.R02; 081023.0						
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 040724CH01; 22	1021DD					
FLONICAMID	0.010		0.1	PASS	ND	Pipette : N/A						
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is pe accordance with F.S. Rule 64ER20-		Liquid Chron	natography Tr	iple-Quadrupo	le Mass Spectroi	metry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extractio	n dato:		Extracted	hu
IMAZALIL	0.010		0.1	PASS	ND	450, 585, 1440	0.251g	02/26/25			450,585	by:
IMIDACLOPRID	0.010		0.4	PASS	ND	Analysis Method :SOP.T.30.151/			22112120		150,505	
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analytical Batch : DA083766VOL						
MALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Da	ate:02/26/25	10:00:02	
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :02/27/25 09:45:	17					
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250						
METHOMYL	0.010	T P	0.1	PASS	ND	Reagent: 022525.R02; 081023.0						
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 040724CH01; 22 Pipette : DA-080; DA-146; DA-21		DOT				
MYCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents is pe		Gas Chromat	tography Trip	le-Quadrupole	Mass Snectrome	try in
NALED		ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-		cas ciriollia	cographity trip	ie guuurupole		
	51010	F,	1.20									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/28/25

PASSED

PASSED



Page 4 of 6

..... Supply Vape Cartridge 500mg - Durban Poison (S) Durban Poison (S)



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50225014-016 Harvest/Lot ID: 4191764798613311 Sampled : 02/25/25 Ordered : 02/25/25

Batch#: 4191764798613311 Sample Size Received: 31 units Total Amount : 605 units Completed : 02/28/25 Expires: 02/28/26 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0222g	Extraction date: 02/27/25 10:07:21			tracted by:
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA083780SOL Instrument Used : DA-GCMS-002 Analyzed Date : 02/28/25 12:50:15			Batch Date : 02/26/25 1	.6:01:50	
Dilution : 1 Reagent : N/A Consumables : N/A					

Consumables : N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/28/25



Supply Vape Cartridge 500mg - Durban Poison (S) Durban Poison (S)



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50225014-016 Harvest/Lot ID: 4191764798613311 Batch#: 4191764798613311 Sample Size Received: 31 units Total Amount : 605 units Sampled : 02/25/25

Ordered : 02/25/25 Sample Method : SOP.T.20.010

Completed : 02/28/25 Expires: 02/28/26

Page 5 of 6

(F.	Microbia	I			PAS	SED	သို့	Му	(coto)	kins				PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			L	.OD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	TERREUS			Not Present	PASS	Level	AFLATOXIN	B2			0.002	maa	ND	PASS	0.02
ASPERGILLUS				Not Present	PASS		AFLATOXIN				0.002	I. I.	ND	PASS	0.02
ASPERGILLUS	FUMIGATUS			Not Present	PASS		OCHRATOX	NA			0.002	ppm	ND	PASS	0.02
ASPERGILLUS	FLAVUS			Not Present	PASS		AFLATOXIN	G1			0.002	ppm	ND	PASS	0.02
SALMONELLA	SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2			0.002	ppm	ND	PASS	0.02
ECOLI SHIGELI	LA			Not Present	PASS		Analyzed by:		Weight:	Extract	ion dat	P ¹	F	xtracted	hv:
TOTAL YEAST	AND MOLD	10	CFU/g	<10	PASS	100000	3621, 585, 14	40	0.251g	02/26/2				50,585	
Analyzed by: 4520, 585, 1440	Weight: 0.895g		action date: 6/25 09:38:1	17	Extracted 4520	by:	Analysis Meth Analytical Bat			OP.T.40.102	.FL				
	: SOP.T.40.056C, SOP				4520		Instrument Us Analyzed Date	sed : N/A			Batch	Date : 0	2/26/25 09	9:59:13	
Dilution : 10 Reagent : 01302 Consumables : 7	02/27/25 10:18:08 5.06; 013025.18; 021 580002042	925.R61;	; 080724.14				Pipette : N/A Mycotoxins tes accordance wi		g Liquid Chroma 64ER20-39.	atography wit	h Triple	-Quadrupo	le Mass Spe	ectrometry	in
Pipette : N/A Analyzed by: 4520, 585, 1440	Weight: 0.895g		action date: 6/25 09:38:1	17	Extracted 4520	by:	Hg	He	avy M	letal	5			PAS	SED
Analytical Batch	: SOP.T.40.209.FL : DA083736TYM	220 [00.000.00		Metal			L	.OD	Units	Result	Pass / Fail	Action Level
DA-3821	I : Incubator (25*C) DA	- 328 [Ca	alibrated with	h Batch Dat	te:02/26/2	25 07:36:48	์ TOTAL CON	TAMINAN	T LOAD MET	ALS	0.080	ppm	ND	PASS	1.1
	02/28/25 12:23:22						ARSENIC				0.020	ppm	ND	PASS	0.2
Dilution: 10							CADMIUM				0.020	ppm	ND	PASS	0.2
	5.06; 013025.18; 013	025.R13					MERCURY				0.020	ppm	ND	PASS	0.2
Consumables : N	/A						LEAD				0.020	ppm	ND	PASS	0.5
	old testing is performed u	ıtilizing MI	PN and traditio	onal culture base	d techniques	s in	Analyzed by: 1022, 585, 14	40	Weight: 0.244g	Extracti 02/26/2				dtracted b 022,4571	y:
accordance with F	.S. Rule 64ER20-39.						Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch:DA083 sed:DA-ICI	764HEA PMS-004	OP.T.40.082		h Date : ()2/26/25 0	9:58:36	
							Dilution : 50 Reagent : 012 120324.07; 0 Consumables Pipette : DA-0	2925.R32; (22425.R18 : 040724C)22425.R19; (H01; J609879			25.R11; C)22425.R1	5; 02242!	5.R16;

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/28/25



Page 6 of 6

Supply Vape Cartridge 500mg - Durban Poison (S) Durban Poison (S)



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50225014-016 Harvest/Lot ID: 4191764798613311 Batch#: 4191764798613311 Sample Size Received: 31 units Sampled : 02/25/25 Ordered : 02/25/25

Total Amount : 605 units Completed : 02/28/25 Expires: 02/28/26 Sample Method : SOP.T.20.010

	Filth/Foi Material		n		ΡΑ	SSED
Analyte Filth and Foreigr	Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440	Weight: 1g		raction da 26/25 11:4		Ex 18	tracted by: 79
Analytical Batch : D Instrument Used : F Analyzed Date : 02/ Dilution : N/A Reagent : N/A Consumables : N/A	ilth/Foreign Mater	rial Micro	oscope	Batch D	eate : 02/2	6/25 11:42:26
Pipette : N/A Filth and foreign mate rechnologies in accor				spection utilizi	ng naked ey	ve and microscope
	Water A				ΡΑ	SSED
Analyte Water Activity		LOD 0.010	Units	Result	P/F PASS	Action Level
Analyzed by:	Weight:		aw traction d	0.0.17		tracted by:

Analyzed by: 4797, 585, 1440	Weight: 0.4989g	Extraction date: 02/26/25 15:19:35	Extracted by: 4797
Analysis Method : SOP.T. Analytical Batch : DA083 Instrument Used : DA-02 Analyzed Date : 02/27/25	776WAT 8 Rotronic Hyg	ropalm Batch Dat	e:02/26/25 10:23:31
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A			

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/28/25