



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50227011-006



Mar 03, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 2

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
NOT TESTED

 Terpenes
TESTED

MISC.



Cannabinoid

TESTED


Total THC

83.130%

Total THC/Container : 831.300 mg



Total CBD

0.171%

Total CBD/Container : 1.710 mg



Total Cannabinoids

87.588%

Total Cannabinoids/Container : 875.880 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	83.048	0.094	0.171	ND	ND	3.005	ND	0.792	0.371	ND	0.107
mg/unit	830.48	0.94	1.71	ND	ND	30.05	ND	7.92	3.71	ND	1.07
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 4351, 1665, 585, 1440

 Weight:
 0.1043g

 Extraction date:
 02/28/25 13:13:10

 Extracted by:
 4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083864POT

Instrument Used : DA-LC-003

Analyzed Date : 03/03/25 08:38:41

Batch Date : 02/28/25 10:21:10

Dilution : 400

Reagent : 021825.R05; 021125.07; 021825.R02

Consumables : 947.110; 04312111; 110424CH01; R1KB45277

Pipette : DA-055; DA-063; DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164


 Signature
 03/03/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Clementine (S)
Clementine (S)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50227011-006

Harvest/Lot ID: 0358094349350884

Batch# : 0358094349350884

Sampled : 02/27/25

Ordered : 02/27/25

Sample Size Received : 16 units

Total Amount : 725 units

Completed : 03/03/25 Expires: 03/03/26

Sample Method : SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	%	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	TESTED	39.98	39.98	3.998	ISOPULEGOL	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	9.96	9.96	0.996	PULEGONE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	6.98	6.98	0.698	SABINENE HYDRATE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	6.73	6.73	0.673	VALENCENE	0.007	TESTED	ND	ND	
LINALOOL	0.007	TESTED	3.06	3.06	0.306	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	2.11	2.11	0.211	ALPHA-PIELLANDRENE	0.007	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	1.58	1.58	0.158	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
FENCHYL ALCOHOL	0.007	TESTED	1.31	1.31	0.131	TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
ALPHA-TERPINEOL	0.007	TESTED	1.30	1.30	0.130	Weight:	0.200g	Extraction date:	02/28/25 11:39:14	Extracted by:	4451
ALPHA-PINENE	0.007	TESTED	1.25	1.25	0.125	Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL	Analytical Batch :	DA083834TER	Batch Date :	02/28/25 08:43:17
ALPHA-HUMULENE	0.007	TESTED	0.62	0.62	0.062	Instrument Used :	DA-C2MS-004	Analyzed Date :	03/03/25 08:49:46		
ALPHA-TERPINOLENE	0.007	TESTED	0.57	0.57	0.057	Dilution :	10	Reagent :	120224.05		
GERANIOL	0.007	TESTED	0.56	0.56	0.056	Consumables :	947.110; 04312111; 2240626; R1K845277	Pipette :	DA-065		
CAMPHERE	0.007	TESTED	0.53	0.53	0.053	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all flower samples, the Total Terpenes % is dry-weight corrected.					
NEROL	0.007	TESTED	0.52	0.52	0.052						
GAMMA-TERPINENE	0.007	TESTED	0.47	0.47	0.047						
CARYOPHYLLENE OXIDE	0.007	TESTED	0.45	0.45	0.045						
OCIMENE	0.007	TESTED	0.43	0.43	0.043						
HEXANYDROTHYMOL	0.007	TESTED	0.36	0.36	0.036						
FENCHONE	0.007	TESTED	0.34	0.34	0.034						
GUAIOL	0.007	TESTED	0.33	0.33	0.033						
SABINENE	0.007	TESTED	0.27	0.27	0.027						
ALPHA-TERPINENE	0.007	TESTED	0.25	0.25	0.025						
3-CARENE	0.007	TESTED	ND	ND	ND						
BORNEOL	0.013	TESTED	ND	ND	ND						
CAMPHOR	0.007	TESTED	ND	ND	ND						
CEDROL	0.007	TESTED	ND	ND	ND						
EUCALYPTOL	0.007	TESTED	ND	ND	ND						
FARNESENE	0.001	TESTED	ND	ND	ND						
GERANYL ACETATE	0.007	TESTED	ND	ND	ND						
ISOBORNEOL	0.007	TESTED	ND	ND	ND						
Total (%)					3.998						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/03/25