



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50227011-007



Mar 03, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
NOT TESTED

 Terpenes
TESTED

MISC.



Cannabinoid

TESTED


Total THC

82.369%

Total THC/Container : 823.690 mg



Total CBD

0.166%

Total CBD/Container : 1.660 mg



Total Cannabinoids

86.760%

Total Cannabinoids/Container : 867.600 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	82.292	0.088	0.166	ND	ND	2.977	ND	0.775	0.374	ND	0.088
mg/unit	822.92	0.88	1.66	ND	ND	29.77	ND	7.75	3.74	ND	0.88
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 4351, 1665, 585, 1440

 Weight:
 0.1073g

 Extraction date:
 02/28/25 13:13:10

 Extracted by:
 4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083864POT

Instrument Used : DA-LC-003

Analyzed Date : 03/03/25 08:38:44

Batch Date : 02/28/25 10:21:10

Dilution : 400

Reagent : 021825.R05; 021125.07; 021825.R02

Consumables : 947.110; 04312111; 110424CH01; R1KB45277

Pipette : DA-055; DA-063; DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 03/03/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Outer Space (S)
Outer Space (S)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50227011-007

Harvest/Lot ID: 0314530714473708

Batch# : 0314530714473708

Sampled : 02/27/25

Ordered : 02/27/25

Sample Size Received : 16 units

Total Amount : 726 units

Completed : 03/03/25 Expires: 03/03/26

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	%	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	TESTED	40.78	40.78	4.078	NEROL	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	18.33	18.33	1.833	PULEGONE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	6.43	6.43	0.643	SABINENE HYDRATE	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	3.55	3.55	0.355	VALENCENE	0.007	TESTED	ND	ND	
LINALOOL	0.007	TESTED	1.95	1.95	0.195	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	1.86	1.86	0.186	ALPHA-PIELANDRENE	0.007	TESTED	ND	ND	
ALPHA-TERPINEOL	0.007	TESTED	0.77	0.77	0.077	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
FENCHYL ALCOHOL	0.007	TESTED	0.74	0.74	0.074	TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
ALPHA-DISABOLOL	0.007	TESTED	0.73	0.73	0.073						
BETA-PINENE	0.007	TESTED	0.71	0.71	0.071						
BORNEOL	0.013	TESTED	0.68	0.68	0.068						
OCIMENE	0.007	TESTED	0.63	0.63	0.063						
ALPHA-PINENE	0.007	TESTED	0.60	0.60	0.060						
FARNESENE	0.001	TESTED	0.57	0.57	0.057						
CARYOPHYLLENE OXIDE	0.007	TESTED	0.46	0.46	0.046						
ALPHA-TERPINOLENE	0.007	TESTED	0.42	0.42	0.042						
FENCHONE	0.007	TESTED	0.41	0.41	0.041						
CAMPHERE	0.007	TESTED	0.36	0.36	0.036						
GAHMA-TERPINENE	0.007	TESTED	0.35	0.35	0.035						
B-CARENE	0.007	TESTED	0.33	0.33	0.033						
GUAIOL	0.007	TESTED	0.33	0.33	0.033						
ALPHA-TERPINENE	0.007	TESTED	0.29	0.29	0.029						
SABINENE	0.007	TESTED	0.28	0.28	0.028						
CAMPOR	0.007	TESTED	ND	ND	ND						
CEADOL	0.007	TESTED	ND	ND	ND						
EUCALYPTOL	0.007	TESTED	ND	ND	ND						
GERANIOL	0.007	TESTED	ND	ND	ND						
GERANYL ACETATE	0.007	TESTED	ND	ND	ND						
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND	ND						
ISOBORNOL	0.007	TESTED	ND	ND	ND						
ISOPULEGOL	0.007	TESTED	ND	ND	ND						
Total (%)					4.078						

Terpenes	LOD (%)	Pass/Fail	mg/unit	%	Result (%)
NEROL	0.007	TESTED	ND	ND	
PULEGONE	0.007	TESTED	ND	ND	
SABINENE HYDRATE	0.007	TESTED	ND	ND	
VALENCENE	0.007	TESTED	ND	ND	
ALPHA-CEDRENE	0.005	TESTED	ND	ND	
ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
CIS-NEROLIDOL	0.003	TESTED	ND	ND	
TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
Analyzed by: 4451, 985, 1440					Extracted by: 4451
Weight: 0.2018g					Extraction date: 02/28/25 11:39:14
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL					
Analytical Batch : DA083834TER					
Instrument Used : DA-CMS-004					
Batch Date : 02/28/25 08:43:17					
Analyzed Date : 03/03/25 08:49:50					
Dilution : 10					
Reagent : 120224.05					
Consumables : 947.110; 04312111; 2240626; R1K845277					
Pipette : DA-065					
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all flower samples, the Total Terpenes % is dry-weight corrected.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/03/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 1g - Outer Space (S)
Outer Space (S)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50227011-007
Harvest/Lot ID: 0314530714473708

Batch# : 0314530714473708 Sample Size Received : 16 units
Sampled : 02/27/25 Total Amount : 726 units
Ordered : 02/27/25 Completed : 03/03/25 Expires: 03/03/26
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3621, 585, 1440	0.2222g	02/28/25 11:48:46	450,3621		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083840PES					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 02/28/25 09:21:38	
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/03/25 10:03:46					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Reagent : 022625.R52; 081023.01					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	450, 585, 1440	0.2222g	02/28/25 11:48:46	450,3621		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analytical Batch : DA083842VOL					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 02/28/25 09:23:51	
MALATHION	0.010	ppm	0.2	PASS	ND	Analyzed Date : 03/03/25 10:02:25					
METALAXYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Reagent : 022625.R52; 081023.01; 012825.R39; 012825.R40					
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD; 17473601					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/03/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 1g - Outer Space (S)
Outer Space (S)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50227011-007

Harvest/Lot ID: 0314530714473708

Batch# : 0314530714473708

Sampled : 02/27/25

Ordered : 02/27/25

Sample Size Received : 16 units

Total Amount : 726 units

Completed : 03/03/25 Expires: 03/03/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0257g

Extraction date:
03/03/25 10:17:18

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA083869SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 03/03/25 11:04:06

Batch Date : 02/28/25 13:17:27

Dilution : 1
Reagent : 030420.09
Consumables : 430596; 319008
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
03/03/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Outer Space (S)
Outer Space (S)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com


Sample : DA50227011-007
Harvest/Lot ID: 0314530714473708

Batch# : 0314530714473708 Sample Size Received : 16 units
Sampled : 02/27/25 Total Amount : 726 units
Ordered : 02/27/25 Completed : 03/03/25 Expires: 03/03/26
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 4520, 585, 1440	Weight: 1.003g	Extraction date: 02/28/25 09:22:24	Extracted by: 4571,4520,4044		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA083824MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date : 03/03/25 08:31:50 Batch Date : 02/28/25 07:39:19					
Dilution : 10 Reagent : 013025.05; 013025.17; 021925.R61; 101624.13 Consumables : 7580002030 Pipette : N/A					
Analyzed by: 4520, 4777, 585, 1440	Weight: 1.003g	Extraction date: 02/28/25 09:22:24	Extracted by: 4571,4520,4044		
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA083825TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 03/03/25 08:33:26 Batch Date : 02/28/25 07:42:11					
Dilution : 10 Reagent : 013025.05; 013025.17; 022625.R53 Consumables : N/A Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3621, 585, 1440	Weight: 0.2222g	Extraction date: 02/28/25 11:48:46	Extracted by: 450,3621		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA083843MYC Instrument Used : N/A Analyzed Date : 03/03/25 08:48:33 Batch Date : 02/28/25 09:25:14					
Dilution : 250 Reagent : 022625.R52; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2676g	Extraction date: 02/28/25 13:00:59	Extracted by: 4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA083856HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 03/03/25 10:54:01 Batch Date : 02/28/25 09:54:19					
Dilution : 50 Reagent : 012925.R32; 022425.R19; 022425.R17; 022425.R11; 022425.R15; 022425.R16; 120324.07; 022425.R18 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/03/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Outer Space (S)
Outer Space (S)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50227011-007

Harvest/Lot ID: 0314530714473708

Batch# : 0314530714473708

Sampled : 02/27/25

Ordered : 02/27/25

Sample Size Received : 16 units

Total Amount : 726 units

Completed : 03/03/25 Expires: 03/03/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 02/28/25 12:11:19	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA083867FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 02/28/25 12:33:48

Batch Date : 02/28/25 12:06:32

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.514	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 0.4588g	Extraction date: 02/28/25 17:01:12	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA083851WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 03/01/25 11:36:02

Batch Date : 02/28/25 09:42:09

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/03/25