



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50227011-008



Mar 03, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

TESTED


Total THC

81.637%

Total THC/Container : 408.185 mg



Total CBD

0.168%

Total CBD/Container : 0.840 mg



Total Cannabinoids

86.011%

Total Cannabinoids/Container : 430.055 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	81.561	0.087	0.168	ND	ND	2.959	ND	0.778	0.366	ND	0.092
mg/unit	407.81	0.44	0.84	ND	ND	14.80	ND	3.89	1.83	ND	0.46
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
4351, 1665, 585, 1440

Weight:
0.1026g

Extraction date:
02/28/25 13:13:11

Extracted by:
4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083864POT

Instrument Used : DA-LC-003

Analyzed Date : 03/03/25 08:38:48

Batch Date : 02/28/25 10:21:10

Dilution : 400

Reagent : 021825.R05; 021125.07; 021825.R02

Consumables : 947.110; 04312111; 110424CH01; R1KB45277

Pipette : DA-055; DA-063; DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/03/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Clementine (S)
Clementine (S)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50227011-008
Harvest/Lot ID: 9581780887327373

Batch# : 9581780887327373 Sample Size Received : 31 units
Total Amount : 665 units
Sampled : 02/27/25 Completed : 03/03/25 Expires: 03/03/26
Ordered : 02/27/25 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	%	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	TESTED	19.28	19.28	3.855	PULEGONE	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	4.96	4.96	0.992	SABINENE HYDRATE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	3.41	3.41	0.681	VALENCENE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	3.33	3.33	0.666	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
LINALOOL	0.007	TESTED	1.50	1.50	0.300	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	1.04	1.04	0.208	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	0.75	0.75	0.150	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
FENCHYL ALCOHOL	0.007	TESTED	0.64	0.64	0.127	TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
ALPHA-PINENE	0.007	TESTED	0.62	0.62	0.124	Analized by:	Weight:	Extraction date:	Extracted by:		
ALPHA-TERPINEOL	0.007	TESTED	0.61	0.61	0.122	4451, 985, 1440	0.23g	02/28/25 11:39:14	4451		
ALPHA-HUMULENE	0.007	TESTED	0.29	0.29	0.057	Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINOLENE	0.007	TESTED	0.27	0.27	0.053	Analytical Batch :	DA083834TER				
CAMPHERE	0.007	TESTED	0.26	0.26	0.051	Instrument Used :	DA-C2MS-004				
GERANIOL	0.007	TESTED	0.25	0.25	0.050	Analyzed Date :	03/03/25 08:50:04				
NEROL	0.007	TESTED	0.23	0.23	0.045	Dilution :	10				
GAMMA-TERPINENE	0.007	TESTED	0.21	0.21	0.042	Reagent :	120224.05				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.20	0.20	0.040	Consumables :	947.110; 04312111; 2240626; R1K845277				
OCIMENE	0.007	TESTED	0.19	0.19	0.038	Pipette :	DA-065				
ISOBORNEOL	0.007	TESTED	0.15	0.15	0.030	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.					
GUAIOL	0.007	TESTED	0.15	0.15	0.029						
3-CARENE	0.007	TESTED	0.14	0.14	0.027						
SABINENE	0.007	TESTED	0.12	0.12	0.023						
BORNEOL	0.013	TESTED	ND	ND	ND						
CAMPHOR	0.007	TESTED	ND	ND	ND						
CEADROL	0.007	TESTED	ND	ND	ND						
EUCALYPTOL	0.007	TESTED	ND	ND	ND						
FARNESENE	0.001	TESTED	ND	ND	ND						
FENCHONE	0.007	TESTED	ND	ND	ND						
GERANYL ACETATE	0.007	TESTED	ND	ND	ND						
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND	ND						
ISOPULEGOL	0.007	TESTED	ND	ND	ND						
Total (%)					3.855						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/03/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 500mg - Clementine (S)

Clementine (S)

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50227011-008

Harvest/Lot ID: 9581780887327373

Batch# : 9581780887327373

Sampled : 02/27/25

Ordered : 02/27/25

Sample Size Received : 31 units

Total Amount : 665 units

Completed : 03/03/25 Expires: 03/03/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 0.2621g	Extraction date: 02/28/25 11:48:47	Extracted by: 450,3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083840PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 02/28/25 09:21:38	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/03/25 10:03:48					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 022625.R52; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2621g	Extraction date: 02/28/25 11:48:47	Extracted by: 450,3621		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083842VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 02/28/25 09:23:51	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/03/25 10:02:26					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 022625.R52; 081023.01; 012825.R39; 012825.R40					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/03/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 500mg - Clementine (S)
Clementine (S)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50227011-008

Harvest/Lot ID: 9581780887327373

Batch# : 9581780887327373

Sampled : 02/27/25

Ordered : 02/27/25

Sample Size Received : 31 units

Total Amount : 665 units

Completed : 03/03/25 Expires: 03/03/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0262g

Extraction date:
03/03/25 10:17:18

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA083869SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 03/03/25 11:04:07

Batch Date : 02/28/25 13:17:27

Dilution : 1
Reagent : 030420.09
Consumables : 430596; 319008
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/03/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 500mg - Clementine (S)
Clementine (S)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50227011-008

Harvest/Lot ID: 9581780887327373

Batch# : 9581780887327373

Sampled : 02/27/25

Ordered : 02/27/25


Sample Size Received : 31 units


Total Amount : 665 units


Completed : 03/03/25 Expires: 03/03/26

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3621, 585, 1440	Weight: 0.2621g	Extraction date: 02/28/25 11:48:47		Extracted by: 450,3621	
Analyzed by: 4520, 585, 1440	Weight: 0.838g	Extraction date: 02/28/25 09:22:24	Extracted by: 4571,4520,4044			Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA083843MYC					
Analytical Batch : DA083824MIC						Instrument Used : N/A					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)						Batch Date : 02/28/25 09:25:14					
Batch Date : 02/28/25 07:39:19						Analyzed Date : 03/03/25 08:48:33					
Analyzed Date : 03/03/25 08:31:51						Dilution : 250					
Dilution : 10						Reagent : 022625.R52; 081023.01					
Reagent : 013025.05; 013025.17; 021925.R61; 101624.13						Consumables : 040724CH01; 221021DD					
Consumables : 7580002030						Pipette : N/A					
Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 4520, 4777, 585, 1440	Weight: 0.838g	Extraction date: 02/28/25 09:22:24	Extracted by: 4571,4520,4044								
Analysis Method : SOP.T.40.209.FL											
Analytical Batch : DA083825TYM											
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]						Batch Date : 02/28/25 07:42:11					
Batch Date : 02/28/25 07:42:11						DA-382]					
Analyzed Date : 03/03/25 08:33:26											
Dilution : 10											
Reagent : 013025.05; 013025.17; 022625.R53											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											


	Mycotoxins					PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3621, 585, 1440	Weight: 0.2621g	Extraction date: 02/28/25 11:48:47		Extracted by: 450,3621	
Analyzed by: 4520, 585, 1440	Weight: 0.838g	Extraction date: 02/28/25 09:22:24	Extracted by: 4571,4520,4044			Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA083843MYC					
Analytical Batch : DA083824MIC						Instrument Used : N/A					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)						Batch Date : 02/28/25 09:25:14					
Batch Date : 02/28/25 07:39:19						Analyzed Date : 03/03/25 08:48:33					
Analyzed Date : 03/03/25 08:31:51						Dilution : 250					
Dilution : 10						Reagent : 022625.R52; 081023.01					
Reagent : 013025.05; 013025.17; 021925.R61; 101624.13						Consumables : 040724CH01; 221021DD					
Consumables : 7580002030						Pipette : N/A					
Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 4520, 4777, 585, 1440	Weight: 0.838g	Extraction date: 02/28/25 09:22:24	Extracted by: 4571,4520,4044								
Analysis Method : SOP.T.40.209.FL											
Analytical Batch : DA083825TYM											
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]						Batch Date : 02/28/25 07:42:11					
Batch Date : 02/28/25 07:42:11						DA-382]					
Analyzed Date : 03/03/25 08:33:26											
Dilution : 10											
Reagent : 013025.05; 013025.17; 022625.R53											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

	Heavy Metals					PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2	ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5	LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2762g	Extraction date: 02/28/25 13:01:51	Extracted by: 4056			Analyzed by: 1022, 585, 1440	Weight: 0.2762g	Extraction date: 02/28/25 13:01:51	Extracted by: 4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA083856HEA						Analytical Batch : DA083856HEA					
Instrument Used : DA-ICPMS-004						Instrument Used : DA-ICPMS-004					
Analyzed Date : 03/03/25 10:54:02						Batch Date : 02/28/25 09:54:19					
Dilution : 50						Dilution : 50					
Reagent : 012925.R32; 022425.R19; 022425.R17; 022425.R11; 022425.R15; 022425.R16; 120324.07; 022425.R18						Reagent : 012925.R32; 022425.R19; 022425.R17; 022425.R11; 022425.R15; 022425.R16; 120324.07; 022425.R18					
Consumables : 040724CH01; J609879-0193; 179436						Consumables : 040724CH01; J609879-0193; 179436					
Pipette : DA-061; DA-191; DA-216						Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 500mg - Clementine (S)
Clementine (S)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50227011-008

Harvest/Lot ID: 9581780887327373

Batch# : 9581780887327373

Sampled : 02/27/25

Ordered : 02/27/25

Sample Size Received : 31 units

Total Amount : 665 units

Completed : 03/03/25 Expires: 03/03/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 02/28/25 12:11:19	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA083867FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 02/28/25 12:06:32

Analyzed Date : 02/28/25 12:33:47

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.544	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 0.67g	Extraction date: 02/28/25 17:01:12	Extracted by: 4797
---------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA083851WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date : 02/28/25 09:42:09

Analyzed Date : 03/01/25 11:36:03

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/03/25