



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50304016-003



Production Method: Other - Not Listed
Harvest/Lot ID: 8653786872906034
Batch#: 8653786872906034
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 4643650157938028
Harvest Date: 02/26/25
Sample Size Received: 3 units
Total Amount: 414 units
Retail Product Size: 14 gram
Retail Serving Size: 14 gram
Servings: 1
Ordered: 03/04/25
Sampled: 03/04/25
Completed: 03/07/25
Sampling Method: SOP.T.20.010

Mar 07, 2025 | Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US



PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
 Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
20.945%
 Total THC/Container : 2932.300 mg



Total CBD
0.036%
 Total CBD/Container : 5.040 mg



Total Cannabinoids
24.764%
 Total Cannabinoids/Container : 3466.960 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.518	23.293	ND	0.042	0.023	0.108	0.697	ND	ND	ND	0.083
mg/unit	72.52	3261.02	ND	5.88	3.22	15.12	97.58	ND	ND	ND	11.62
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%			%	%	%	%	%	%	%	%	%

Analyzed by:
 3335, 1665, 585, 1440

Weight:
 0.2082g

Extraction date:
 03/05/25 11:14:58

Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA083986POT
 Instrument Used : DA-LC-001
 Analyzed Date : 03/06/25 08:30:43

Batch Date : 03/05/25 08:12:40

Dilution : 400
 Reagent : 022625.R01; 021125.07; 021825.R01
 Consumables : 947.110; 04312111; 062224CH01; 0000355309
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJA-
 Testing 97164



Signature
 03/07/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50304016-003
Harvest/Lot ID: 8653786872906034

Batch# : 8653786872906034 Sample Size Received : 3 units
Sampled : 03/04/25 Total Amount : 414 units
Ordered : 03/04/25 Completed : 03/07/25 Expires: 03/07/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED					
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	280.00	2.000	VALENCENE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	78.40	0.560	ALPHA-BISABOLOL	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	70.70	0.505	ALPHA-CEREBENE	0.005	TESTED	ND	ND	
LINALOOL	0.007	TESTED	37.38	0.267	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	25.20	0.180	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
OCIMENE	0.007	TESTED	16.52	0.118	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	11.90	0.085	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
FENCHYL ALCOHOL	0.007	TESTED	9.52	0.068	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-TERPINEOL	0.007	TESTED	9.10	0.065						
ALPHA-PINENE	0.007	TESTED	8.82	0.063	Weight:	1.0324g	Extraction date:	03/05/25 10:36:39	Extracted by:	1879.4421
BETA-MYRCENE	0.007	TESTED	7.70	0.055	Analyzed by:	8653_885_8440				
TRANS-NEROLIDOL	0.005	TESTED	4.76	0.034	Analysis Method:	SOP.T.30.061A.FL SOP.T.40.061A.FL				
3-CARENE	0.007	TESTED	ND	ND	Analytical Batch:	DA083988TER				Batch Date : 03/05/25 08:16:19
BORNEOL	0.013	TESTED	ND	ND	Instrument Used:	DA-6398-009				
CAMPHENE	0.007	TESTED	ND	ND	Dilution:	10				
CAMPHOR	0.007	TESTED	ND	ND	Reagent:	120224.05				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Consumables:	947.110; 04312111; 2240626; 0000355309				
CEDROL	0.007	TESTED	ND	ND	Pipette:	DA-065				
EUCALYPTOL	0.007	TESTED	ND	ND	Terpene testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry weight corrected.					
FARNESENE	0.007	TESTED	ND	ND						
FENCHONE	0.007	TESTED	ND	ND						
GERANIOL	0.007	TESTED	ND	ND						
GERANYL ACETATE	0.007	TESTED	ND	ND						
GUAIOL	0.007	TESTED	ND	ND						
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND						
ISOBORNIOL	0.007	TESTED	ND	ND						
ISOPULEGOL	0.007	TESTED	ND	ND						
NEROL	0.007	TESTED	ND	ND						
PULEGONE	0.007	TESTED	ND	ND						
SABINENE	0.007	TESTED	ND	ND						
SABINENE HYDRATE	0.007	TESTED	ND	ND						
Total (%)				2.000						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
03/07/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50304016-003
Harvest/Lot ID: 8653786872906034

Batch# : 8653786872906034 Sample Size Received : 3 units
Sampled : 03/04/25 Total Amount : 414 units
Ordered : 03/04/25 Completed : 03/07/25 Expires: 03/07/26
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 1.0293g	Extraction date: 03/05/25 12:28:05	Extracted by: 3621,4640		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084010PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 03/05/25 10:14:01	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/06/25 10:35:41					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 030325.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.0293g	Extraction date: 03/05/25 12:28:05	Extracted by: 3621,4640		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084011VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 03/05/25 10:15:04	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/06/25 10:31:11					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 030325.R01; 081023.01; 012825.R39; 012825.R40					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD; 17473601					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164



Signature
03/07/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50304016-003
Harvest/Lot ID: 8653786872906034

Batch# : 8653786872906034 Sample Size Received : 3 units
Sampled : 03/04/25 Total Amount : 414 units
Ordered : 03/04/25 Completed : 03/07/25 Expires: 03/07/26
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
-----------------------------------------------------------------------------------	------------------	---------------	-----------------------------------------------------------------------------------	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	320	PASS	100000

Analyzed by: 4531, 4044, 4520, 585, 1440 Weight: 0.964g Extraction date: 03/05/25 10:20:58 Extracted by: 4044
 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
 Analytical Batch : DA083982MIC
 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (95°C) DA-049, DA-402 Thermo Scientific Heat Block (55 C)
 Analyzed Date : 03/06/25 12:27:26
 Dilution : 10
 Reagent : 013025.08; 013025.16; 021925.R61; 101624.13
 Consumables : 7580002047
 Pipette : N/A

Analyzed by: 4531, 4044, 585, 1440 Weight: 0.964g Extraction date: 03/05/25 10:20:58 Extracted by: 4044
 Analysis Method : SOP.T.40.209.FL
 Analytical Batch : DA083983TYM
 Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]
 Analyzed Date : 03/07/25 13:49:38
 Dilution : 10
 Reagent : 013025.08; 013025.16; 022625.R53
 Consumables : N/A
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3621, 585, 1440 Weight: 1.0293g Extraction date: 03/05/25 12:28:05 Extracted by: 3621, 4640
 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
 Analytical Batch : DA084013MYC
 Instrument Used : N/A
 Analyzed Date : 03/06/25 09:01:33
 Batch Date : 03/05/25 10:16:44

Dilution : 250
 Reagent : 030325.R01; 081023.01
 Consumables : 040724CH01; 221021DD
 Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
-------------------------------------------------------------------------------------	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2819g Extraction date: 03/05/25 10:04:18 Extracted by: 4056
 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
 Analytical Batch : DA083993HEA
 Instrument Used : DA-ICPMS-004
 Analyzed Date : 03/06/25 11:59:28
 Batch Date : 03/05/25 09:06:45

Dilution : 50
 Reagent : 012925.R32; 022425.R19; 030325.R08; 030525.R29; 030325.R06; 030325.R07; 120324.07; 022425.R18
 Consumables : 040724CH01; J609879-0193; 179436
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50304016-003
Harvest/Lot ID: 8653786872906034

Batch#: 8653786872906034 Sample Size Received : 3 units
Sampled : 03/04/25 Total Amount : 414 units
Ordered : 03/04/25 Completed : 03/07/25 Expires: 03/07/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	12.1	PASS	15
Analyzed by: 1879, 3379, 585, 1440	Weight: 1g	Extraction date: 03/05/25 11:50:16	Extracted by: 3379			Analyzed by: 4797, 585, 1440	Weight: 0.493g	Extraction date: 03/05/25 10:59:24	Extracted by: 4797		
Analysis Method : SOP.T.40.090 Analytical Batch : DA084012FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 03/05/25 11:55:55						Analysis Method : SOP.T.40.021 Analytical Batch : DA084000MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 03/06/25 15:10:05					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.525	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 1.871g	Extraction date: 03/05/25 10:08:06	Extracted by: 4797		
Analysis Method : SOP.T.40.019 Analytical Batch : DA084003WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 03/06/25 08:29:06					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.