



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50304016-014



Production Method: Other - Not Listed

Harvest/Lot ID: 7015435010063324

Batch#: 7015435010063324

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 9398925763900919

Harvest Date: 02/20/25

Sample Size Received: 8 units

Total Amount: 1986 units

Retail Product Size: 7 gram

Retail Serving Size: 7 gram

Servings: 1

Ordered: 03/04/25

Sampled: 03/04/25

Completed: 03/07/25

Sampling Method: SOP.T.20.010

Mar 07, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



**Residuals
Solvents**
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
22.818%

Total THC/Container : 1597.260 mg



Total CBD
0.096%

Total CBD/Container : 6.720 mg



Total Cannabinoids
26.676%

Total Cannabinoids/Container : 1867.320 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.438	25.519	ND	0.110	0.036	0.116	0.346	0.022	ND	ND	0.089
mg/unit	30.66	1786.33	ND	7.70	2.52	8.12	24.22	1.54	ND	ND	6.23
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 585, 1440

Weight:
0.2133g

Extraction date:
03/05/25 11:13:46

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083987POT

Instrument Used : DA-LC-002

Analyzed Date : 03/06/25 08:31:26

Batch Date : 03/05/25 08:14:52

Dilution : 400

Reagent : 022625.R01; 021125.07; 021825.R01

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Apl and Bnanas (S)
Apl and Bnanas (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50304016-014
Harvest/Lot ID: 7015435010063324

Batch# : 7015435010063324 Sample Size Received : 8 units
Sampled : 03/04/25 Total Amount : 1986 units
Ordered : 03/04/25 Completed : 03/07/25 Expires: 03/07/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	107.10	1.530	SABINENE HYDRATE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	27.58	0.394	VALENCENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	25.62	0.366	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LIMONENE	0.007	TESTED	19.18	0.274	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	8.26	0.118	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	7.77	0.111	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	6.30	0.090	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	3.01	0.043	GAMMA-TERPINENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	3.01	0.043	<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analyzed by : 4851, 385, 5440 Weight: 0.9502g Extraction date: 03/05/25 10:43:24 Extracted by: 1879, 4451 Analysis Batch : DA083988BT Instrument Used : DA-GC/MS-009 Dilution : 10 Reagent : 120224.05 Consumables : 947.110; 04312111; 2240626; 0000355309 Pipette : DA-065 Batch Date : 03/05/25 08:16:19 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
FENCHYL ALCOHOL	0.007	TESTED	2.94	0.042					
ALPHA-PINENE	0.007	TESTED	1.75	0.025					
TRANS-NEROLIDOL	0.005	TESTED	1.68	0.024					
3-CARENE	0.007	TESTED	ND	ND					
BORNEOL	0.013	TESTED	ND	ND					
CAMPHENE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOLO	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)				1.530					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Shake 7g - Apl and Bnanas (S)
Apl and Bnanas (S)
Matrix : Flower
Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50304016-014

Harvest/Lot ID: 7015435010063324

Batch# : 7015435010063324

Sampled : 03/04/25

Ordered : 03/04/25

Sample Size Received : 8 units

Total Amount : 1986 units

Completed : 03/07/25 Expires: 03/07/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 0.9638g	Extraction date: 03/05/25 12:28:06	Extracted by: 3621,4640		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084010PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date :03/05/25 10:14:01		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date :03/06/25 10:36:43					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 030325.R01; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.9638g	Extraction date: 03/05/25 12:28:06	Extracted by: 3621,4640		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084011VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Batch Date :03/05/25 10:15:04		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date :03/06/25 10:31:26					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 030325.R01; 081023.01; 012825.R39; 012825.R40					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 040724CH01; 221021DD; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Apl and Bnanas (S)
Apl and Bnanas (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com


Sample : DA50304016-014
Harvest/Lot ID: 7015435010063324

Batch# : 7015435010063324 Sample Size Received : 8 units
Sampled : 03/04/25 Total Amount : 1986 units
Ordered : 03/04/25 Completed : 03/07/25 Expires: 03/07/26
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	18000	PASS	100000
Analyzed by: 4531, 4044, 4520, 585, 1440	Weight: 0.8g	Extraction date: 03/05/25 10:20:59	Extracted by: 4044		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA083982MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date : 03/06/25 10:26:04					
Dilution : 10 Reagent : 013025.08; 013025.16; 021925.R61; 101624.13 Consumables : 7580002047 Pipette : N/A					
Analyzed by: 4531, 4044, 585, 1440	Weight: 0.8g	Extraction date: 03/05/25 10:20:59	Extracted by: 4044		
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA083983TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 03/07/25 13:49:51					
Dilution : 10 Reagent : 013025.08; 013025.16; 022625.R53 Consumables : N/A Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3621, 585, 1440	Weight: 0.9638g	Extraction date: 03/05/25 12:28:06	Extracted by: 3621,4640		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA084013MYC Instrument Used : N/A Analyzed Date : 03/06/25 09:01:50					
Dilution : 250 Reagent : 030325.R01; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2505g	Extraction date: 03/05/25 10:13:41	Extracted by: 4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA083993HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 03/06/25 11:55:40					
Dilution : 50 Reagent : 012925.R32; 022425.R19; 030325.R08; 030525.R29; 030325.R06; 030325.R07; 120324.07; 022425.R18 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Apl and Bnanas (S)
Apl and Bnanas (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50304016-014
Harvest/Lot ID: 7015435010063324

Batch# : 7015435010063324 Sample Size Received : 8 units
Sampled : 03/04/25 Total Amount : 1986 units
Ordered : 03/04/25 Completed : 03/07/25 Expires: 03/07/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	14.8	PASS	15
Analyzed by: 1879, 3379, 585, 1440	Weight: 1g	Extraction date: 03/05/25 11:50:43		Extracted by: 3379		Analyzed by: 4797, 585, 1440	Weight: 0.498g	Extraction date: 03/05/25 11:18:12		Extracted by: 4797	
Analysis Method : SOP.T.40.090 Analytical Batch : DA084012FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 03/05/25 11:56:05						Analysis Method : SOP.T.40.021 Analytical Batch : DA084000MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 03/06/25 08:28:01					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.564	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 2.019g	Extraction date: 03/05/25 10:11:39	Extracted by: 4797		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA084003WAT					
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 03/05/25 09:20:10		
Analyzed Date : 03/06/25 08:29:18					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/07/25