

# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50304016-024


**Production Method:** Other - Not Listed

**Harvest/Lot ID:** 0355298839304104

**Batch#:** 0355298839304104

**Cultivation Facility:** FL - Indiantown (4430)

**Processing Facility:** FL - Indiantown (4430)

**Source Facility:** FL - Indiantown (4430)

**Seed to Sale#:** 7000296184236368

**Harvest Date:** 02/24/25

**Sample Size Received:** 31 units

**Total Amount:** 665 units

**Retail Product Size:** 0.5 gram

**Retail Serving Size:** 0.5 gram

**Servings:** 1

**Ordered:** 03/04/25

**Sampled:** 03/04/25

**Completed:** 03/07/25

**Sampling Method:** SOP.T.20.010

Mar 07, 2025 | Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

# Sunnyside\*

**PASSED**

Pages 1 of 6

### SAFETY RESULTS


 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals  
 Solvents  
**PASSED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
**NOT TESTED**

 Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**TESTED**

**Total THC**
**88.411%**

Total THC/Container : 442.055 mg


**Total CBD**
**0.185%**

Total CBD/Container : 0.925 mg


**Total Cannabinoids**
**93.147%**

Total Cannabinoids/Container : 465.735 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.340	0.081	0.185	ND	ND	3.204	ND	0.841	0.401	ND	0.095
mg/unit	441.70	0.41	0.93	ND	ND	16.02	ND	4.21	2.01	ND	0.48
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 3335, 1665, 585, 1440

 Weight:  
 0.1148g

 Extraction date:  
 03/05/25 11:12:37

 Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083989POT

Instrument Used : DA-LC-003

Analyzed Date : 03/06/25 08:32:06

Batch Date : 03/05/25 08:17:01

Dilution : 400

Reagent : 021825.R05; 021125.07; 021825.R03

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 03/07/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Trainwreck (S)  
Trainwreck (S)  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA50304016-024  
Harvest/Lot ID: 0355298839304104

Batch# : 0355298839304104 Sample Size Received : 31 units  
Sampled : 03/04/25 Total Amount : 665 units  
Ordered : 03/04/25 Completed : 03/07/25 Expires: 03/07/26  
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	19.62	3.923	SABINENE	0.007	TESTED	ND	ND
ALPHA-TERPINOLENE	0.007	TESTED	8.99	1.798	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	4.13	0.826	VALENENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	1.77	0.353	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	1.53	0.306	ALPHA-HUMULENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	0.85	0.169	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	0.58	0.115	GAMMA-TERPINENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	0.45	0.089	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
NEROL	0.007	TESTED	0.33	0.066	Analyzed by: 4851, 385, 5440 Weight: 0.208g Extraction date: 03/05/25 11:15:34 Extracted by: 4451				
LINALOOL	0.007	TESTED	0.27	0.053	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PIELANDRENE	0.007	TESTED	0.21	0.042	Analytical Batch : DA0839907ER				
ALPHA-TERPINEOL	0.007	TESTED	0.19	0.038	Instrument Used : DA-GCMS-008				
ALPHA-TERPINENE	0.007	TESTED	0.12	0.024	Analyzed Date : 03/06/25 11:03:49				
3-CARENE	0.007	TESTED	0.12	0.023	Dilution : 10				
CAMPHERE	0.007	TESTED	0.11	0.021	Reagent : 120224.05				
BORNEOL	0.013	TESTED	ND	ND	Consumables : 947.110; 04312111; 2240626; 0000355309				
CAMPOR	0.007	TESTED	ND	ND	Pipette : DA-065				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all flower samples, the Total Terpenes % is dry-weight corrected.				
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
FENCHYL ALCOHOL	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
Total (%)				3.923					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/07/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 500mg - Trainwreck (S)

Trainwreck (S)

Matrix : Derivative

Type: Distillate

# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
Indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50304016-024

Harvest/Lot ID: 0355298839304104

Batch# : 0355298839304104

Sampled : 03/04/25

Ordered : 03/04/25

Sample Size Received : 31 units

Total Amount : 665 units

Completed : 03/07/25 Expires: 03/07/26

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2552g	Extraction date: 03/05/25 11:55:42	Extracted by: 4640,3621,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084007PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 03/05/25 10:09:46	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/06/25 10:59:04					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 030325.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2552g	Extraction date: 03/05/25 11:55:42	Extracted by: 4640,3621,3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084008VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 03/05/25 10:11:47	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/06/25 10:48:25					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 030325.R01; 081023.01; 012825.R39; 012825.R40					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
03/07/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 500mg - Trainwreck (S)  
Trainwreck (S)  
Matrix : Derivative  
Type: Distillate

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50304016-024  
Harvest/Lot ID: 0355298839304104

Batch# : 0355298839304104 Sample Size Received : 31 units  
Sampled : 03/04/25 Total Amount : 665 units  
Ordered : 03/04/25 Completed : 03/07/25 Expires: 03/07/26  
Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0212g

Extraction date:  
03/06/25 09:45:49

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA084021SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 03/06/25 10:22:08

Batch Date : 03/05/25 11:38:17

Dilution : 1  
Reagent : 030420.09  
Consumables : 430596; 319008  
Pipette : DA-309 25 uL Syringe 35028


Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/07/25



# Certificate of Analysis

**PASSED**


Sunnyside


 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com


 Sample : DA50304016-024  
 Harvest/Lot ID: 0355298839304104

 Batch# : 0355298839304104 Sample Size Received : 31 units  
 Sampled : 03/04/25 Total Amount : 665 units  
 Ordered : 03/04/25 Completed : 03/07/25 Expires: 03/07/26  
 Sample Method : SOP.T.20.010

Page 5 of 6

	<h1>Microbial</h1>	<h2>PASSED</h2>			
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 4044, 4520, 585, 1440      Weight: 1.015g      Extraction date: 03/05/25 10:18:46      Extracted by: 4044					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA083984MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)      Batch Date : 03/05/25 08:02:30 Analyzed Date : 03/06/25 11:07:32					
Dilution : 10 Reagent : 013025.08; 013025.16; 021925.R61; 101624.13 Consumables : 7580002047 Pipette : N/A					
Analyzed by: 4044, 4520, 585, 1440      Weight: 1.015g      Extraction date: 03/05/25 10:18:46      Extracted by: 4044					
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA083985TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]      Batch Date : 03/05/25 08:04:02 Analyzed Date : 03/07/25 13:52:25					
Dilution : 10 Reagent : 013025.08; 013025.16; 022625.R53 Consumables : N/A Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	<h1>Mycotoxins</h1>	<h2>PASSED</h2>			
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440      Weight: 0.2552g      Extraction date: 03/05/25 11:55:42      Extracted by: 4640,3621,3379					
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA084009MYC Instrument Used : DA-LCMS-003 (MYC)      Batch Date : 03/05/25 10:13:20 Analyzed Date : 03/06/25 10:39:09					
Dilution : 250 Reagent : 030325.R01; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	<h1>Heavy Metals</h1>	<h2>PASSED</h2>			
<b>Metal</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440      Weight: 0.2107g      Extraction date: 03/05/25 10:55:10      Extracted by: 4056					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA083997HEA Instrument Used : DA-ICPMS-004      Batch Date : 03/05/25 09:10:09 Analyzed Date : 03/06/25 12:09:01					
Dilution : 50 Reagent : 012925.R32; 022425.R19; 030325.R08; 030525.R29; 030325.R06; 030325.R07; 120324.07; 022425.R18 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 500mg - Trainwreck (S)  
Trainwreck (S)  
Matrix : Derivative  
Type: Distillate

# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50304016-024

Harvest/Lot ID: 0355298839304104

Batch# : 0355298839304104

Sampled : 03/04/25

Ordered : 03/04/25

Sample Size Received : 31 units

Total Amount : 665 units

Completed : 03/07/25 Expires: 03/07/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign  
Material**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 3379, 585, 1440	Weight: 1g	Extraction date: 03/05/25 11:50:44	Extracted by: 3379
---------------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA084012FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 03/05/25 10:16:30

Analyzed Date : 03/05/25 11:57:51

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.542	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 0.1701g	Extraction date: 03/05/25 14:03:05	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA084005WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date : 03/05/25 09:22:12

Analyzed Date : 03/06/25 08:18:01

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/07/25