

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

Production Method: Other - Not Listed

Source Facility: FL - Indiantown (4430) Seed to Sale#: 2571656878836689

Sampling Method: SOP.T.20.010

Pages 1 of 6

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430)

Harvest/Lot ID: 4715337866004382

Batch#: 4715337866004382

Harvest Date: 02/25/25 Sample Size Received: 31 units Total Amount: 665 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

> Servings: 1 Ordered: 03/05/25 Sampled: 03/05/25 Completed: 03/08/25

> > PASSED

Supply Vape Cartridge 500mg - King Louis XIII (I) King Louis XIII (I) Matrix: Derivative Classification: High THC Type: Distillate



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50305010-005



Mar 08, 2025 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS

SAFETY R	ESULTS										MISC.
R Ø		Hg	Ţ	Ş	0 0	Ä		(\bigcirc		Ô
Pesticio PASS		wy Metals ASSED	Microbials PASSED	Mycoto: PASSI		Residuals Solvents PASSED	Filth PASSED		r Activity SSED	Moisture NOT TESTED	Terpenes TESTED
Ä	Cannab	oinoid									TESTED
		THC 236 HC/Container) (al CBD 185% I CBD/Container	_		<u>)</u> 94	al Cannabinoids	
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	СВС
%	89.150 445.75	0.099 0.50	0.185 0.93	ND ND	ND ND	3.227 16.14	ND ND	0.860 4.30	0.406 2.03		0.100 0.50
mg/unit LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 585	, 1440			Weight: 0.1093g		Extraction date: 03/06/25 11:10:4	1			Extracted by: 3335	
Analytical Batch Instrument Used	d: SOP.T.40.031, SO DA084039POT d: DA-LC-003 03/07/25 09:05:39						Batch Date : 03/06/25	08:31:17			
Consumables : 9	25.R05; 021125.07; 947.110; 04312111; 9; DA-108; DA-078		00355309								

Sunnyside*

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/08/25



..... Supply Vape Cartridge 500mg - King Louis XIII (I) King Louis XIII (I) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA50305010-005 Harvest/Lot ID: 4715337866004382 Batch#: 4715337866004382 Sample Size Received: 31 units Sampled : 03/05/25 Ordered : 03/05/25

Total Amount : 665 units Completed : 03/08/25 Expires: 03/08/26 Sample Method : SOP.T.20.010

Page 2 of 6

Ô	Ter
Terpenes	

penes

erpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		erpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
OTAL TERPENES	0.007	TESTED	17.15	3.429	Si	ABINENE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	4.63	0.926	Si	ABINENE HYDRATE	0.007	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	3.54	0.707	V	ALENCENE	0.007	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	3.12	0.623	A	LPHA-CEDRENE	0.005	TESTED	ND	ND	
INALOOL	0.007	TESTED	1.20	0.240	A	LPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
TA-PINENE	0.007	TESTED	0.92	0.183	CI	IS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-PINENE	0.007	TESTED	0.55	0.109	G	AMMA-TERPINENE	0.007	TESTED	ND	ND	
INCHYL ALCOHOL	0.007	TESTED	0.48	0.095	T	RANS-NEROLIDOL	0.005	TESTED	ND	ND	
LPHA-TERPINEOL	0.007	TESTED	0.47	0.094	Ana	alvzed by:	Weigh	t:	Extractio	n date:	Extracted by:
LPHA-BISABOLOL	0.007	TESTED	0.47	0.093	445	51, 4444, 585, 1440	0.221		03/06/25		4451
LPHA-TERPINOLENE	0.007	TESTED	0.25	0.050	Ana	alysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL					
ERANIOL	0.007	TESTED	0.24	0.048		alytical Batch : DA084053TER trument Used : DA-GCMS-004				Batch Date : 03/06/25 09:20:20	
LPHA-HUMULENE	0.007	TESTED	0.24	0.047		alyzed Date : 03/07/25 10:43:06				Batch Date 103/06/25 09:20:20	
MPHENE	0.007	TESTED	0.19	0.038		ution : 10					
RYOPHYLLENE OXIDE	0.007	TESTED	0.18	0.036	Rez	agent : 120224.05					
OBORNEOL	0.007	TESTED	0.16	0.032		nsumables : 947.110; 04312111; 2240626; 00003553	09				
MPHOR	0.007	TESTED	0.15	0.029		ette : DA-065					
JAIOL	0.007	TESTED	0.15	0.029	Ten	penoid testing is performed utilizing Gas Chromatography M	iss Spectrometry	. For all Flower sa	nples, the Total	Terpenes % is dry-weight corrected.	
CARENE	0.007	TESTED	0.14	0.028							
PHA-TERPINENE	0.007	TESTED	0.11	0.022							
RNEOL	0.013	TESTED	ND	ND							
DROL	0.007	TESTED	ND	ND							
JCALYPTOL	0.007	TESTED	ND	ND							
RNESENE	0.001	TESTED	ND	ND							
INCHONE	0.007	TESTED	ND	ND							
ERANYL ACETATE	0.007	TESTED	ND	ND							
EXAHYDROTHYMOL	0.007	TESTED	ND	ND							
OPULEGOL	0.007	TESTED	ND	ND							
EROL	0.007	TESTED	ND	ND							
CIMENE	0.007	TESTED	ND	ND							
ULEGONE	0.007	TESTED	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/08/25



..... Supply Vape Cartridge 500mg - King Louis XIII (I) King Louis XIII (I) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50305010-005 Harvest/Lot ID: 4715337866004382

Sampled : 03/05/25 Ordered : 03/05/25

Batch#: 4715337866004382 Sample Size Received: 31 units Total Amount : 665 units Completed : 03/08/25 Expires: 03/08/26 Sample Method : SOP.T.20.010

Page 3 of 6

ਞ
0

Pesticides

Pesticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
DTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010	maa	0.1	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
CEPHATE	0.010		0.1	PASS	ND			0.010		0.1	PASS	ND
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN						
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
LDICARB	0.010		0.1	PASS PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
ZOXYSTROBIN	0.010		0.1		ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
IFENTHRIN	0.010		0.1	PASS PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
OSCALID	0.010		0.1	PASS	ND ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
ARBARYL	0.010	The second se	0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
ARBOFURAN	0.010 0.010		1	PASS	ND	PENTACHLORONITROBENZE	NF (PCNB) *	0.010	maa	0.15	PASS	ND
		T. F.	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
	0.010 0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
ILORPYRIFOS	0.010		0.1	PASS	ND			0.010		0.1	PASS	ND
OFENTEZINE DUMAPHOS	0.010		0.2	PASS	ND	CHLORDANE *					PASS	
	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1		ND
AMINOZIDE AZINON	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
CHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
IMETHOATE	0.010		0.1	PASS	ND	Analyzed by:	Weight:		ion date:		Extracted	d by:
THOPROPHOS	0.010		0.1	PASS	ND	3621, 585, 1440	0.282g		5 11:10:32		3621	
TOFENPROX	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.1		2.FL				
TOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA084054 Instrument Used : DA-LCMS-0			Patch	Date :03/06/	DE 00.4E.49	
ENHEXAMID	0.010		0.1	PASS	ND	Analyzed Date :03/07/25 09:			Dattri	Date :03/00/	23 09.43.40	
ENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250						
ENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 030325.R02; 03052	25.R26; 030325.R01	L; 022625.R3	4; 012925.R0	01; 030525.R0)1; 081023.01	
PRONIL	0.010		0.1	PASS	ND	Consumables : 6698360-03						
	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA						
LUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents i accordance with F.S. Rule 64ER		Liquid Chrom	natography Tr	iple-Quadrupo	le Mass Spectro	metry in
EXYTHIAZOX	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extractio	an data.		Extracted	l huu
1AZALIL	0.010		0.1	PASS	ND	450, 585, 1440	0.282g		11:10:32		3621	i uy:
/IDACLOPRID	0.010	1.1.	0.4	PASS	ND	Analysis Method : SOP.T.30.1					5022	
RESOXIM-METHYL	0.010		0.1	PASS	ND	Analytical Batch : DA084056						
ALATHION	0.010	The second secon	0.2	PASS	ND	Instrument Used : DA-GCMS-			Batch Da	ate:03/06/25	09:49:44	
TALAXYL	0.010		0.1	PASS	ND	Analyzed Date :03/07/25 09:	38:30					
ETHIOCARB	0.010		0.1	PASS	ND	Dilution : 250		012025 040				
ETHOMYL	0.010		0.1	PASS	ND	Reagent: 030325.R01; 08103 Consumables: 6698360-03;						
EVINPHOS	0.010		0.1	PASS	ND	Pipette : DA-080: DA-146: DA		1001				
YCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents i		Gas Chromat	tography Trip	le-Quadrupole	Mass Spectrome	etrv in
ALED	0.010		0.25	PASS	ND	accordance with F.S. Rule 64ER		225 01101101	5. op 7 . mp	- quadrapore	opeca onic	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/08/25

PASSED

PASSED



Supply Vape Cartridge 500mg - King Louis XIII (I) King Louis XIII (I) Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50305010-005 Harvest/Lot ID: 4715337866004382 Sampled : 03/05/25 Ordered : 03/05/25

Batch#: 4715337866004382 Sample Size Received: 31 units Total Amount : 665 units Completed : 03/08/25 Expires: 03/08/26 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 350, 585, 1440	Weight: 0.0225g	Extraction date: 03/07/25 10:50:16		E x 85	tracted by: 0
Analysis Method: SOP.T.40.041.FL Analytical Batch: DA084061SOL Instrument Used: DA-GCMS-002 Analyzed Date: 03/07/25 13:59:43			Batch Date : 03/06/25 1	2:17:24	

Reagent : 030420.09 Consumables : 430596: 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/08/25

PASSED



Page 5 of 6

Supply Vape Cartridge 500mg - King Louis XIII (I) King Louis XIII (I) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50305010-005 Harvest/Lot ID: 4715337866004382 Batch#: 4715337866004382 Sample Size Received: 31 units

Sampled : 03/05/25 Ordered : 03/05/25

Total Amount : 665 units Completed : 03/08/25 Expires: 03/08/26 Sample Method : SOP.T.20.010

Ċ,	Micro	bial				PAS	SED	స్తో	M	yc	otoxi	ins			PAS	SED
Analyte			LOD	Units	Result	Pass / Fail	Action Level	Analyte				LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS				Not Present	PASS	Lever	AFLATOXIN	B2			0.00	2 ppm	ND	PASS	0.02
ASPERGILLU	S NIGER				Not Present	PASS		AFLATOXIN	B1			0.00		ND	PASS	0.02
ASPERGILLU	S FUMIGATUS				Not Present	PASS		OCHRATOXI	NA			0.00	2 ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS				Not Present	PASS		AFLATOXIN	G1			0.00	2 ppm	ND	PASS	0.02
SALMONELLA	A SPECIFIC GEN	E			Not Present	PASS		AFLATOXIN	G2			0.00	2 ppm	ND	PASS	0.02
ECOLI SHIGE			10	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3621, 585, 14	40		/eight: .282g	Extraction d 03/06/25 11			Extracted 3621	by:
Analyzed by:	Weig	aht:	Extract	tion date:		Extracted by	v:	Analysis Meth			5					
	0 0.99 d:SOP.T.40.056 h:DA084033MIC	C, SOP.T.		25 10:08:03 .FL, SOP.T.4		1520,4531		Analytical Bat Instrument Us Analyzed Date	ch:DA08 ed:N/A	340551	4YC		h Date : ()3/06/25 09	9:49:42	
(95*C) DA-049 Analyzed Date Dilution : 10 Reagent : 0130 Consumables :	ycler DA-010,Fisł ,DA-402 Thermo : 03/07/25 09:30 025.09; 013025.1 7580002049	Scientific :46	Heat B	Block (55 C)		53:26		081023.01 Consumables Pipette : DA-0	: 669836 93; DA-0 ting utilizin	0-03 94; DA ng Liqu	-219 id Chromatog	0325.R01; 022 graphy with Tripl				
Pipette : N/A Analyzed by:		Weight:	Ev	traction dat		Extracted	by:	<u>п</u>								
4520, 4531, 58	5, 1440	0.99g		3/06/25 10:0		4520,453		Hg	He	av	у Ме	etals			PAS	SED
Analytical Batc Instrument Use	d : SOP.T.40.209 h : DA084034TYM ed : Incubator (25	Л	828 [cal	librated with	Batch Dat	e:03/06/2	5 07:56:14	Metal				LOD	Units	Result	Pass / Fail	Action Level
DA-382]	. 02/00/25 12:27	.20						TOTAL CON			AD METAL	.s 0.08	0 ppm	ND	PASS	1.1
	: 03/08/25 13:37	.59						ARSENIC		•		0.02		ND	PASS	0.2
Dilution : 10 Reagent : 0130)25.09; 013025.1	2.02262	5 R 5 3					CADMIUM				0.02		ND	PASS	0.2
Consumables :		2, 02202	5.1(55					MERCURY				0.02	0 ppm	ND	PASS	0.2
Pipette : N/A								LEAD				0.02	0 ppm	ND	PASS	0.5
	mold testing is perf F.S. Rule 64ER20-3		zing MP	N and traditio	nal culture base	d techniques	in	Analyzed by: 1022, 4056, 5	85, 1440		Weight 0.2713		on date: 5 10:08:2	4	Extracto 4056	ed by:
								Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch:DA08 ed:DA-10	34051) CPMS-	HEA 004		ch Date :	03/06/25 0	9:17:30	
								Dilution : 50 Reagent : 012			25.R19; 030	0325.R08; 030	525.R29;	030325.R0	6; 03032	5.R07;

120324.07; 022425.R18 **Consumables :** 040724CH01; J609879-0193; 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/08/25



Page 6 of 6

_____ Supply Vape Cartridge 500mg - King Louis XIII (I) King Louis XIII (I) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Eilth/Foreign

Certificate of Analysis

Ordered : 03/05/25

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50305010-005 Harvest/Lot ID: 4715337866004382 Batch#: 4715337866004382 Sample Size Received: 31 units Sampled : 03/05/25

DACCED

Total Amount : 665 units Completed : 03/08/25 Expires: 03/08/26 Sample Method : SOP.T.20.010

	Materia		<u> </u>		PA	33ED
Analyte Filth and Foreig	ın Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 585, 1440	Weight: 1g		ion date: 25 13:36:	25	Ext 585	racted by:
Analysis Method : Analytical Batch : Instrument Used : Analyzed Date : 0: Dilution : N/A Reagent : N/A Consumables : N/A	DA084149FIL Filth/Foreign Mat 3/08/25 13:49:32	erial Micro	oscope	Batch D	eate:03/08	8/25 13:10:19
Filth and foreign ma technologies in acco				spection utilizi	ng naked ey	e and microscope
(\bigcirc)	Water A	Activ	ity		ΡΑ	SSED
Analyte Water Activity		LOD 0.010	Units aw	Result 0.518	P/F PASS	Action Level 0.85

Analyzed by: 4797, 585, 1440	Weight: 0.3121g	Extraction date: 03/06/25 14:47:		Extracted by: 4797
Analysis Method : SOP Analytical Batch : DA03 Instrument Used : DA- Analyzed Date : 03/07/	84046WAT 028 Rotronic Hyg	ıropalm I	Batch Date	: 03/06/25 08:44:43
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A				
Water Activity is perform	ed using a Rotronic	HygroPalm HP 23-AW	in accordan	ce with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 03/08/25