



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50306007-003



Mar 10, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 2

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**TESTED**



**Total THC**  
**91.797%**

Total THC/Container : 917.970 mg



**Total CBD**  
**0.189%**

Total CBD/Container : 1.890 mg



**Total Cannabinoids**  
**96.698%**

Total Cannabinoids/Container : 966.980 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	91.758	0.045	0.189	ND	ND	3.324	ND	0.876	0.415	ND	0.091
mg/unit	917.58	0.45	1.89	ND	ND	33.24	ND	8.76	4.15	ND	0.91
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.1018g

Extraction date:  
03/07/25 12:04:28

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084079POT

Instrument Used : DA-LC-003

Analyzed Date : 03/10/25 10:13:53

Batch Date : 03/07/25 09:02:39

Dilution : 400

Reagent : 030725.R02; 021125.07; 030725.R03

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164



Signature  
03/10/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 1g - Pnapl Exp (H)  
Pnapl Exp (H)  
Matrix : Derivative  
Type: Distillate

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA50306007-003  
Harvest/Lot ID: 8534897911535663

Batch# : 8534897911535663 Sample Size Received : 16 units  
Sampled : 03/06/25 Total Amount : 1056 units  
Ordered : 03/06/25 Completed : 03/10/25 Expires: 03/10/26  
Sample Method : SOP.T.20.010

Page 2 of 2

Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	27.47	2.747	ISOBORNEOL	0.007	TESTED	ND	ND
ALPHA-TERPINOLENE	0.007	TESTED	6.58	0.658	ISOPULEGOL	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	2.86	0.286	NEROL	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	2.26	0.226	PULEGONE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	2.18	0.218	SABINENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	1.52	0.152	SABINENE HYDRATE	0.007	TESTED	ND	ND
OCIMENE	0.007	TESTED	1.22	0.122	ALPHA-CEDRENE	0.005	TESTED	ND	ND
FARNESENE	0.001	TESTED	0.92	0.092	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	0.92	0.092	Analized by:	Weight:	Extraction date:	Extracted by:	
VALENCENE	0.007	TESTED	0.84	0.084	4451, 585, 1440	0.2158g	03/07/25 12:15:45	4451	
LINALOOL	0.007	TESTED	0.73	0.073	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Batch Date : 03/07/25 09:48:40			
BORNEOL	0.013	TESTED	0.68	0.068	Analytical Batch : DA084098TER				
ALPHA-TERPINEOL	0.007	TESTED	0.64	0.064	Instrument Used : DA-GCMS-004				
ALPHA-BISABOLOL	0.007	TESTED	0.61	0.061	Analyzed Date : 03/10/25 10:13:54				
3-CARENE	0.007	TESTED	0.55	0.055	Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.55	0.055	Reagent : N/A				
FENCHYL ALCOHOL	0.007	TESTED	0.55	0.055	Consumables : 947.110; 04312111; 2240626; 0000355309				
ALPHA-PHELLANDRENE	0.007	TESTED	0.49	0.049	Pipette : DA-065				
ALPHA-HUMULENE	0.007	TESTED	0.47	0.047	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	TESTED	0.45	0.045					
HEXAHYDROTHYMOL	0.007	TESTED	0.43	0.043					
ALPHA-TERPINENE	0.007	TESTED	0.42	0.042					
TRANS-NEROLIDOL	0.005	TESTED	0.42	0.042					
GAMMA-TERPINENE	0.007	TESTED	0.33	0.033					
GUAIOL	0.007	TESTED	0.30	0.030					
CAMPHOR	0.007	TESTED	0.29	0.029					
CAMPHERE	0.007	TESTED	0.26	0.026					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
Total (%)				2.747					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/10/25