

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50306007-008



Mar 10, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filth
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

TESTED


Total THC

90.000%

Total THC/Container : 450.000 mg



Total CBD

0.191%

Total CBD/Container : 0.955 mg



Total Cannabinoids

94.791%

Total Cannabinoids/Container : 473.955 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	89.959	0.047	0.191	ND	ND	3.252	ND	0.851	0.404	ND	0.087
mg/unit	449.80	0.24	0.96	ND	ND	16.26	ND	4.26	2.02	ND	0.44
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1055g

Extraction date:
03/07/25 12:04:28

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084079POT

Instrument Used : DA-LC-003

Analyzed Date : 03/10/25 10:14:27

Batch Date : 03/07/25 09:02:39

Dilution : 400

Reagent : 030725.R02; 021125.07; 030725.R03

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/10/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 500mg - Maui W (S)
Maui W (S)
Matrix : Derivative
Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50306007-008

Harvest/Lot ID: 4056363327376810

Batch# : 4056363327376810

Sampled : 03/06/25

Ordered : 03/06/25

Sample Size Received : 31 units

Total Amount : 807 units

Completed : 03/10/25 Expires: 03/10/26

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	13.39	2.677	PULEGONE	0.007	TESTED	ND	ND
ALPHA-TERPINOLENE	0.007	TESTED	5.54	1.108	SABINENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	1.58	0.335	SABINENE HYDRATE	0.007	TESTED	ND	ND
OCIMENE	0.007	TESTED	0.89	0.177	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LIMONENE	0.007	TESTED	0.70	0.140	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	0.65	0.130	ALPHA-TERPINENOL	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	0.47	0.094	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	0.34	0.067	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	0.33	0.066	Analyzed by: 4851, 385, 5440				
BORNEOL	0.013	TESTED	0.30	0.060	Weight: 0.2256g				
LINALOOL	0.007	TESTED	0.28	0.055	Extraction date: 03/07/25 12:15:45				
3-CARENE	0.007	TESTED	0.26	0.052	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINENE	0.007	TESTED	0.25	0.050	Analytical Batch: DA0840808TER				
ALPHA-BISABOLOL	0.007	TESTED	0.25	0.049	Instrument Used: DA-GCNE-004				
GERANIOL	0.007	TESTED	0.21	0.041	Analyzed Date: 03/10/25 10:14:29				
VALENCENE	0.007	TESTED	0.20	0.040	Dilution: 10				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.20	0.039	Reagent: N/A				
HEXAHYDROTHYMOL	0.007	TESTED	0.19	0.037	Consumables: 947.110; 04312111; 2240626; 0000355309				
FENCHYL ALCOHOL	0.007	TESTED	0.18	0.036	Pipette: DA-065				
GAMMA-TERPINENE	0.007	TESTED	0.18	0.035	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	TESTED	0.16	0.031					
GUAIOL	0.007	TESTED	0.15	0.029					
CAMPHOR	0.007	TESTED	0.13	0.026					
CAMPHENE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
FARNESENE	0.001	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
Total (%)				2.677					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/10/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 500mg - Maui W (S)

Maui W (S)

Matrix : Derivative

Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50306007-008

Harvest/Lot ID: 4056363327376810

Batch# : 4056363327376810

Sampled : 03/06/25

Ordered : 03/06/25

Sample Size Received : 31 units

Total Amount : 807 units

Completed : 03/10/25 Expires: 03/10/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 0.2575g	Extraction date: 03/07/25 12:34:44	Extracted by: 4640,450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084085PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 03/07/25 09:19:20	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/10/25 10:18:25					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 030325.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2575g	Extraction date: 03/07/25 12:34:44	Extracted by: 4640,450,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084087VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 03/07/25 09:21:38	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/10/25 10:17:05					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 030325.R01; 081023.01; 012825.R39; 012825.R40					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/10/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 500mg - Maui W (S)

Maui W (S)

Matrix : Derivative

Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50306007-008

Harvest/Lot ID: 4056363327376810

Batch# : 4056363327376810

Sampled : 03/06/25

Ordered : 03/06/25

Sample Size Received : 31 units

Total Amount : 807 units

Completed : 03/10/25 Expires: 03/10/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0288g

Extraction date:
03/10/25 11:33:08

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA08410850L
Instrument Used : DA-GCMS-002
Analyzed Date : 03/10/25 13:17:08

Batch Date : 03/07/25 13:55:56

Dilution : 1
Reagent : 030420.09
Consumables : 430596; 319008
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/10/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 500mg - Maui W (S)
Maui W (S)
Matrix : Derivative
Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50306007-008

Harvest/Lot ID: 4056363327376810

Batch# : 4056363327376810

Sampled : 03/06/25

Ordered : 03/06/25




Sample Size Received : 31 units

Total Amount : 807 units

Completed : 03/10/25 Expires: 03/10/26

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level						
ASPERGILLUS TERREUS			Not Present	PASS							
ASPERGILLUS NIGER			Not Present	PASS							
ASPERGILLUS FUMIGATUS			Not Present	PASS							
ASPERGILLUS FLAVUS			Not Present	PASS							
SALMONELLA SPECIFIC GENE			Not Present	PASS							
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 4520, 585, 1440	Weight: 1.122g	Extraction date: 03/07/25 10:10:46	Extracted by: 4520								
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA084069MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)											
Batch Date : 03/07/25 08:01:36											
Analyzed Date : 03/10/25 09:05:54											
Dilution : 10											
Reagent : 012425.02; 013025.12; 021925.R61; 101624.13											
Consumables : 7580002049											
Pipette : N/A											
Analyzed by: 4520, 4777, 585, 1440	Weight: 1.122g	Extraction date: 03/07/25 10:10:46	Extracted by: 4520								
Analysis Method : SOP.T.40.209.FL											
Analytical Batch : DA084071TYM											
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]											
Batch Date : 03/07/25 08:03:22											
Analyzed Date : 03/10/25 09:06:50											
Dilution : 10											
Reagent : 012425.02; 013025.12; 022625.R53											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											
	Mycotoxins					PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level						
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02						
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02						
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02						
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02						
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02						
Analyzed by: 3621, 585, 1440	Weight: 0.2575g	Extraction date: 03/07/25 12:34:44	Extracted by: 4640,450,585								
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL											
Analytical Batch : DA084086MYC											
Instrument Used : N/A											
Batch Date : 03/07/25 09:21:07											
Analyzed Date : 03/10/25 09:19:07											
Dilution : 250											
Reagent : 030325.R01; 081023.01											
Consumables : 040724CH01; 221021DD											
Pipette : N/A											
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											
	Heavy Metals					PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1						
ARSENIC	0.020	ppm	ND	PASS	0.2						
CADMIUM	0.020	ppm	ND	PASS	0.2						
MERCURY	0.020	ppm	ND	PASS	0.2						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 4056, 585, 1440	Weight: 0.2027g	Extraction date: 03/07/25 11:44:32	Extracted by: 4056,1879								
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL											
Analytical Batch : DA084104HEA											
Instrument Used : DA-ICPMS-004											
Batch Date : 03/07/25 10:33:52											
Analyzed Date : 03/10/25 10:19:51											
Dilution : 50											
Reagent : 012925.R32; 022425.R19; 030325.R08; 030525.R29; 030325.R06; 030325.R07; 120324.07; 030625.R25											
Consumables : 040724CH01; J609879-0193; 179436											
Pipette : DA-061; DA-191; DA-216											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/10/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 500mg - Maui W (S)
Maui W (S)
Matrix : Derivative
Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50306007-008

Harvest/Lot ID: 4056363327376810

Batch# : 4056363327376810

Sampled : 03/06/25

Ordered : 03/06/25

Sample Size Received : 31 units

Total Amount : 807 units

Completed : 03/10/25 Expires: 03/10/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 585, 1440	Weight: 1g	Extraction date: 03/08/25 13:36:28	Extracted by: 585
---------------------------	---------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA084149FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 03/08/25 13:53:09

Batch Date : 03/08/25 13:10:19

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.489	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 0.5081g	Extraction date: 03/07/25 15:04:17	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA084106WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 03/08/25 14:20:30

Batch Date : 03/07/25 10:37:53

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/10/25