



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50306007-011



Mar 10, 2025 | Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

# Sunnyside\*

**PASSED**

Pages 1 of 5

### SAFETY RESULTS


 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals  
 Solvents  
**NOT TESTED**

 Filth  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
**PASSED**

 Terpenes  
**TESTED**

### MISC.


**Cannabinoid**
**TESTED**

**Total THC**  
**21.817%**

Total THC/Container : 3054.380 mg


**Total CBD**  
**0.057%**

Total CBD/Container : 7.980 mg


**Total Cannabinoids**  
**25.960%**

Total Cannabinoids/Container : 3634.400 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.541	24.261	ND	0.066	0.030	0.048	0.880	ND	ND	ND	0.134
mg/unit	75.74	3396.54	ND	9.24	4.20	6.72	123.20	ND	ND	ND	18.76
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 3335, 1665, 585, 1440

 Weight:  
 0.2003g

 Extraction date:  
 03/07/25 12:01:04

 Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084082POT

Instrument Used : DA-LC-001

Analyzed Date : 03/10/25 09:12:34

Batch Date : 03/07/25 09:08:54

Dilution : 400

Reagent : 021825.R06; 021125.07; 021825.R04

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 03/10/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 14g - MAC 1 (I)  
MAC 1 (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50306007-011

Harvest/Lot ID: 4721503875321061

Batch# : 4721503875321061

Sampled : 03/06/25

Ordered : 03/06/25

Sample Size Received : 6 units

Total Amount : 1337 units

Completed : 03/10/25 Expires: 03/10/26

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	196.98	1.407	SABINENE HYDRATE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	48.70	0.355	VALENCENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	31.64	0.226	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	25.48	0.182	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	17.50	0.125	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	14.98	0.107	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	13.86	0.099	CIS-NEROLIDOL	0.003	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	11.05	0.079	GAMMA-TERPINENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	10.78	0.077	Analyzed by: 4451, 385, 5440				
ALPHA-TERPINEOL	0.007	TESTED	10.22	0.073	Weight: 1.0356g				
ALPHA-HUMULENE	0.007	TESTED	8.82	0.063	Extraction date: 03/07/25 12:13:31				
TRANS-NEROLIDOL	0.005	TESTED	2.94	0.021	Extracted by: 4451				
3-CARENE	0.007	TESTED	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	TESTED	ND	ND	Analytical Batch : DA084097TER				
CAMPHENE	0.007	TESTED	ND	ND	Instrument Used : DA-GCMS-008				
CAMPHOR	0.007	TESTED	ND	ND	Analyzed Date : 03/10/25 09:12:36				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Dilution : 10				
CEDROL	0.007	TESTED	ND	ND	Reagent : 120224.06				
EUCALYPTOL	0.007	TESTED	ND	ND	Consumables : 947.110; 04312111; 2240626; R1KB45277				
FARNESENE	0.007	TESTED	ND	ND	Pipette : DA-065				
FENCHONE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)				1.407					


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
03/10/25



# Certificate of Analysis

**PASSED**

Sunnyside


 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: julio.chavez@crescolabs.com

Sample : DA50306007-011

Harvest/Lot ID: 4721503875321061

 Batch# : 4721503875321061 Sample Size Received : 6 units  
 Sampled : 03/06/25 Total Amount : 1337 units  
 Ordered : 03/06/25 Completed : 03/10/25 Expires: 03/10/26  
 Sample Method : SOP.T.20.010

Page 3 of 5



# Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	<0.050	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	<0.050	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	<div> <div>Analyzed by: 3621, 585, 1440</div> <div>Weight: 0.9598g</div> <div>Extraction date: 03/07/25 12:29:20</div> <div>Extracted by: 4640,450,585</div> </div>					
DIAZINON	0.010	ppm	0.1	PASS	ND	<div> <div>Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL</div> <div>Analytical Batch : DA084088PES</div> <div>Instrument Used : DA-LCMS-003 (PES)</div> <div>Analyzed Date : 03/10/25 10:43:29</div> </div>					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<div> <div>Dilution : 250</div> <div>Reagent : 030325.R01; 081023.01</div> <div>Consumables : 040724CH01; 221021DD</div> <div>Pipette : N/A</div> </div>					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> </div>					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<div> <div>Analyzed by: 450, 4640, 585, 1440</div> <div>Weight: 0.9598g</div> <div>Extraction date: 03/07/25 12:29:20</div> <div>Extracted by: 4640,450,585</div> </div>					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<div> <div>Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL</div> <div>Analytical Batch : DA084090VOL</div> <div>Instrument Used : DA-GCMS-010</div> <div>Analyzed Date : 03/10/25 09:09:47</div> </div>					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<div> <div>Dilution : 250</div> <div>Reagent : 030325.R01; 081023.01; 012825.R39; 012825.R40</div> <div>Consumables : 040724CH01; 221021DD; 17473601</div> <div>Pipette : DA-080; DA-146; DA-218</div> </div>					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<div> <div>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> </div>					
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 14g - MAC 1 (I)  
MAC 1 (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50306007-011  
Harvest/Lot ID: 4721503875321061

Batch# : 4721503875321061 Sample Size Received : 6 units  
Sampled : 03/06/25 Total Amount : 1337 units  
Ordered : 03/06/25 Completed : 03/10/25 Expires: 03/10/26  
Sample Method : SOP.T.20.010

Page 4 of 5

<b>Microbial</b> <b>PASSED</b>						<b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by: 3621, 585, 1440 Weight: 0.9598g Extraction date: 03/07/25 12:29:20 Extracted by: 4640,450,585					
TOTAL YEAST AND MOLD	10	CFU/g	220	PASS	100000	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA084089MYC Instrument Used : N/A Batch Date : 03/07/25 09:25:28 Analyzed Date : 03/10/25 09:10:46					
Analyzed by: 4520, 585, 1440 Weight: 1.166g Extraction date: 03/07/25 10:10:46 Extracted by: 4520						Dilution : 250 Reagent : 030325.R01; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA084069MIC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95°C) DA-049, DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date : 03/10/25 09:05:57						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Dilution : 10 Reagent : 012425.02; 013025.12; 021925.R61; 101624.13 Consumables : 7580002049 Pipette : N/A						<b>Heavy Metals</b> <b>PASSED</b>					
Analyzed by: 4520, 4777, 585, 1440 Weight: 1.166g Extraction date: 03/07/25 10:10:46 Extracted by: 4520						Metal	LOD	Units	Result	Pass / Fail	Action Level
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA084071TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 03/10/25 09:06:52						TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
Dilution : 10 Reagent : 012425.02; 013025.12; 022625.R53 Consumables : N/A Pipette : N/A						ARSENIC	0.020	ppm	ND	PASS	0.2
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						CADMIUM	0.020	ppm	ND	PASS	0.2
						MERCURY	0.020	ppm	ND	PASS	0.2
						LEAD	0.020	ppm	ND	PASS	0.5
						Analyzed by: 4056, 585, 1440 Weight: 0.2438g Extraction date: 03/07/25 10:58:17 Extracted by: 4056					
						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA084102HEA Instrument Used : DA-ICPMS-004 Batch Date : 03/07/25 10:31:54 Analyzed Date : 03/10/25 09:35:44					
						Dilution : 50 Reagent : 012925.R32; 022425.R19; 030325.R08; 030525.R29; 030325.R06; 030325.R07; 120324.07; 030625.R25 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216					
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/10/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 14g - MAC 1 (I)  
MAC 1 (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50306007-011

Harvest/Lot ID: 4721503875321061

Batch# : 4721503875321061

Sampled : 03/06/25

Ordered : 03/06/25

Sample Size Received : 6 units

Total Amount : 1337 units

Completed : 03/10/25 Expires: 03/10/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	10.8	PASS	15
Analyzed by: 585, 1440	Weight: 1g	Extraction date: 03/08/25 13:36:29		Extracted by: 585		Analyzed by: 4797, 585, 1440	Weight: 0.497g	Extraction date: 03/07/25 14:51:57		Extracted by: 4797	
Analysis Method : SOP.T.40.090 Analytical Batch : DA084149FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 03/08/25 13:53:31						Analysis Method : SOP.T.40.021 Analytical Batch : DA084101MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 03/08/25 14:27:21					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.515	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 1.778g	Extraction date: 03/07/25 12:23:07		Extracted by: 4797	
Analysis Method : SOP.T.40.019 Analytical Batch : DA084107WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 03/08/25 14:31:15					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/10/25