

### Kaycha Labs

Supply Vape Cartridge 1g - Tropic Thunder (H)

Tropic Thunder (H)

Matrix: Derivative Classification: High THC



**Certificate of Analysis** 

### COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50307015-004



Mar 11, 2025 | Sunnyside

22205 Sw Martin Hwv indiantown, FL, 34956, US

### Type: Extract for Inhalation

Production Method: Other - Not Listed Harvest/Lot ID: 0870643984546716

Batch#: 0870643984546716

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 5323085834342772

Harvest Date: 03/03/25

Sample Size Received: 16 units Total Amount: 729 units

Retail Product Size: 1 gram Retail Serving Size: 1 gram

Servings: 1

Ordered: 03/07/25 Sampled: 03/07/25

Completed: 03/11/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides **PASSED** 



Heavy Metals **PASSED** 



Microbials **PASSED** 



**Mycotoxins PASSED** 



**Sunnyside** 

Residuals Solvents PASSED



Filth **PASSED** 

Batch Date: 03/10/25 08:25:19



Water Activity **PASSED** 



**NOT TESTED** 



Terpenes **TESTED** 

TESTED



### Cannabinoid

Total THC

90.034% Total THC/Container: 900.340 mg




**Total CBD** 0.175%

Total CBD/Container: 1.750 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 948.340



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084166POT Instrument Used : DA-LC-003 Analyzed Date: 03/11/25 09:29:16

Reagent: 022625.R02; 012725.03; 030825.R03

Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

**Label Claim** 

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

**PASSED** 

Signature 03/11/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.





Type: Extract for Inhalation

### **PASSED**

**TESTED** 

### Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50307015-004 Harvest/Lot ID: 0870643984546716

Sampled: 03/07/25 Ordered: 03/07/25

**Certificate of Analysis** 

Batch#: 0870643984546716 Sample Size Received: 16 units Total Amount: 729 units

Completed: 03/11/25 Expires: 03/11/26 Sample Method: SOP.T.20.010

Page 2 of 6



### **Terpenes**

	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
	SABINENE HYDRATE	0.007	TESTED	ND	ND
	ALPHA-CEDRENE	0.005	TESTED	ND	ND
	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
	ALPHA-TERPINENE	0.007	TESTED	ND	ND
	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
	CIS-NEROLIDOL	0.003	TESTED	ND	ND
П	GAMMA-TERPINENE	0.007	TESTED	ND	ND
1	TRANS-NEROLIDOL	0.005	TESTED	ND	ND

Batch Date : 03/08/25 10:36:36

Total (%)

CARYOPHYLLENE O)
CEDROL
EUCALYPTOL
FENCHONE
GERANIOL
GERANYL ACETATE
GUAIOL
ISOBORNEOL
ISOBORNEOL
ISOPULEGOL
NEROL

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

**Vivian Celestino** Lab Director





## **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50307015-004 Harvest/Lot ID: 0870643984546716

Sampled: 03/07/25 Ordered: 03/07/25

Batch#: 0870643984546716 Sample Size Received: 16 units Total Amount: 729 units Completed: 03/11/25 Expires: 03/11/26 Sample Method: SOP.T.20.010

Page 3 of 6



### **Pesticides**

PASSEL	P.	A	S		ь	
--------	----	---	---	--	---	--

esticide		Units	Action Level	Pass/Fail	Result	Pesticide			Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010	P. P.	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	mag	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND				1.1.			
EPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
TAMIPRID	0.010	P. P.	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
XYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
BOFURAN	0.010		0.1	PASS	ND					0.15	PASS	ND
ORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBE	:NZENE (PCNB) *	0.010				
ORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
ORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	ppm	0.7	PASS	ND
FENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
JMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
IINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
ZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	nnm	0.5	PASS	ND
HLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted by:	
ETHOATE	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2593g	03/09/25			4640,450,3379	
OPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T					4040,430,3373	,
FENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084		102.112				
XAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LO	CMS-003 (PES)		Batcl	Date: 03/08	/25 12:53:09	
HEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date: 03/11/2	5 13:57:32					
OXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250						
PYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 030625.R07; ( Consumables: 221021D		R16; 030525.R2	5; 012925.R	01; 030525.R	01; 081023.01	
RONIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-093; DA-09-						
DNICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural ag		ing Liquid Chron	atography T	rinla-Ouadrund	la Mass Spartror	netry in
IDIOXONIL	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule		ing Elquiu Cillott	iacograpity I	ripic-Quaurupt	ne mass spectrur	neu y III
CYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction	date:		Extracted by:	
ZALIL	0.010	ppm	0.1	PASS	ND	450, 585, 1440	0.2593g	03/09/25 12	2:21:11		4640,450,3379	1
DACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method: SOP.T		).151.FL				
SOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084						
ATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-G			Batch D	ate:03/08/25	12:59:21	
ALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/11/2	D 1U:19:4U					
HIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 030725.R16; (	191022 01: 012925 02	20-012825 040				
THOMYL	0.010	ppm	0.1	PASS	ND	Consumables: 221021D						
/INPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-14		. 5551				
CLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural ag		ing Gas Chroma	ography Tric	le-Quadrupole	Mass Spectrome	try in
							64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





## **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50307015-004 Harvest/Lot ID: 0870643984546716

Batch#: 0870643984546716 Sample Size Received: 16 units Sampled: 03/07/25

Total Amount: 729 units Ordered: 03/07/25 Completed: 03/11/25 Expires: 03/11/26 Sample Method: SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:			Extracted by:	

850, 585, 1440 0.0225g 03/08/25 15:33:10

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA084155SOL Instrument Used: DA-GCMS-002 **Analyzed Date:**  $03/11/25 \ 10:26:12$ 

Dilution: 1 Reagent: 030420.09

Consumables: 430596; 319008 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Batch Date: 03/08/25 15:22:02

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



### Kaycha Labs ■ Supply Vape Cartridge 1g - Tropic Thunder (H) 1. Tropic Thunder (H Matrix : Derivative Type: Extract for Inhalation

# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50307015-004 Harvest/Lot ID: 0870643984546716

Sampled: 03/07/25 Ordered: 03/07/25

Batch#: 0870643984546716 Sample Size Received: 16 units Total Amount: 729 units Completed: 03/11/25 Expires: 03/11/26 Sample Method: SOP.T.20.010

Page 5 of 6



### **Microbial**

Batch Date: 03/08/25 09:58:06



### DACCED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	L
ASPERGILLUS TERREUS			Not Present	PASS		A
ASPERGILLUS NIGER			Not Present	PASS		ŀ
ASPERGILLUS FUMIGATUS			Not Present	PASS		(
ASPERGILLUS FLAVUS			Not Present	PASS		A
SALMONELLA SPECIFIC GENE			Not Present	PASS		A
ECOLI SHIGELLA			Not Present	PASS		Α
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3

Analyzed by: 4777, 585, 1440 Weight: **Extraction date:** Extracted by: 0.814g 03/08/25 11:01:06 4044,4777

 $\begin{array}{l} \textbf{Analysis Method:} SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL \\ \textbf{Analytical Batch:} DA084117MIC \end{array}$ 

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 03/08/25

2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block 09:56:22

(95\*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

**Analyzed Date :** 03/11/25 12:39:07

Dilution: 10

Reagent: 01

Consumables : 7580002035

Pipette: N/A

2025 07	013025.11: 021925	DC1. 101C3 ( 13	
.3025.07:	U13U25.11: U21925	.Kb1: 1U1b24.13	

Analyzed by: 4777, 4044, 585, 1440	Weight: 0.814g	Extraction date: 03/08/25 11:01:06	Extracted by: 4044,4777
	0 =1		

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA084118TYM

Instrument Used: Incubator (25\*C) DA- 328 [calibrated with DA-3821

Analyzed Date: 03/11/25 09:26:24

Dilution: 10

Reagent: 013025.07; 013025.11; 022625.R53 Consumables : N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

2	Mycotoxins				PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B	2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B	1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN	A	0.002	nnm	ND	PASS	0.02

						I GIII	LCVCI	
	AFLATOXIN B2		0.002	ppm	ND	PASS	0.02	
	AFLATOXIN B1		0.002	ppm	ND	PASS	0.02	
	OCHRATOXIN A		0.002	ppm	ND	PASS	0.02	
	AFLATOXIN G1		0.002	ppm	ND	PASS	0.02	
	AFLATOXIN G2		0.002	ppm	ND	PASS	0.02	
	Analyzed by:	Weight:	Extraction date:			acted by:		
1	3379, 585, 1440	0.2593g	03/09/25 12:21:1	11	4640	0,450,337	79	

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA084140MYC

Instrument Used: DA-LCMS-003 (MYC)

Analyzed Date: 03/11/25 13:55:16

Dilution: 250

Reagent: 030625.R07; 030525.R26; 030725.R16; 030525.R25; 012925.R01; 030525.R01; 081023.01

Consumables: 221021DD

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



### **Heavy Metals**

### **PASSED**

Batch Date: 03/08/25 12:59:19

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Extraction date: 03/08/25 14:48:34 0.2744g 4571.4056

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA084148HEA Instrument Used : DA-ICPMS-004

Batch Date: 03/08/25 13:10:09 **Analyzed Date :** 03/11/25 10:54:15

Dilution: 50

Reagent: 012925.R32; 022425.R19; 030325.R08; 030525.R29; 030325.R06; 030325.R07;

120324.07; 030625.R25

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





## Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50307015-004 Harvest/Lot ID: 0870643984546716

Sampled: 03/07/25 Ordered: 03/07/25

Batch#: 0870643984546716 Sample Size Received: 16 units Total Amount: 729 units Completed: 03/11/25 Expires: 03/11/26 Sample Method: SOP.T.20.010

Page 6 of 6



### Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 585, 1879, 1440 Extraction date: Extracted by: 1g 03/08/25 13:36:45 585

Analysis Method: SOP.T.40.090

Analytical Batch : DA084149FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 03/08/25 13:10:19 Analyzed Date: 03/09/25 11:46:18

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



### **Water Activity**

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.511	PASS	0.85
Analyzed by: 4797, 585, 1440	<b>Weight:</b> 0.3829g		raction d 09/25 14			racted by: 7,585

Analysis Method: SOP.T.40.019 Analytical Batch: DA084156WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 03/08/25 15:26:56

**Analyzed Date:** 03/11/25 08:39:21

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/11/25

pass/fail does not include the MU. Any calculated totals may contain rounding errors