



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50310006-003



Mar 13, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 5

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
NOT TESTED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
PASSED

 Terpenes
TESTED

MISC.



Cannabinoid

TESTED


Total THC

21.424%

Total THC/Container : 214.240 mg



Total CBD

0.085%

Total CBD/Container : 0.850 mg



Total Cannabinoids

25.221%

Total Cannabinoids/Container : 252.210 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.660	23.677	ND	0.097	0.047	0.040	0.563	ND	ND	ND	0.137
mg/unit	6.60	236.77	ND	0.97	0.47	0.40	5.63	ND	ND	ND	1.37
LOD	0.001	0.001	ND	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 585, 1440

 Weight:
 0.2002g

 Extraction date:
 03/11/25 13:06:12

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084188POT

Instrument Used : DA-LC-001

Analyzed Date : 03/12/25 10:00:21

Batch Date : 03/11/25 09:48:28

Dilution : 400

Reagent : 030625.R18; 012725.03; 030725.R04

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 03/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll 1g - MAC 1 (I)
MAC 1 (I)
Matrix : Flower
Type: Preroll



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50310006-003
Harvest/Lot ID: 7886401946846863

Batch# : 7886401946846863 Sample Size Received : 26 units
Sampled : 03/10/25 Total Amount : 639 units
Ordered : 03/10/25 Completed : 03/13/25 Expires: 03/13/26
Sample Method : SOP.T.20.010

Page 2 of 5


Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	14.96	1.496	SABINENE HYDRATE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	3.02	0.302	VALENCENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	2.50	0.250	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	2.47	0.247	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	1.45	0.145	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	1.18	0.118	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	0.96	0.096	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	0.88	0.088	GAMMA-TERPINENE	0.007	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	0.82	0.082	Analyzed by: 4444, 4451, 585, 1440				
ALPHA-TERPINEOL	0.007	TESTED	0.81	0.081	Weight: 1.0108g		Extraction date: 03/11/25 12:04:32		Extracted by: 4444
BETA-MYRCENE	0.007	TESTED	0.47	0.047	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
TRANS-NEROLIDOL	0.005	TESTED	0.40	0.040	Analytical Batch : DA084195TER				
3-CARENE	0.007	TESTED	ND	ND	Instrument Used : DA-GCMS-009				
BORNEOL	0.013	TESTED	ND	ND	Analyzed Date : 03/12/25 10:17:27				
CAMPHENE	0.007	TESTED	ND	ND	Dilution : 10				
CAMPHOR	0.007	TESTED	ND	ND	Reagent : 120224.06				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Consumables : 947.110; 04312111; 2240626; 0000355309				
CEDROL	0.007	TESTED	ND	ND	Pipette : DA-065				
EUCALYPTOL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)				1.496					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/13/25



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 Indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.chavez@crescolabs.com

Sample : DA50310006-003

Harvest/Lot ID: 7886401946846863

Batch# : 7886401946846863

Sampled : 03/10/25

Ordered : 03/10/25


Sample Size Received : 26 units

Total Amount : 639 units

Completed : 03/13/25 Expires: 03/13/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result		
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND		
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND		
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND		
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND		
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND		
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND		
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND		
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND		
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND		
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND		
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND		
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND		
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND		
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND		
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND		
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND		
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND		
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND		
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND		
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND		
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND		
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND		
DAMINOZIDE	0.010	ppm	0.1	PASS	ND								
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 1.0995g	Extraction date: 03/11/25 15:11:08	Extracted by: 3621,450				
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL							
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084206PES							
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)	Batch Date : 03/11/25 10:27:21						
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/12/25 17:22:14							
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250							
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 031025.R38; 081023.01; 030625.R07; 031025.R03; 030525.R25; 012925.R01; 031025.R01							
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD							
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219							
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.0995g	Extraction date: 03/11/25 15:11:08	Extracted by: 3621,450				
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL							
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084208VOL							
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011	Batch Date : 03/11/25 10:29:55						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/12/25 09:59:51							
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250							
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 031025.R38; 081023.01; 031025.R43; 031025.R44							
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD; 17473601							
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218							
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
MEVINPHOS	0.010	ppm	0.1	PASS	ND								
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND								
NALED	0.010	ppm	0.25	PASS	ND								



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll 1g - MAC 1 (I)
MAC 1 (I)
Matrix : Flower
Type: Preroll



Certificate of Analysis

PASSED




Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50310006-003
Harvest/Lot ID: 7886401946846863

Batch# : 7886401946846863 Sample Size Received : 26 units
Sampled : 03/10/25 Total Amount : 639 units
Ordered : 03/10/25 Completed : 03/13/25 Expires: 03/13/26
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
TOTAL YEAST AND MOLD	10	CFU/g	170	PASS	100000		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 03/11/25 09:41:13	Extracted by: 4520				
Analytical Batch : DA084176MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 03/11/25 07:29:55						
Analysis Date : 03/12/25 09:53:59							
Dilution : 10							
Reagent : 021725.01; 021725.03; 021925.R61; 101624.11							
Consumables : 7580002036							
Pipette : N/A							
Analysis Method : SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 03/11/25 09:41:13	Extracted by: 4520				
Analytical Batch : DA084177TYM							
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]	Batch Date : 03/11/25 07:32:32						
Analysis Date : 03/13/25 14:53:04							
Dilution : 10							
Reagent : 021725.01; 021725.03; 022625.R53							
Consumables : N/A							
Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							
	Mycotoxins	PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02		
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02		
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL	Weight: 1.0995g	Extraction date: 03/11/25 15:11:08	Extracted by: 3621,450				
Analytical Batch : DA084207MYC							
Instrument Used : DA-LCMS-005 (MYC)	Batch Date : 03/11/25 10:29:03						
Analysis Date : 03/12/25 17:21:34							
Dilution : 250							
Reagent : 031025.R38; 081023.01; 030625.R07; 031025.R03; 030525.R25; 012925.R01; 031025.R01							
Consumables : 040724CH01; 6822423-02							
Pipette : DA-093; DA-094; DA-219							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
	Heavy Metals	PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level		
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1		
ARSENIC	0.020	ppm	ND	PASS	0.2		
CADMIUM	0.020	ppm	ND	PASS	0.2		
MERCURY	0.020	ppm	ND	PASS	0.2		
LEAD	0.020	ppm	ND	PASS	0.5		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2529g	Extraction date: 03/11/25 13:24:15	Extracted by: 1022,4056				
Analytical Batch : DA084201HEA							
Instrument Used : DA-ICPMS-004	Batch Date : 03/11/25 10:13:37						
Analysis Date : 03/12/25 11:58:54							
Dilution : 50							
Reagent : 012925.R32; 022425.R19; 031025.R42; 031025.R40; 031025.R41; 120324.07; 030625.R25; 030525.R29							
Consumables : 040724CH01; J609879-0193; 179436							
Pipette : DA-060; DA-191; DA-216							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll 1g - MAC 1 (I)
MAC 1 (I)
Matrix : Flower
Type: Preroll



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50310006-003
Harvest/Lot ID: 7886401946846863

Batch# : 7886401946846863 Sample Size Received : 26 units
Sampled : 03/10/25 Total Amount : 639 units
Ordered : 03/10/25 Completed : 03/13/25 Expires: 03/13/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	9.2	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/12/25 18:53:11			Extracted by: 1879	Analyzed by: 4444, 585, 1440	Weight: 0.503g	Extraction date: 03/11/25 13:25:14			Extracted by: 4444
Analysis Method : SOP.T.40.090 Analytical Batch : DA084255FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 03/12/25 19:01:17						Analysis Method : SOP.T.40.021 Analytical Batch : DA084189MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 09:50:09 Moisture Analyzer Analyzed Date : 03/12/25 09:55:46					
Batch Date : 03/12/25 18:48:25						Batch Date : 03/11/25					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64FR20-39											

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.497	PASS	0.65
Analyzed by: 4444, 585, 1440	Weight: 0.848g	Extraction date: 03/11/25 13:39:48	Extracted by: 4444		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA084191WAT					
Instrument Used : DA257 Rotronic HygroPalm			Batch Date : 03/11/25 09:50:50		
Analyzed Date : 03/12/25 09:57:45					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/13/25