

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

Production Method: Other - Not Listed

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430)

Harvest/Lot ID: 2967795695413485

Seed to Sale#: 4035416977839207

Sampling Method: SOP.T.20.010

Pages 1 of 6

Batch#: 2967795695413485

Harvest Date: 03/03/25 Sample Size Received: 31 units Total Amount: 665 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

> Servings: 1 Ordered: 03/10/25 Sampled: 03/10/25 Completed: 03/13/25

> > PASSED

Supply Vape Cartridge 500mg - Trcna Cks (S) Trcna Cks (S) Matrix: Derivative Classification: High THC Type: Distillate



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50310006-006



Mar 13, 2025 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS

SAFETY R	ESULTS									MISC.
R Ø	Ę	Hg	(Es	ۍ پې	ی) (\bigcirc		Ô
Pesticio PASS		wy Metals ASSED	Microbials PASSED	Mycotoxir PASSED		nts PASS		r Activity ISSED	Moisture NOT TESTED	Terpenes TESTED
Ä	Cannak	oinoid							-	rested
	Total 92 Total 1		9/0 : 462.945 mg		Total CBD 0.19 Total CBD/Co	0% ontainer : 0.950 mg		396	I Cannabinoids	iner : 481.295
	D9-THC	THCA	CBD		D8-THC CB		CBN	тнсу	CBDV	СВС
%	92.493 462.47	0.110 0.55	0.190 0.95			.354 ND 6.77 ND	ND ND	ND ND	ND ND	0.112 0.56
mg/unit LOD	0.001	0.001	0.001			.001 0.001	0.001	0.001	0.001	0.001
	%	%	%		% %		%	%	%	%
Analyzed by: 3335, 1665, 585,	i, 1440			Weight: 0.1071g		tion date: /25 13:07:21			Extracted by: 3335	
Analytical Batch Instrument Used	d : SOP.T.40.031, S(i : DA084185POT d : DA-LC-003 03/12/25 10:02:05					Batch Date : 03/	/11/25 09:10:39			
Consumables : 9	25.R02; 012725.03 947.110; 04312111 9; DA-108; DA-078		00355309							
Full Spectrum can	nabinoid analysis utili	zing High Performance	e Liquid Chromatography	with UV detection in accor	dance with F.S. Rule 64EF	20-39.				
Label Clain	n									PASSED

Sunnyside*

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/13/25



..... Supply Vape Cartridge 500mg - Trcna Cks (S) Trcna Cks (S) Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50310006-006 Harvest/Lot ID: 2967795695413485 Batch#: 2967795695413485 Sample Size Received: 31 units Sampled : 03/10/25 Ordered : 03/10/25

Total Amount : 665 units Completed : 03/13/25 Expires: 03/13/26 Sample Method : SOP.T.20.010

Page 2 of 6

$\langle \rangle$	

Terpenes

lerpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
OTAL TERPENES	0.007	TESTED	17.47	3.494	SABINENE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	4.73	0.945	SABINENE HYDRATE	0.007	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	3.03	0.605	VALENCENE	0.007	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	2.99	0.597	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
NALOOL	0.007	TESTED	1.35	0.269	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ETA-PINENE	0.007	TESTED	0.94	0.187	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
LPHA-BISABOLOL	0.007	TESTED	0.67	0.134	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
INCHYL ALCOHOL	0.007	TESTED	0.62	0.123	TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
LPHA-PINENE	0.007	TESTED	0.57	0.114	Analyzed by:	Weig	ht:		on date:	Extracted by:
PHA-TERPINEOL	0.007	TESTED	0.55	0.110	4444, 4451, 585, 1440	0.20	i6g	03/11/2	5 12:06:35	4444
LPHA-HUMULENE	0.007	TESTED	0.29	0.057	Analysis Method : SOP.T.30.06	A.FL, SOP.T.40.061A.FL				
ERANIOL	0.007	TESTED	0.27	0.053	Analytical Batch : DA084193TE Instrument Used : DA-GCMS-00				Batch Date : 03/11/25 09:5	4-77
LPHA-TERPINOLENE	0.007	TESTED	0.27	0.053	Analyzed Date : 03/12/25 10:02				Date: Date 103/11/23 05.3	1 m - da da
ROL	0.007	TESTED	0.25	0.049	Dilution : 10					
MPHENE	0.007	TESTED	0.22	0.044	Reagent : 120224.06					
IMMA-TERPINENE	0.007	TESTED	0.21	0.042	Consumables : 947.110; 04312 Pipette : DA-065	11; 2240626; 0000355309				
RYOPHYLLENE OXIDE	0.007	TESTED	0.21	0.041		ing Gas Chromatography Mass Spectromet	. Fee all filmers as	males the Tatal	Townson W is downsished associated	
IMENE	0.007	TESTED	0.20	0.040	respendid descring is performed doin	ing das chromatography Mass Spectromet	y. For all Flower sa	impres, the rotal	repenes % is dry-weight corrected.	
JAIOL	0.007	TESTED	0.16	0.031						
CARENE	0.007	TESTED	ND	ND						
DRNEOL	0.013	TESTED	ND	ND						
MPHOR	0.007	TESTED	ND	ND						
EDROL	0.007	TESTED	ND	ND						
JCALYPTOL	0.007	TESTED	ND	ND						
ARNESENE	0.001	TESTED	ND	ND						
INCHONE	0.007	TESTED	ND	ND						
ERANYL ACETATE	0.007	TESTED	ND	ND						
EXAHYDROTHYMOL	0.007	TESTED	ND	ND						
OBORNEOL	0.007	TESTED	ND	ND						
OPULEGOL	0.007	TESTED	ND	ND						
ULEGONE	0.007	TESTED	ND	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/13/25



Supply Vape Cartridge 500mg - Trcna Cks (S) Trcna Cks (S) Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50310006-006 Harvest/Lot ID: 2967795695413485

Sampled : 03/10/25 Ordered : 03/10/25

Batch#: 2967795695413485 Sample Size Received: 31 units Total Amount : 665 units Completed : 03/13/25 Expires: 03/13/26 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010 ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
DTAL DIMETHOMORPH	0.010 ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	maa	0.1	PASS	ND
DTAL PERMETHRIN	0.010 ppm	0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
OTAL PYRETHRINS	0.010 ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
OTAL SPINETORAM	0.010 ppm	0.2	PASS	ND			0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010 ppm	0.1	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
BAMECTIN B1A	0.010 ppm	0.1	PASS	ND	PROPICONAZOLE						
CEPHATE	0.010 ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
CEQUINOCYL	0.010 ppm	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
CETAMIPRID	0.010 ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
LDICARB	0.010 ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010 ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
IFENAZATE	0.010 ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
IFENTHRIN	0.010 ppm	0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
OSCALID	0.010 ppm	0.1	PASS	ND	THIAMETHOXAM		0.010	P.P.	0.5	PASS	ND
ARBARYL	0.010 ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
ARBOFURAN	0.010 ppm	0.1	PASS	ND	PENTACHLORONITROBEN	TENE (DCND) *	0.010		0.15	PASS	ND
HLORANTRANILIPROLE	0.010 ppm	1	PASS	ND		IZENE (PCNB) *			0.13	PASS	ND
HLORMEQUAT CHLORIDE	0.010 ppm	1	PASS	ND	PARATHION-METHYL *		0.010				
ILORPYRIFOS	0.010 ppm	0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
OFENTEZINE	0.010 ppm	0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
DUMAPHOS	0.010 ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
AMINOZIDE	0.010 ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
AZINON	0.010 ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
ICHLORVOS	0.010 ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracted	bv:
IMETHOATE	0.010 ppm	0.1	PASS	ND	3621, 585, 1440	0.2127g		5 15:09:22		3621,450	.,.
THOPROPHOS	0.010 ppm	0.1	PASS	ND	Analysis Method : SOP.T.3	0.102.FL, SOP.T.40.10)2.FL				
TOFENPROX	0.010 ppm	0.1	PASS	ND	Analytical Batch : DA0842						
TOXAZOLE	0.010 ppm	0.1	PASS	ND	Instrument Used : DA-LCM			Batcl	Date :03/11	/25 10:36:37	
ENHEXAMID	0.010 ppm	0.1	PASS	ND	Analyzed Date :03/12/25	17:15:11					
ENOXYCARB	0.010 ppm	0.1	PASS	ND	Dilution : 250 Reagent : 031025.R38; 08	1023 01 · 030625 P05	· 031025 P03	· 030625 P0	6. 012025 P01	· 031025 P01	
ENPYROXIMATE	0.010 ppm	0.1	PASS	ND	Consumables : 040724CH		, 051025.1105	, 030023.110	0, 012929.1101	1, 031023.1101	
IPRONIL	0.010 ppm	0.1	PASS	ND	Pipette : DA-093; DA-094;						
LONICAMID	0.010 ppm	0.1	PASS	ND	Testing for agricultural ager		g Liquid Chron	natography T	riple-Quadrupo	le Mass Spectro	metry in
LUDIOXONIL	0.010 ppm	0.1	PASS	ND	accordance with F.S. Rule 6						
EXYTHIAZOX	0.010 ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extractio			Extracted b	by:
IAZALIL	0.010 ppm	0.1	PASS	ND	450, 585, 1440	0.2127g	03/11/25	15:09:22		3621,450	
IIDACLOPRID	0.010 ppm	0.4	PASS	ND	Analysis Method : SOP.T.3 Analytical Batch : DA0842		151.FL				
RESOXIM-METHYL	0.010 ppm	0.1	PASS	ND	Instrument Used : DA-GCM			Batch D	ate:03/11/25	10.39.07	
ALATHION	0.010 ppm	0.2	PASS	ND	Analyzed Date :03/12/25			butch b		20.007	
ETALAXYL	0.010 ppm	0.1	PASS	ND	Dilution : 250						
ETHIOCARB	0.010 ppm	0.1	PASS	ND	Reagent : 031025.R38; 08	1023.01; 031025.R43	;031025.R44				
ETHOMYL	0.010 ppm	0.1	PASS	ND	Consumables : 040724CH		601				
IEVINPHOS	0.010 ppm	0.1	PASS	ND	Pipette : DA-080; DA-146;						
IYCLOBUTANIL	0.010 ppm	0.1	PASS	ND	Testing for agricultural ager		g Gas Chroma	tography Trip	le-Quadrupole	Mass Spectrome	etry in
ALED	0.010 ppm	0.25	PASS	ND	accordance with F.S. Rule 6	+ERZU-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

03/13/25



Supply Vape Cartridge 500mg - Trcna Cks (S) Trcna Cks (S) Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50310006-006 Harvest/Lot ID: 2967795695413485 Sampled : 03/10/25 Ordered : 03/10/25

Batch#: 2967795695413485 Sample Size Received: 31 units Total Amount : 665 units Completed : 03/13/25 Expires: 03/13/26 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result			
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND			
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND			
2-PROPANOL	50.000	ppm	500	PASS	ND			
ACETONE	75.000	ppm	750	PASS	ND			
ACETONITRILE	6.000	ppm	60	PASS	ND			
BENZENE	0.100	ppm	1	PASS	ND			
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND			
CHLOROFORM	0.200	ppm	2	PASS	ND			
DICHLOROMETHANE	12.500	ppm	125	PASS	ND			
THANOL	500.000	ppm	5000	PASS	ND			
THYL ACETATE	40.000	ppm	400	PASS	ND			
THYL ETHER	50.000	ppm	500	PASS	ND			
THYLENE OXIDE	0.500	ppm	5	PASS	ND			
IEPTANE	500.000	ppm	5000	PASS	ND			
IETHANOL	25.000	ppm	250	PASS	ND			
I-HEXANE	25.000	ppm	250	PASS	ND			
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND			
ROPANE	500.000	ppm	5000	PASS	ND			
TOLUENE	15.000	ppm	150	PASS	ND			
TOTAL XYLENES	15.000	ppm	150	PASS	ND			
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND			
nalyzed by: 50, 585, 1440	Weight: 0.0235g	Extraction date: 03/12/25 10:18:54		E x 85	tracted by: 0			
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA084214SOL nstrument Used : DA-GCMS-002 nalyzed Date : 03/12/25 11:53:29	Batch Date : 03/11/25 13:40:01							

Reagent : 030420.09 Consumables : 430596: 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/13/25



Supply Vape Cartridge 500mg - Trcna Cks (S) Trcna Cks (S) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50310006-006 Harvest/Lot ID: 2967795695413485 Batch#: 2967795695413485 Sample Size Received: 31 units Sampled : 03/10/25

Total Amount : 665 units Ordered : 03/10/25 Completed : 03/13/25 Expires: 03/13/26 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ,	Microl	bial			PAS	SED	သို့	Му	cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Level	AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002		ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOXI				ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1			ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GENI	E		Not Present	PASS		AFLATOXIN	G2			ppm	ND	PASS	0.02
COLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction dat		E	xtracted	2011
TOTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000	3621, 585, 144	10	0.2127g	03/11/25 15:0			621,450	JY:
nalyzed by: 520, 4044, 58	5, 1440	Weight: 0.853g	Extraction d 03/11/25 09		Extracte 4520	ed by:	Analysis Metho Analytical Bato			P.T.40.102.FL				
	od:SOP.T.40.0560 h:DA084176MIC		58.FL, SOP.T.	.40.209.FL			Instrument Us Analyzed Date			B	atch Date	e:03/11/2	5 10:38:4	0
Dilution : 10	: 03/12/25 09:54: 725.01; 021725.03 7580002036		1; 101624.11	L			Consumables : Pipette : DA-09 Mycotoxins test accordance with	93; DA-094 ting utilizing	; DA-219 Liquid Chromato	J2 graphy with Triple	-Quadrupo	ole Mass Spe	ectrometry	in
Analyzed by: 1520, 4044, 58	5, 1440	Weight: 0.853g	Extraction d 03/11/25 09		Extracte 4520	ed by:	Hg	Неа	avy Mo	etals			PAS	SED
Analytical Batc nstrument Use	od : SOP.T.40.209. h : DA084177TYM ed : Incubator (25*	1	calibrated wit	th Batch Dat	t e: 03/11/2	25 07:32:32	Motol			LOD	Units	Result	Pass / Fail	Action Level
DA-382]	: 03/13/25 14:53:	07					TOTAL CONT		LOAD METAI	LS 0.080	ppm	ND	PASS	1.1
ilution : 10		••					ARSENIC			0.020	ppm	ND	PASS	0.2
	725.01; 021725.03	3: 022625 R5	3				CADMIUM			0.020	ppm	ND	PASS	0.2
onsumables :		0, 022020110	5				MERCURY			0.020	ppm	ND	PASS	0.2
ipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	mold testing is perfo F.S. Rule 64ER20-39		MPN and tradit	ional culture base	d techniques	s in	Analyzed by: 1022, 585, 144	10	Weight: 0.2465g	Extraction dat 03/11/25 14:0			xtracted I 022,4056	
							Analysis Metho Analytical Bato Instrument Uso Analyzed Date	ch : DA0842 ed : DA-ICP	202HEA MS-004		h Date : (03/11/25 1	.0:22:34	
							Dilution : 50 Reagent : 0129 120324.07; 03 Consumables :	0625.R25		1025.R42; 0305 193: 179436	25.R29; (031025.R4	0; 03102	5.R41;

Consumables : 040724CH01; J609879-0193; 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

03/13/25



Page 6 of 6

Supply Vape Cartridge 500mg - Trcna Cks (S) Trcna Cks (S) Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50310006-006 Harvest/Lot ID: 2967795695413485 Batch#: 2967795695413485 Sample Size Received: 31 units Sampled : 03/10/25 Ordered : 03/10/25

Total Amount : 665 units Completed : 03/13/25 Expires: 03/13/26 Sample Method : SOP.T.20.010

	Filth/For Materia		PASSED			
Analyte Filth and Foreig	gn Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440	Weight: 1q		action da		Ex 1	tracted by: 79
	: Filth/Foreign Mater 3/12/25 19:01:15 A	rial Micro	oscope	Batch D	ate:03/12	2/25 18:48:25
Filth and foreign material for the second se	aterial inspection is pe ordance with F.S. Rule	rformed b 64ER20-3	y visual in: 39.	spection utilizir	ng naked ey	e and microscope
\bigcirc	Water A	ctiv	ity		PA	SSED
Analyte Water Activity		LOD 0.010	Units aw	Result 0.383	P/F PASS	Action Level 0.85

Analyzed by: 4444, 585, 1440	Weight: 0.1777g	Extraction date: 03/11/25 13:52:23	Extracted by: 4444
Analysis Method : SOP.T. Analytical Batch : DA084 Instrument Used : DA257 Analyzed Date : 03/12/25	192WAT Rotronic Hygr	oPalm Batch Date	: 03/11/25 09:51:40
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A			
Water Activity is performed	using a Rotronic	HygroPalm HP 23-AW in accorda	ance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

03/13/25