

# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50312009-002


**Production Method:** Other - Not Listed

**Harvest/Lot ID:** 2923794486830750

**Batch#:** 2923794486830750

**Cultivation Facility:** FL - Indiantown (4430)

**Processing Facility:** FL - Indiantown (4430)

**Source Facility:** FL - Indiantown (4430)

**Seed to Sale#:** 5181638786557302

**Harvest Date:** 03/04/25

**Sample Size Received:** 16 units

**Total Amount:** 1755 units

**Retail Product Size:** 1 gram

**Retail Serving Size:** 1 gram

**Servings:** 1

**Ordered:** 03/11/25

**Sampled:** 03/12/25

**Completed:** 03/14/25

**Sampling Method:** SOP.T.20.010

Mar 14, 2025 | Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

# Sunnyside\*

**PASSED**

Pages 1 of 6

### SAFETY RESULTS


 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals  
 Solvents  
**PASSED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
**NOT TESTED**

 Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**TESTED**

**Total THC**
**83.330%**

Total THC/Container : 833.300 mg


**Total CBD**
**0.220%**

Total CBD/Container : 2.200 mg


**Total Cannabinoids**
**88.034%**

Total Cannabinoids/Container : 880.340 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	83.259	0.081	0.182	0.044	ND	3.031	ND	0.925	0.372	ND	0.140
mg/unit	832.59	0.81	1.82	0.44	ND	30.31	ND	9.25	3.72	ND	1.40
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 3335, 1665, 585, 1440

 Weight:  
 0.1028g

 Extraction date:  
 03/12/25 12:21:04

 Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084233POT

Instrument Used : DA-LC-007

Analyzed Date : 03/13/25 09:59:29

Batch Date : 03/12/25 10:09:32

Dilution : 400

Reagent : 030725.R01; 012725.03; 030725.R05

Consumables : 4052-629; 947.110; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

### Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 03/14/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g  
Pride  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50312009-002  
Harvest/Lot ID: 2923794486830750

Batch# : 2923794486830750 Sample Size Received : 16 units  
Sampled : 03/12/25 Total Amount : 1755 units  
Ordered : 03/12/25 Completed : 03/14/25 Expires: 03/14/26  
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED


Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	40.83	4.083	SABINENE HYDRATE	0.007	TESTED	ND	ND
VALENCENE	0.007	TESTED	13.84	1.384	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	10.18	1.018	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	5.92	0.592	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	2.89	0.289	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	1.79	0.179	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	1.71	0.171	GAMMA-TERPINENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	1.21	0.121	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	0.97	0.097	Analyzed by:	Weight:	Extraction date:	Extracted by:	
CARYOPHYLLENE OXIDE	0.007	TESTED	0.64	0.064	4444, 4451, 585, 1440	0.2107g	03/12/25 11:27:41	4444	
FENCHYL ALCOHOL	0.007	TESTED	0.64	0.064	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PINENE	0.007	TESTED	0.54	0.054	Analytical Batch : DA084223TER				
GERANYL ACETATE	0.007	TESTED	0.29	0.029	Instrument Used : DA-GCHS-008				
ALPHA-TERPINEOL	0.007	TESTED	0.21	0.021	Analyzed Date : 03/13/25 09:59:31				
3-CARENE	0.007	TESTED	ND	ND	Dilution : 10				
BORNEOL	0.013	TESTED	ND	ND	Reagent : 120224.06				
CAMPHENE	0.007	TESTED	ND	ND	Consumables : 947.110; 04312111; 2240626; 0000355309				
CAMPHOR	0.007	TESTED	ND	ND	Pipette : DA-065				
CEDROL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)				4.083					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/14/25



# Certificate of Analysis

**PASSED**


Sunnyside

 22205 Sw Martin Hwy  
 Indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: julio.chavez@crescolabs.com

 Sample : DA50312009-002  
 Harvest/Lot ID: 2923794486830750

 Batch# : 2923794486830750 Sample Size Received : 16 units  
 Sampled : 03/12/25 Total Amount : 1755 units  
 Ordered : 03/12/25 Completed : 03/14/25 Expires: 03/14/26  
 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED


Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	<div> <div>Analyzed by: 3621, 585, 1440</div> <div>Weight: 0.2267g</div> <div>Extraction date: 03/12/25 12:20:17</div> <div>Extracted by: 3621</div> </div> <div> <div>Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL</div> <div>Analytical Batch : DA084250PES</div> <div>Instrument Used : DA-LCMS-005 (PES)</div> <div>Analyzed Date : 03/13/25 09:58:39</div> </div> <div> <div>Dilution : 250</div> <div>Reagent : 031125.R23; 031025.R03; 031025.R38; 031125.R24; 012925.R01; 031025.R01; 081023.01</div> <div>Consumables : 6822423-02</div> <div>Pipette : DA-093; DA-094; DA-219</div> </div> <div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> </div>					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<div> <div>Analyzed by: 450, 585, 1440</div> <div>Weight: 0.2267g</div> <div>Extraction date: 03/12/25 12:20:17</div> <div>Extracted by: 3621</div> </div> <div> <div>Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL</div> <div>Analytical Batch : DA084252VOL</div> <div>Instrument Used : DA-GCMS-010</div> <div>Analyzed Date : 03/13/25 09:56:55</div> </div> <div> <div>Dilution : 250</div> <div>Reagent : 031025.R38; 081023.01; 031025.R43; 031025.R44</div> <div>Consumables : 6822423-02; 040724CH01; 17473601</div> <div>Pipette : DA-080; DA-146; DA-218</div> </div> <div> <div>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> </div>					
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g  
Pride  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50312009-002  
Harvest/Lot ID: 2923794486830750

Batch# : 2923794486830750 Sample Size Received : 16 units  
Sampled : 03/12/25 Total Amount : 1755 units  
Ordered : 03/12/25 Completed : 03/14/25 Expires: 03/14/26  
Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0215g

Extraction date:  
03/12/25 13:57:28

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA08425450L  
Instrument Used : DA-GCMS-003  
Analyzed Date : 03/14/25 09:29:38

Batch Date : 03/12/25 13:21:07

Dilution : 1  
Reagent : 030420.09  
Consumables : 430596; 319008  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/14/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g  
Pride  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED




Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50312009-002  
Harvest/Lot ID: 2923794486830750

Batch# : 2923794486830750 Sample Size Received : 16 units  
Sampled : 03/12/25 Total Amount : 1755 units  
Ordered : 03/12/25 Completed : 03/14/25 Expires: 03/14/26  
Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>					
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>		
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.959g	Extraction date: 03/12/25 10:25:18	Extracted by: 4044,4531				
Analytical Batch : DA084224MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 03/12/25 09:49:45						
Analysis Date : 03/13/25 09:51:43							
Dilution : 10							
Reagent : 021725.01; 021725.06; 021925.R61; 101624.11							
Consumables : 7580002026							
Pipette : N/A							
Analysis Method : SOP.T.40.209.FL	Weight: 0.959g	Extraction date: 03/12/25 10:25:18	Extracted by: 4044,4531				
Analytical Batch : DA084225TYM							
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]	Batch Date : 03/12/25 09:51:04						
Analysis Date : 03/14/25 12:22:55							
Dilution : 10							
Reagent : 021725.01; 021725.06; 022625.R53							
Consumables : N/A							
Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							
	<b>Mycotoxins</b>	<b>PASSED</b>					
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>		
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02		
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02		
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL	Weight: 0.2267g	Extraction date: 03/12/25 12:20:17	Extracted by: 3621				
Analytical Batch : DA084251MYC							
Instrument Used : N/A	Batch Date : 03/12/25 10:40:26						
Analysis Date : 03/13/25 09:03:16							
Dilution : 250							
Reagent : 031125.R23; 031025.R03; 031025.R38; 031125.R24; 012925.R01; 031025.R01; 081023.01							
Consumables : 6822423-02							
Pipette : DA-093; DA-094; DA-219							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
	<b>Heavy Metals</b>	<b>PASSED</b>					
<b>Metal</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>		
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1		
ARSENIC	0.020	ppm	ND	PASS	0.2		
CADMIUM	0.020	ppm	ND	PASS	0.2		
MERCURY	0.020	ppm	ND	PASS	0.2		
LEAD	0.020	ppm	ND	PASS	0.5		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2201g	Extraction date: 03/12/25 12:55:16	Extracted by: 4056,1022				
Analytical Batch : DA084242HEA							
Instrument Used : DA-ICPMS-004	Batch Date : 03/12/25 10:21:36						
Analysis Date : 03/13/25 10:31:23							
Dilution : 50							
Reagent : 012925.R32; 022425.R19; 031025.R42; 030525.R29; 031025.R40; 031025.R41; 120324.07; 030625.R25							
Consumables : 040724CH01; J609879-0193; 179436							
Pipette : DA-061; DA-191; DA-216							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164


Signature  
03/14/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g  
Pride  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA50312009-002

Harvest/Lot ID: 2923794486830750

Batch# : 2923794486830750

Sampled : 03/12/25

Ordered : 03/12/25

Sample Size Received : 16 units

Total Amount : 1755 units

Completed : 03/14/25 Expires: 03/14/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/12/25 18:53:17	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA084255FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 03/12/25 18:48:25

Analyzed Date : 03/12/25 19:01:28

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.384	PASS	0.85

Analyzed by: 1879, 4797, 585, 1440	Weight: 0.4795g	Extraction date: 03/12/25 11:58:08	Extracted by: 1879,585
---------------------------------------	--------------------	---------------------------------------	---------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA084238WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date : 03/12/25 10:18:21

Analyzed Date : 03/13/25 09:04:33

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/14/25