



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50312009-003


Production Method: Other - Not Listed

Harvest/Lot ID: 5564339938493701

Batch#: 5564339938493701

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 6345934534037365

Harvest Date: 03/05/25

Sample Size Received: 16 units

Total Amount: 1611 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 03/11/25

Sampled: 03/12/25

Completed: 03/14/25

Sampling Method: SOP.T.20.010

Mar 14, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
87.678%

Total THC/Container : 876.780 mg


Total CBD
0.187%

Total CBD/Container : 1.870 mg


Total Cannabinoids
92.389%

Total Cannabinoids/Container : 923.890 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.610	0.078	0.187	ND	ND	3.173	ND	0.831	0.401	0.016	0.093
mg/unit	876.10	0.78	1.87	ND	ND	31.73	ND	8.31	4.01	0.16	0.93
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1024g

Extraction date:
03/12/25 12:30:33

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084234POT

Instrument Used : DA-LC-003

Analyzed Date : 03/14/25 09:34:04

Batch Date : 03/12/25 10:11:29

Dilution : 400

Reagent : 030725.R02; 012725.03; 030725.R03

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Friyay Cartridge 1g

Friyay

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50312009-003

Harvest/Lot ID: 5564339938493701

Batch# : 5564339938493701

Sampled : 03/12/25

Ordered : 03/12/25

Sample Size Received : 16 units

Total Amount : 1611 units

Completed : 03/14/25 Expires: 03/14/26

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	44.98	4.498	NEROL	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	9.83	0.983	OCIMENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	8.41	0.841	PULEGONE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	6.76	0.676	SABINENE	0.007	TESTED	ND	ND
VALENCENE	0.007	TESTED	4.20	0.420	SABINENE HYDRATE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	2.49	0.249	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
GERANIOL	0.007	TESTED	2.14	0.214	CIS-NEROLIDOL	0.003	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	2.03	0.203	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	1.45	0.145	Analyzed by: 6846, 4451, 585, 1440				
ALPHA-PINENE	0.007	TESTED	1.21	0.121	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FENCHYL ALCOHOL	0.007	TESTED	1.13	0.113	Analytical Batch : DA084237TER				
ALPHA-HUMULENE	0.007	TESTED	1.11	0.111	Instrument Used : DA-GC/MS-004				
ALPHA-TERPINEOL	0.007	TESTED	1.09	0.109	Analyzed Date : 03/14/25 09:33:37				
ALPHA-TERPINOLINE	0.007	TESTED	0.49	0.049	Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.47	0.047	Reagent : 120224.06				
TRANS-NEROLIDOL	0.005	TESTED	0.40	0.040	Consumables : 947.110; 04312111; 2240626; 0000355309				
CAMPHERE	0.007	TESTED	0.39	0.039	Pipette : DA-065				
CAMPHOR	0.007	TESTED	0.29	0.029	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GUAIOL	0.007	TESTED	0.29	0.029					
ALPHA-CEDRENE	0.005	TESTED	0.29	0.029					
3-CARENE	0.007	TESTED	0.28	0.028					
ALPHA-TERPINENE	0.007	TESTED	0.23	0.023					
BORNEOL	0.013	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.001	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
Total (%)				4.498					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Friyay Cartridge 1g

Friyay

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50312009-003

Harvest/Lot ID: 5564339938493701

Batch# : 5564339938493701

Sampled : 03/12/25

Ordered : 03/12/25

Sample Size Received : 16 units

Total Amount : 1611 units

Completed : 03/14/25 Expires: 03/14/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 0.2312g	Extraction date: 03/12/25 12:20:17	Extracted by: 3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084250PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)				Batch Date : 03/12/25 10:39:10	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/13/25 09:58:41					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 031125.R23; 031025.R03; 031025.R38; 031125.R24; 012925.R01; 031025.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2312g	Extraction date: 03/12/25 12:20:17	Extracted by: 3621		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084252VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 03/12/25 10:40:28	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/13/25 09:56:56					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 031025.R38; 081023.01; 031025.R43; 031025.R44					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02; 040724CH01; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664


Kaycha Labs

Good News Friyay Cartridge 1g

Friyay

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50312009-003

Harvest/Lot ID: 5564339938493701

Batch# : 5564339938493701

Sampled : 03/12/25

Ordered : 03/12/25

Sample Size Received : 16 units

Total Amount : 1611 units

Completed : 03/14/25 Expires: 03/14/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0222g

Extraction date:
03/12/25 13:57:28

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA08425450L
Instrument Used : DA-GCMS-003
Analyzed Date : 03/14/25 09:29:39

Batch Date : 03/12/25 13:21:07

Dilution : 1
Reagent : 030420.09
Consumables : 430596; 319008
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/14/25



Certificate of Analysis

PASSED



Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50312009-003
Harvest/Lot ID: 5564339938493701

Batch# : 5564339938493701 Sample Size Received : 16 units
Sampled : 03/12/25 Total Amount : 1611 units
Ordered : 03/12/25 Completed : 03/14/25 Expires: 03/14/26
Sample Method : SOP.T.20.010

Page 5 of 6

	<h1>Microbial</h1> <div>PASSED</div>		<h1>Mycotoxins</h1> <div>PASSED</div>																																																																																																																																																																																																																																														
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr><tr><td colspan="6">Analyzed by: 4777, 4520, 585, 1440</td></tr><tr><td colspan="6">Weight: 0.84g</td></tr><tr><td colspan="6">Extraction date: 03/12/25 10:25:19</td></tr><tr><td colspan="6">Extracted by: 4044,4531</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td></tr><tr><td colspan="6">Analytical Batch : DA084224MIC</td></tr><tr><td colspan="6">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)</td></tr><tr><td colspan="6">Batch Date : 03/12/25 09:51:43</td></tr><tr><td colspan="6">Dilution : 10</td></tr><tr><td colspan="6">Reagent : 021725.01; 021725.06; 021925.R61; 101624.11</td></tr><tr><td colspan="6">Consumables : 7580002026</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 4777, 4520, 585, 1440						Weight: 0.84g						Extraction date: 03/12/25 10:25:19						Extracted by: 4044,4531						Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA084224MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)						Batch Date : 03/12/25 09:51:43						Dilution : 10						Reagent : 021725.01; 021725.06; 021925.R61; 101624.11						Consumables : 7580002026						Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td colspan="6">Analyzed by: 3621, 585, 1440</td></tr><tr><td colspan="6">Weight: 0.2312g</td></tr><tr><td colspan="6">Extraction date: 03/12/25 12:20:17</td></tr><tr><td colspan="6">Extracted by: 3621</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL</td></tr><tr><td colspan="6">Analytical Batch : DA084251MYC</td></tr><tr><td colspan="6">Instrument Used : N/A</td></tr><tr><td colspan="6">Batch Date : 03/12/25 10:40:26</td></tr><tr><td colspan="6">Analyzed Date : 03/13/25 09:03:19</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 031125.R23; 031025.R03; 031025.R38; 031125.R24; 012925.R01; 031025.R01; 081023.01</td></tr><tr><td colspan="6">Consumables : 6822423-02</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 3621, 585, 1440						Weight: 0.2312g						Extraction date: 03/12/25 12:20:17						Extracted by: 3621						Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL						Analytical Batch : DA084251MYC						Instrument Used : N/A						Batch Date : 03/12/25 10:40:26						Analyzed Date : 03/13/25 09:03:19						Dilution : 250						Reagent : 031125.R23; 031025.R03; 031025.R38; 031125.R24; 012925.R01; 031025.R01; 081023.01						Consumables : 6822423-02						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																												
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																																																																																													
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																																																																																													
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																																																																																													
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																																																																																													
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																																																																																													
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																																																																																													
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																																																																																																																																																																																																																												
Analyzed by: 4777, 4520, 585, 1440																																																																																																																																																																																																																																																	
Weight: 0.84g																																																																																																																																																																																																																																																	
Extraction date: 03/12/25 10:25:19																																																																																																																																																																																																																																																	
Extracted by: 4044,4531																																																																																																																																																																																																																																																	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																																																																																																	
Analytical Batch : DA084224MIC																																																																																																																																																																																																																																																	
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)																																																																																																																																																																																																																																																	
Batch Date : 03/12/25 09:51:43																																																																																																																																																																																																																																																	
Dilution : 10																																																																																																																																																																																																																																																	
Reagent : 021725.01; 021725.06; 021925.R61; 101624.11																																																																																																																																																																																																																																																	
Consumables : 7580002026																																																																																																																																																																																																																																																	
Pipette : N/A																																																																																																																																																																																																																																																	
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																												
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																																												
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																																												
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																																												
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																																												
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																																												
Analyzed by: 3621, 585, 1440																																																																																																																																																																																																																																																	
Weight: 0.2312g																																																																																																																																																																																																																																																	
Extraction date: 03/12/25 12:20:17																																																																																																																																																																																																																																																	
Extracted by: 3621																																																																																																																																																																																																																																																	
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL																																																																																																																																																																																																																																																	
Analytical Batch : DA084251MYC																																																																																																																																																																																																																																																	
Instrument Used : N/A																																																																																																																																																																																																																																																	
Batch Date : 03/12/25 10:40:26																																																																																																																																																																																																																																																	
Analyzed Date : 03/13/25 09:03:19																																																																																																																																																																																																																																																	
Dilution : 250																																																																																																																																																																																																																																																	
Reagent : 031125.R23; 031025.R03; 031025.R38; 031125.R24; 012925.R01; 031025.R01; 081023.01																																																																																																																																																																																																																																																	
Consumables : 6822423-02																																																																																																																																																																																																																																																	
Pipette : DA-093; DA-094; DA-219																																																																																																																																																																																																																																																	
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																	
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td colspan="6">Analyzed by: 1022, 585, 1440</td></tr><tr><td colspan="6">Weight: 0.2901g</td></tr><tr><td colspan="6">Extraction date: 03/12/25 12:56:11</td></tr><tr><td colspan="6">Extracted by: 4056,1022</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="6">Analytical Batch : DA084242HEA</td></tr><tr><td colspan="6">Instrument Used : DA-ICPMS-004</td></tr><tr><td colspan="6">Batch Date : 03/12/25 10:21:36</td></tr><tr><td colspan="6">Analyzed Date : 03/13/25 10:31:24</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 012925.R32; 022425.R19; 031025.R42; 030525.R29; 031025.R40; 031025.R41; 120324.07; 030625.R25</td></tr><tr><td colspan="6">Consumables : 040724CH01; J609879-0193; 179436</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 1440						Weight: 0.2901g						Extraction date: 03/12/25 12:56:11						Extracted by: 4056,1022						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA084242HEA						Instrument Used : DA-ICPMS-004						Batch Date : 03/12/25 10:21:36						Analyzed Date : 03/13/25 10:31:24						Dilution : 50						Reagent : 012925.R32; 022425.R19; 031025.R42; 030525.R29; 031025.R40; 031025.R41; 120324.07; 030625.R25						Consumables : 040724CH01; J609879-0193; 179436						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						<div><div><div>Hg</div></div><h1>Heavy Metals</h1><div>PASSED</div></div>																																																																																																																								
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																												
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																																																																																																																																												
ARSENIC	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																																																												
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																																																												
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																																																												
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																																																																																																																																												
Analyzed by: 1022, 585, 1440																																																																																																																																																																																																																																																	
Weight: 0.2901g																																																																																																																																																																																																																																																	
Extraction date: 03/12/25 12:56:11																																																																																																																																																																																																																																																	
Extracted by: 4056,1022																																																																																																																																																																																																																																																	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																																																																																																	
Analytical Batch : DA084242HEA																																																																																																																																																																																																																																																	
Instrument Used : DA-ICPMS-004																																																																																																																																																																																																																																																	
Batch Date : 03/12/25 10:21:36																																																																																																																																																																																																																																																	
Analyzed Date : 03/13/25 10:31:24																																																																																																																																																																																																																																																	
Dilution : 50																																																																																																																																																																																																																																																	
Reagent : 012925.R32; 022425.R19; 031025.R42; 030525.R29; 031025.R40; 031025.R41; 120324.07; 030625.R25																																																																																																																																																																																																																																																	
Consumables : 040724CH01; J609879-0193; 179436																																																																																																																																																																																																																																																	
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																																																																																																	
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																	



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664


Kaycha Labs

Good News Friyay Cartridge 1g

Friyay

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50312009-003

Harvest/Lot ID: 5564339938493701

Batch# : 5564339938493701

Sampled : 03/12/25

Ordered : 03/12/25

Sample Size Received : 16 units

Total Amount : 1611 units

Completed : 03/14/25 Expires: 03/14/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/12/25 18:53:17	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA084255FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 03/12/25 18:48:25

Analyzed Date : 03/12/25 19:01:28

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.376	PASS	0.85

Analyzed by: 1879, 4797, 585, 1440	Weight: 0.4483g	Extraction date: 03/12/25 11:52:25	Extracted by: 1879,585
---------------------------------------	--------------------	---------------------------------------	---------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA084238WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date : 03/12/25 10:18:21

Analyzed Date : 03/13/25 09:04:34

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/14/25