



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50312009-006



Mar 14, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 6

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
NOT TESTED

 Terpenes
TESTED

MISC.



Cannabinoid

TESTED


Total THC

80.993%

Total THC/Container : 809.930 mg



Total CBD

0.106%

Total CBD/Container : 1.060 mg



Total Cannabinoids

91.716%

Total Cannabinoids/Container : 917.160 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	10.145	80.785	ND	0.121	ND	0.057	0.487	0.016	0.021	ND	0.084
mg/unit	101.45	807.85	ND	1.21	ND	0.57	4.87	0.16	0.21	ND	0.84
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

 Analyzed by:
 3335, 1665, 585, 1440

 Weight:
 0.0974g

 Extraction date:
 03/12/25 12:30:33

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084234POT

Instrument Used : DA-LC-003

Analyzed Date : 03/14/25 09:31:17

Batch Date : 03/12/25 10:11:29

Dilution : 400

Reagent : 030725.R02; 012725.03; 030725.R03

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 03/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Budder Wax 1g - Bnana Pddng x Sgr Ddy (S)
Bnana Pddng x Sgr Ddy (S)
Matrix : Derivative
Type: Wax

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50312009-006
Harvest/Lot ID: 0551396381032942

Batch# : 0551396381032942 Sample Size Received : 16 units
Sampled : 03/12/25 Total Amount : 2263 units
Ordered : 03/12/25 Completed : 03/14/25 Expires: 03/14/26
Sample Method : SOP.T.20.010

Page 2 of 6


Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	50.14	5.014	NEROL	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	17.91	1.791	PULEGONE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	9.59	0.959	SABINENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	7.33	0.733	SABINENE HYDRATE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	5.82	0.582	VALENCENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	1.84	0.184	ALPHA-CEDRENE	0.005	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	1.44	0.144	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	0.96	0.096	CIS-NEROLIDOL	0.003	TESTED	ND	ND
BORNEOL	0.013	TESTED	0.63	0.063	Analyzed by: 6846, 4451, 585, 1440 Weight: 0.235g Extraction date: 03/12/25 11:31:39 Extracted by: 4444				
BETA-PINENE	0.007	TESTED	0.63	0.063	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FARNESENE	0.001	TESTED	0.52	0.052	Analytical Batch : DA084237TER				
ALPHA-TERPINOLENE	0.007	TESTED	0.52	0.052	Instrument Used : DA-GC/MS-004				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.43	0.043	Analyzed Date : 03/14/25 09:33:37				
ALPHA-TERPINEOL	0.007	TESTED	0.43	0.043	Dilution : 10				
ALPHA-PINENE	0.007	TESTED	0.41	0.041	Reagent : 120224.06				
TRANS-NEROLIDOL	0.005	TESTED	0.41	0.041	Consumables : 947.110; 04312111; 2240626; 0000355309				
OCIMENE	0.007	TESTED	0.36	0.036	Pipette : DA-065				
GAMMA-TERPINENE	0.007	TESTED	0.34	0.034	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHERE	0.007	TESTED	0.33	0.033					
ALPHA-TERPINENE	0.007	TESTED	0.24	0.024					
3-CARENE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CEDRIL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
Total (%)				5.014					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/14/25



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.chavez@crescolabs.com

Sample : DA50312009-006

Harvest/Lot ID: 0551396381032942

Batch# : 0551396381032942

Sampled : 03/12/25

Ordered : 03/12/25


Sample Size Received : 16 units

Total Amount : 2263 units

Completed : 03/14/25 Expires: 03/14/26

Sample Method : SOP.T.20.010


Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440 Weight: 0.2363g Extraction date: 03/12/25 12:20:17 Extracted by: 3621					
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084250PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES) Batch Date : 03/12/25 10:39:10					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/13/25 09:58:44					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 031125.R23; 031025.R03; 031025.R38; 031125.R24; 012925.R01; 031025.R01; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2363g Extraction date: 03/12/25 12:20:17 Extracted by: 3621					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084252VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010 Batch Date : 03/12/25 10:40:28					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/13/25 09:56:58					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 031025.R38; 081023.01; 031025.R43; 031025.R44					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 6822423-02; 040724CH01; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.Chavez@crescolabs.com

Sample : DA50312009-006

Harvest/Lot ID: 0551396381032942

Batch# : 0551396381032942

Sampled : 03/12/25

Ordered : 03/12/25

Sample Size Received : 16 units

Total Amount : 2263 units

Completed : 03/14/25 Expires: 03/14/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0228g

 Extraction date:
 03/12/25 13:57:28

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA084254SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 03/14/25 09:29:41

Batch Date : 03/12/25 13:21:07

 Dilution : 1
 Reagent : 030420.09
 Consumables : 430596; 319008
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Budder Wax 1g - Bnana Pddng x Sgr Ddy (S)
Bnana Pddng x Sgr Ddy (S)
Matrix : Derivative
Type: Wax

Certificate of Analysis

PASSED



Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50312009-006
Harvest/Lot ID: 0551396381032942

Batch# : 0551396381032942 Sample Size Received : 16 units
Sampled : 03/12/25 Total Amount : 2263 units
Ordered : 03/12/25 Completed : 03/14/25 Expires: 03/14/26
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED							
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
ECOLI SHIGELLA			Not Present	PASS								
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3621, 585, 1440	Weight: 0.2363g	Extraction date: 03/12/25 12:20:17	Extracted by: 3621			
Analyzed by: 4531, 4777, 4044, 4520, 585, 1440			Weight: 0.917g			Extraction date: 03/12/25 10:23:25			Extracted by: 4044,4531			
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL						
Analytical Batch : DA084229MIC						Analytical Batch : DA084251MYC						
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)						Instrument Used : N/A						
Batch Date : 03/12/25 10:05:18						Batch Date : 03/12/25 10:40:26						
Analyzed Date : 03/13/25 09:59:53						Analyzed Date : 03/13/25 09:03:20						
Dilution : 10						Dilution : 250						
Reagent : 021725.01; 021725.06; 021925.R61; 101624.11						Reagent : 031125.R23; 031025.R03; 031025.R38; 031125.R24; 012925.R01; 031025.R01; 081023.01						
Consumables : 7580002026; 7580002047						Consumables : 6822423-02						
Pipette : N/A						Pipette : DA-093; DA-094; DA-219						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												
<div><div><div>Hg</div></div></div>						Heavy Metals						PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1							
ARSENIC	0.020	ppm	ND	PASS	0.2							
CADMIUM	0.020	ppm	ND	PASS	0.2							
MERCURY	0.020	ppm	ND	PASS	0.2							
LEAD	0.020	ppm	ND	PASS	0.5							
Analyzed by: 1022, 585, 1440			Weight: 0.2026g			Extraction date: 03/12/25 12:57:42			Extracted by: 4056,1022			
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA084230TYM						Analytical Batch : DA084242HEA						
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]						Instrument Used : DA-ICPMS-004						
Batch Date : 03/12/25 10:06:18						Batch Date : 03/12/25 10:21:36						
Analyzed Date : 03/14/25 12:24:24						Analyzed Date : 03/13/25 10:31:26						
Dilution : 10						Dilution : 50						
Reagent : 021725.01; 021725.06; 022625.R53						Reagent : 012925.R32; 022425.R19; 031025.R42; 030525.R29; 031025.R40; 031025.R41; 120324.07; 030625.R25						
Consumables : N/A						Consumables : 040724CH01; J609879-0193; 179436						
Pipette : N/A						Pipette : DA-061; DA-191; DA-216						
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Budder Wax 1g - Bnana Pddng x Sgr Ddy (S)
Bnana Pddng x Sgr Ddy (S)
Matrix : Derivative
Type: Wax

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50312009-006

Harvest/Lot ID: 0551396381032942

Batch# : 0551396381032942

Sampled : 03/12/25

Ordered : 03/12/25

Sample Size Received : 16 units

Total Amount : 2263 units

Completed : 03/14/25 Expires: 03/14/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/12/25 18:53:17	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA084255FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 03/12/25 18:48:25

Analyzed Date : 03/12/25 19:00:20

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.475	PASS	0.85

Analyzed by: 1879, 4797, 585, 1440	Weight: 0.5912g	Extraction date: 03/12/25 11:56:57	Extracted by: 1879,585
---------------------------------------	--------------------	---------------------------------------	---------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA084238WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date : 03/12/25 10:18:21

Analyzed Date : 03/13/25 09:04:36

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/14/25