



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50312009-009


Production Method: Cured

Harvest/Lot ID: 0272713193610208

Batch#: 0272713193610208

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 2015194753466222

Harvest Date: 03/05/25

Sample Size Received: 9 units

Total Amount: 2069 units

Retail Product Size: 3.5 gram

Retail Serving Size: 3.5 gram

Servings: 1

Ordered: 03/11/25

Sampled: 03/12/25

Completed: 03/14/25

Sampling Method: SOP.T.20.010

Mar 14, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
NOT TESTED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
PASSED

 Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
23.305%

Total THC/Container : 815.675 mg


Total CBD
0.049%

Total CBD/Container : 1.715 mg


Total Cannabinoids
26.781%

Total Cannabinoids/Container : 937.335 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.588	24.763	ND	0.057	0.029	0.083	0.167	0.015	ND	ND	0.079
mg/unit	55.58	866.71	ND	2.00	1.02	2.91	5.85	0.53	ND	ND	2.77
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 1665, 585, 1440

 Weight:
 0.2072g

 Extraction date:
 03/12/25 12:26:33

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084232POT

Instrument Used : DA-LC-002

Analyzed Date : 03/14/25 11:10:20

Batch Date : 03/12/25 10:07:15

Dilution : 400

Reagent : 030625.R18; 012725.03; 030725.R04

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 03/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Premium Flower 3.5g - Lmn Chrry Glt0 (H)
Lmn Chrry Glt0 (H)
Matrix : Flower
Type: Flower-Cured-Big



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50312009-009
Harvest/Lot ID: 0272713193610208

Batch# : 0272713193610208 Sample Size Received : 9 units
Sampled : 03/12/25 Total Amount : 2069 units
Ordered : 03/12/25 Completed : 03/14/25 Expires: 03/14/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	60.52	1.729	VALENCENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	13.09	0.374	ALPHA-BISABOLOL	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	11.24	0.321	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LIMONENE	0.007	TESTED	10.64	0.304	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	10.26	0.293	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	3.12	0.089	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
FARNESENE	0.007	TESTED	2.80	0.080	CIS-NEROLIDOL	0.003	TESTED	ND	ND
TRANS-NEROLIDOL	0.005	TESTED	2.42	0.069	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	2.03	0.058	Analyzed by: 6846, 4451, 585, 1440 Weight: 1.0579g Extraction date: 03/12/25 11:30:30 Extracted by: 4444				
BETA-PINENE	0.007	TESTED	2.03	0.058	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA084235TER Instrument Used : DA-GCME-008 Batch Date : 03/12/25 10:13:12				
FENCHYL ALCOHOL	0.007	TESTED	1.89	0.054	Analyzed Date : 03/14/25 09:34:09				
ALPHA-PINENE	0.007	TESTED	1.02	0.029	Dilution : 10				
3-CARENE	0.007	TESTED	ND	ND	Reagent : 120224.06				
BORNEOL	0.013	TESTED	ND	ND	Consumables : 947.110; 04312111; 2240626; 0000355309				
CAMPHERE	0.007	TESTED	ND	ND	Pipette : DA-065				
CAMPHOR	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAJOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
Total (%)				1.729					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/14/25



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.Chavez@crescolabs.com

Sample : DA50312009-009

Harvest/Lot ID: 0272713193610208

Batch# : 0272713193610208

Sampled : 03/12/25

Ordered : 03/12/25


Sample Size Received : 9 units

Total Amount : 2069 units

Completed : 03/14/25 Expires: 03/14/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440 Weight: 1.1597g Extraction date: 03/12/25 11:51:12 Extracted by: 4640,450,585					
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084244PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES) Batch Date : 03/12/25 10:32:45					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/13/25 09:41:59					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 031125.R21; 031025.R03; 031025.R38; 030625.R06; 012925.R01; 031025.R01; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 1.1597g Extraction date: 03/12/25 11:51:12 Extracted by: 4640,450,585					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084246VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010 Batch Date : 03/12/25 10:34:24					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/13/25 09:40:31					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 031025.R38; 081023.01; 031025.R43; 031025.R44					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 6822423-02; 040724CH01; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Premium Flower 3.5g - Lmn Chrry Gltto (H)

Lmn Chrry Gltto (H)

Matrix : Flower

Type: Flower-Cured-Big



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50312009-009

Harvest/Lot ID: 0272713193610208

Batch# : 0272713193610208

Sampled : 03/12/25

Ordered : 03/12/25


Sample Size Received : 9 units


Total Amount : 2069 units


Completed : 03/14/25 Expires: 03/14/26

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA084229MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/12/25 10:05:18					
Analyzed Date : 03/13/25 09:59:55					
Dilution : 10					
Reagent : 021725.01; 021725.06; 021925.R61; 101624.11					
Consumables : 7580002026; 7580002047					
Pipette : N/A					
Analysis Method : SOP.T.40.209.FL					
Analytical Batch : DA084230TYM					
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]					
Batch Date : 03/12/25 10:06:18					
Analyzed Date : 03/14/25 12:24:26					
Dilution : 10					
Reagent : 021725.01; 021725.06; 022625.R53					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
Analytical Batch : DA084245MYC					
Instrument Used : N/A					
Batch Date : 03/12/25 10:34:22					
Analyzed Date : 03/13/25 09:21:29					
Dilution : 250					
Reagent : 031125.R21; 031025.R03; 031025.R38; 030625.R06; 012925.R01; 031025.R01; 081023.01					
Consumables : 6822423-02					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA084240HEA					
Instrument Used : DA-ICPMS-004					
Batch Date : 03/12/25 10:20:41					
Analyzed Date : 03/13/25 10:29:00					
Dilution : 50					
Reagent : 012925.R32; 022425.R19; 031025.R42; 030525.R29; 031025.R40; 031025.R41; 120324.07; 030625.R25					
Consumables : 040724CH01; J609879-0193; 179436					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Premium Flower 3.5g - Lmn Chrry Gltto (H)
Lmn Chrry Gltto (H)
Matrix : Flower
Type: Flower-Cured-Big



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50312009-009
Harvest/Lot ID: 0272713193610208

Batch# : 0272713193610208 Sample Size Received : 9 units
Sampled : 03/12/25 Total Amount : 2069 units
Ordered : 03/12/25 Completed : 03/14/25 Expires: 03/14/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	12.1	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/12/25 18:53:17	Extracted by: 1879			Analyzed by: 4797, 585, 1440	Weight: 0.496g	Extraction date: 03/12/25 13:36:34	Extracted by: 4797		
Analysis Method : SOP.T.40.090 Analytical Batch : DA084255FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 03/12/25 19:00:16						Analysis Method : SOP.T.40.021 Analytical Batch : DA084236MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 03/13/25 09:13:36					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.515	PASS	0.65
Analyzed by: 1879, 4797, 585, 1440	Weight: 1.699g	Extraction date: 03/12/25 12:57:46	Extracted by: 4797, 585		
Analysis Method : SOP.T.40.019 Analytical Batch : DA084239WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 03/13/25 09:09:17					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/14/25