



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50312009-010



Production Method: Cured
Harvest/Lot ID: 7707592693432866
Batch#: 7707592693432866
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 2094150832396914
Harvest Date: 03/06/25
Sample Size Received: 7 units
Total Amount: 1527 units
Retail Product Size: 7 gram
Retail Serving Size: 7 gram
Servings: 1
Ordered: 03/11/25
Sampled: 03/12/25
Completed: 03/14/25
Sampling Method: SOP.T.20.010

Mar 14, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
26.751%

Total THC/Container : 1872.570 mg



Total CBD
0.108%

Total CBD/Container : 7.560 mg



Total Cannabinoids
31.839%

Total Cannabinoids/Container : 2228.730 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.720	29.682	ND	0.124	0.050	0.077	1.106	ND	ND	ND	0.080
mg/unit	50.40	2077.74	ND	8.68	3.50	5.39	77.42	ND	ND	ND	5.60
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 585, 1440

Weight:
0.2063g

Extraction date:
03/12/25 12:26:33

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084232POT

Instrument Used : DA-LC-002

Analyzed Date : 03/13/25 10:00:16

Batch Date : 03/12/25 10:07:15

Dilution : 400

Reagent : 030625.R18; 012725.03; 030725.R04

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Shake 7g - Anml Cks x Gito (I)
Anml Cks x Gito (I)
Matrix : Flower
Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50312009-010
Harvest/Lot ID: 7707592693432866

Batch# : 7707592693432866 Sample Size Received : 7 units
Sampled : 03/12/25 Total Amount : 1527 units
Ordered : 03/12/25 Completed : 03/14/25 Expires: 03/14/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	111.51	1.593	SABINENE HYDRATE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	25.97	0.371	VALENCENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	18.83	0.269	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LIMONENE	0.007	TESTED	17.99	0.257	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
GUAIOL	0.007	TESTED	9.03	0.129	ALPHA-TERPINENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	8.26	0.118	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	5.81	0.083	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	5.67	0.081	GAMMA-TERPINENE	0.007	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	5.18	0.074	Analyzed by: 6846, 4451, 585, 1440				
BETA-PINENE	0.007	TESTED	4.83	0.069	Weight: 1.095g				
ALPHA-BISBOLOL	0.007	TESTED	3.85	0.055	Extraction date: 03/12/25 11:30:30				
ALPHA-PINENE	0.007	TESTED	2.80	0.040	Extracted by: 4444				
FARNESENE	0.007	TESTED	1.82	0.026	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
TRANS-NEROLIDOL	0.005	TESTED	1.47	0.021	Analytical Batch : DA084235TER				
3-CARENE	0.007	TESTED	ND	ND	Instrument Used : DA-GC/MS-008				
BORNEOL	0.013	TESTED	ND	ND	Analyzed Date : 03/14/25 09:34:10				
CAMPHENE	0.007	TESTED	ND	ND	Dilution : 10				
CAMPHOR	0.007	TESTED	ND	ND	Reagent : 120224.06				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Consumables : 947.110; 04312111; 2240626; 0000355309				
CEDOL	0.007	TESTED	ND	ND	Pipette : DA-065				
EUCALYPTOL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	TESTED	ND	ND	Batch Date : 03/12/25 10:13:12				
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)					1.593				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Shake 7g - Anml Cks x Gito (I)
Anml Cks x Gito (I)
Matrix : Flower
Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50312009-010
Harvest/Lot ID: 7707592693432866

Batch# : 7707592693432866 Sample Size Received : 7 units
Sampled : 03/12/25 Total Amount : 1527 units
Ordered : 03/12/25 Completed : 03/14/25 Expires: 03/14/26
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	0.071	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	0.071	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 1.1737g	Extraction date: 03/12/25 11:51:12	Extracted by: 4640,450,585		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084244PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 03/12/25 10:32:45	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/13/25 09:42:08					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 031125.R21; 031025.R03; 031025.R38; 030625.R06; 012925.R01; 031025.R01; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.1737g	Extraction date: 03/12/25 11:51:12	Extracted by: 4640,450,585		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084246VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 03/12/25 10:34:24	
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/13/25 09:40:31					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 031025.R38; 081023.01; 031025.R43; 031025.R44					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 6822423-02; 040724CH01; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino


Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/14/25



Supply Shake 7g - Anml Cks x Glto (I)
Anml Cks x Glto (I)
Matrix : Flower
Type: Flower-Cured




PASSED


22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com


Sample : DA50312009-010
Harvest/Lot ID: 7707592693432866

Batch# : 7707592693432866	Sample Size Received : 7 units
Sampled : 03/12/25	Total Amount : 1527 units
Ordered : 03/12/25	Completed : 03/14/25 Expires: 03/14/26
	Sample Method : SOP.T.20.010

Page 4 of 5

	<h1>Microbial</h1>	<h1>PASSED</h1>																																																																																																			
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>40</td><td>PASS</td><td>100000</td></tr><tr><td>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA084229MIC</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)</td><td></td><td></td><td>Batch Date : 03/12/25 10:05:18</td><td></td><td></td></tr><tr><td>Analysis Date : 03/13/25 09:59:55</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 10</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 021725.01; 021725.06; 021925.R61; 101624.11</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 7580002026; 7580002047</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : N/A</td><td></td><td></td><td></td><td></td><td></td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	40	PASS	100000	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA084229MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)			Batch Date : 03/12/25 10:05:18			Analysis Date : 03/13/25 09:59:55						Dilution : 10						Reagent : 021725.01; 021725.06; 021925.R61; 101624.11						Consumables : 7580002026; 7580002047						Pipette : N/A					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																	
ASPERGILLUS NIGER			Not Present	PASS																																																																																																	
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																	
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																	
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																	
ECOLI SHIGELLA			Not Present	PASS																																																																																																	
TOTAL YEAST AND MOLD	10	CFU/g	40	PASS	100000																																																																																																
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																					
Analytical Batch : DA084229MIC																																																																																																					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)			Batch Date : 03/12/25 10:05:18																																																																																																		
Analysis Date : 03/13/25 09:59:55																																																																																																					
Dilution : 10																																																																																																					
Reagent : 021725.01; 021725.06; 021925.R61; 101624.11																																																																																																					
Consumables : 7580002026; 7580002047																																																																																																					
Pipette : N/A																																																																																																					
<table><tr><td>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA084229MIC</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)</td><td></td><td></td><td>Batch Date : 03/12/25 10:05:18</td><td></td><td></td></tr><tr><td>Analysis Date : 03/13/25 09:59:55</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 10</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 021725.01; 021725.06; 021925.R61; 101624.11</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 7580002026; 7580002047</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : N/A</td><td></td><td></td><td></td><td></td><td></td></tr></table>						Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA084229MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)			Batch Date : 03/12/25 10:05:18			Analysis Date : 03/13/25 09:59:55						Dilution : 10						Reagent : 021725.01; 021725.06; 021925.R61; 101624.11						Consumables : 7580002026; 7580002047						Pipette : N/A																																																					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																					
Analytical Batch : DA084229MIC																																																																																																					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)			Batch Date : 03/12/25 10:05:18																																																																																																		
Analysis Date : 03/13/25 09:59:55																																																																																																					
Dilution : 10																																																																																																					
Reagent : 021725.01; 021725.06; 021925.R61; 101624.11																																																																																																					
Consumables : 7580002026; 7580002047																																																																																																					
Pipette : N/A																																																																																																					
<p>Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</p>																																																																																																					

	<h1>Mycotoxins</h1>	<h1>PASSED</h1>																																																																																							
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA084245MYC</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : N/A</td><td></td><td></td><td>Batch Date : 03/12/25 10:34:22</td><td></td><td></td></tr><tr><td>Analysis Date : 03/13/25 09:21:29</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 250</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 031125.R21; 031025.R03; 031025.R38; 030625.R06; 012925.R01; 031025.R01; 081023.01</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 6822423-02</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : DA-093; DA-094; DA-219</td><td></td><td></td><td></td><td></td><td></td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL						Analytical Batch : DA084245MYC						Instrument Used : N/A			Batch Date : 03/12/25 10:34:22			Analysis Date : 03/13/25 09:21:29						Dilution : 250						Reagent : 031125.R21; 031025.R03; 031025.R38; 030625.R06; 012925.R01; 031025.R01; 081023.01						Consumables : 6822423-02						Pipette : DA-093; DA-094; DA-219					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																				
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																				
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																				
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																				
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																				
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																				
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL																																																																																									
Analytical Batch : DA084245MYC																																																																																									
Instrument Used : N/A			Batch Date : 03/12/25 10:34:22																																																																																						
Analysis Date : 03/13/25 09:21:29																																																																																									
Dilution : 250																																																																																									
Reagent : 031125.R21; 031025.R03; 031025.R38; 030625.R06; 012925.R01; 031025.R01; 081023.01																																																																																									
Consumables : 6822423-02																																																																																									
Pipette : DA-093; DA-094; DA-219																																																																																									
<p>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</p>																																																																																									

	<h1>Heavy Metals</h1>	<h1>PASSED</h1>																																																																																							
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA084240HEA</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : DA-ICPMS-004</td><td></td><td></td><td>Batch Date : 03/12/25 10:20:41</td><td></td><td></td></tr><tr><td>Analysis Date : 03/13/25 10:29:00</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 50</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 012925.R32; 022425.R19; 031025.R42; 030525.R29; 031025.R40; 031025.R41; 120324.07; 030625.R25</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 040724CH01; J609879-0193; 179436</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : DA-061; DA-191; DA-216</td><td></td><td></td><td></td><td></td><td></td></tr></table>						Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA084240HEA						Instrument Used : DA-ICPMS-004			Batch Date : 03/12/25 10:20:41			Analysis Date : 03/13/25 10:29:00						Dilution : 50						Reagent : 012925.R32; 022425.R19; 031025.R42; 030525.R29; 031025.R40; 031025.R41; 120324.07; 030625.R25						Consumables : 040724CH01; J609879-0193; 179436						Pipette : DA-061; DA-191; DA-216					
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																				
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																				
ARSENIC	0.020	ppm	ND	PASS	0.2																																																																																				
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																				
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																				
LEAD	0.020	ppm	ND	PASS	0.5																																																																																				
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																									
Analytical Batch : DA084240HEA																																																																																									
Instrument Used : DA-ICPMS-004			Batch Date : 03/12/25 10:20:41																																																																																						
Analysis Date : 03/13/25 10:29:00																																																																																									
Dilution : 50																																																																																									
Reagent : 012925.R32; 022425.R19; 031025.R42; 030525.R29; 031025.R40; 031025.R41; 120324.07; 030625.R25																																																																																									
Consumables : 040724CH01; J609879-0193; 179436																																																																																									
Pipette : DA-061; DA-191; DA-216																																																																																									
<p>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</p>																																																																																									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Shake 7g - Anml Cks x Gito (I)
Anml Cks x Gito (I)
Matrix : Flower
Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50312009-010

Harvest/Lot ID: 7707592693432866

Batch# : 7707592693432866

Sampled : 03/12/25

Ordered : 03/12/25

Sample Size Received : 7 units

Total Amount : 1527 units

Completed : 03/14/25 Expires: 03/14/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	10.2	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/12/25 18:53:17			Extracted by: 1879	Analyzed by: 4797, 585, 1440	Weight: 0.49g	Extraction date: 03/12/25 13:36:34			Extracted by: 4797
Analysis Method : SOP.T.40.090 Analytical Batch : DA084255FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 03/12/25 19:00:15						Analysis Method : SOP.T.40.021 Analytical Batch : DA084236MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 03/13/25 09:13:37					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.564	PASS	0.65
Analyzed by: 1879, 4797, 585, 1440	Weight: 2.088g	Extraction date: 03/12/25 12:57:51		Extracted by: 4797,585	
Analysis Method : SOP.T.40.019					
Analytical Batch : DA084239WAT					
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 03/12/25 10:20:03		
Analyzed Date : 03/13/25 09:09:18					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/14/25