

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664 Kaycha Labs

Sunnyside Chews 100mg 10pk Orange Orange



Matrix: Edible Classification: High THC Type: Soft Chew

СОМ		CE FO ID: DA503			Ana	alys	sis	Cultivat Process	Harvest, tion Facility Source Fac Seed to Samp Retail P Retail P	/Lot ID: 2221 Batch#: 222 cy: FL - India :ility: FL - India :ility: FL - India Sale#: 3996 Harvest ple Size Rec Total Amo Product Size tail Serving Ord Sam Compl	ther - Not Listed 140923244698 21140923244698 21140923244698 21140923244698 21140923244698 21140923244698 21140923244698 2114092 211409 2114
22205 Sw I	5, 2025 Martin Hwy , FL, 34956, US	-	de		S	unn	ysio	de [*]	Page	es 1 of 5	PASSED
SAFETY F	RESULTS										MISC.
면 오 Pestic PASS	- ides Hea	Hg avy Metals PASSED	Microbials PASSED	Мусо	ہے toxins SED	Residuals Solvents	Filth PASSED		Activity SSED I	Moisture NOT TESTED	Terpenes NOT TESTED
Å	Cannal	oinoid									TESTED
	3 0.	I THC 238% THC/Container	0 : 98.269 mg		A N	al CBD D Il CBD/Container	r : 0.000 mg		30.2	Cannabinoid 248%	S atainer : 102.398
% mg/unit LOD	рэ-тнс 0.238 98.27 0.001 %	тнса ND ND 0.001 %	свр ND ND 0.001 %	CBDA ND ND 0.001 %	D8-тнс ND ND 0.001 %	свс 0.006 2.48 0.001 %	CBGA ND ND 0.001 %	CBN 0.002 0.83 0.001 %	тнсv ND ND 0.001 %	свру ND ND 0.001 %	свс 0.002 0.83 0.001 %
Analyzed by: 3335, 1665, 58	5, 1440			Weight: 3.0738g		Extraction date: 03/13/25 12:46:				Extracted by: 3335	
Analysis Metho Analytical Batc Instrument Use Analyzed Date Dilution : 40 Reagent : 1203 Consumables : Pipette : DA-07	od:SOP.T.40.031,S h:DA084283POT	; 090924.05; 0127; ; 062224CH01; 00					Batch Date : 03/13/2	5 10:11:55			

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/15/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Sample : DA50312019-001 Harvest/Lot ID: 2221140923244698

Sampled : 03/12/25 Ordered : 03/12/25

Batch#: 2221140923244698 Sample Size Received: 12 units Total Amount : 2300 units Completed : 03/15/25 Expires: 03/15/26 Sample Method : SOP.T.20.010

Page 2 of 5



R 0

Pesticides

Pesticide			Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)		ppm	30	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET		0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND			0.010		0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PRALLETHRIN						
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPICONAZOLE		0.010		1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	PYRIDABEN		0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROMESIFEN		0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	3	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	TEBUCONAZOLE		0.010	ppm	1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND			0.010		1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM				3	PASS	
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010				ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	PENTACHLORONITROBENZE	NE (PCNB) *	0.010		0.2	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	PARATHION-METHYL *		0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	ppm	3	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	maa	1	PASS	ND
DIAZINON	0.010	ppm	3	PASS	ND	CYPERMETHRIN *		0.050		1	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND		Main 64			-		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 1.0527g		ion date: 5 12:59:59		Extracted 450,585	by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.1	5		5 12.55.55		450,505	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084289P		2.1 L				
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-0			Batch	Date :03/13	25 10:29:04	
FENHEXAMID	0.010	ppm	3	PASS	ND	Analyzed Date :03/14/25 10:1	L7:32					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250						
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Reagent: 031225.R11; 08102						
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; Pipette : N/A	0822423-02					
FLONICAMID	0.010	ppm	2	PASS	ND	Testing for agricultural agents is	norformod utilizin	a Liquid Chron	aatography Ti	rinlo Quadruno	la Mass Sportro	motry in
FLUDIOXONIL	0.010	ppm	3	PASS	ND	accordance with F.S. Rule 64ER		g Liquid Cilion	natography n	iipie-Quadiupo	ie Mass Spectru	menym
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analyzed by:	Weight:	Extractio	on date:		Extracted	bv:
IMAZALIL	0.010	ppm	0.1	PASS	ND	450, 585, 1440	1.0527g		12:59:59		450,585	
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analysis Method : SOP.T.30.1	51A.FL, SOP.T.40.1	L51.FL				
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analytical Batch : DA084291V						
MALATHION	0.010	ppm	2	PASS	ND	Instrument Used : DA-GCMS-0			Batch D	ate:03/13/25	10:31:39	
METALAXYL	0.010	ppm	3	PASS	ND	Analyzed Date :03/14/25 10:1	15:59					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 031225.R11; 08102	3 01· 031025 P/3	· 031025 P44				
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01;						
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is	performed utilizin	g Gas Chromai	tography Trip	le-Quadrupole	Mass Spectrome	etry in
NALED	0.010	ppm	0.5	PASS	ND	accordance with F.S. Rule 64ER		-				,

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/15/25

PASSED

PASSED



Kaycha Labs

Page 3 of 5

Sunnyside Chews 100mg 10pk Orange Orange Matrix : Edible Type: Soft Chew



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50312019-001 Harvest/Lot ID: 2221140923244698 Sampled : 03/12/25 Ordered : 03/12/25

Batch#: 2221140923244698 Sample Size Received: 12 units Total Amount : 2300 units Completed : 03/15/25 Expires: 03/15/26 Sample Method : SOP.T.20.010

ñ

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
CETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
THANOL	500.000	ppm		TESTED	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
I-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 3379, 585, 1440	Weight: Extraction date: 0.0267g 03/14/25 11:13:15				Extracted by: 850
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA084307SOL nstrument Used : DA-GCMS-002 Analyzed Date : 03/14/25 12:38:35			Batch Date : 03/13/25 1	15:13:55	
Dilution : 1 Reagent : N/A Consumables : N/A					

Consumables : N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/15/25



Kaycha Labs

.....I Sunnyside Chews 100mg 10pk Orange Orange Matrix : Edible



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50312019-001 Harvest/Lot ID: 2221140923244698 Batch#: 2221140923244698 Sample Size Received: 12 units

Sampled : 03/12/25 Ordered : 03/12/25

Total Amount : 2300 units Completed : 03/15/25 Expires: 03/15/26 Sample Method : SOP.T.20.010

Page 4 of 5

Ç,	Microb	ial			PAS	SED	သို့	Му	cotoxi	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	5 TERREUS			Not Present	PASS	Level	AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS				Not Present	PASS		AFLATOXIN			0.002		ND	PASS	0.02
ASPERGILLUS	5 FUMIGATUS			Not Present	PASS		OCHRATOXI	NA		0.002		ND	PASS	0.02
ASPERGILLUS	5 FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
ALMONELLA	SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
COLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction dat			Extracted	bu
TOTAL YEAST	AND MOLD	10	CFU/g	<10	PASS	100000	3621, 585, 14	40	1.0527g	03/13/25 12:5			450,585	by:
nalyzed by:	21 505 1440	Weight:		on date:	Extract	ed by:			30.102.FL, SOP.	.T.40.102.FL				
	d:SOP.T.40.056C, h:DA084259MIC	0.888g SOP.T.40.05		5 10:38:31 40.209.FL	4520		Analytical Bat Instrument Us Analyzed Date	ed:N/A		Batch	Date: 0	3/13/25 10	0:31:05	
Dilution : 10	: 03/14/25 11:19:20 25.01; 021725.06; 7580002026		; 101624.11				Pipette : N/A Mycotoxins tes accordance wit	th F.S. Rule 64	4ER20-39.	graphy with Triple	-Quadrupo			
Analyzed by: 1571, 4531, 58		Weight: 0.888g	Extraction d 03/13/25 10		Extracte 4520	d by:	Hg	Неа	avy Me	etals			PAS	SED
Analytical Batc	d : SOP.T.40.209.Fl h : DA084260TYM d : Incubator (25*C		alibrated wit	:h Batch Dat	e:03/13/2	5 08:09:40	Metal			LOD	Units	Result	Pass / Fail PASS	Action Level
DA-382]	02/15/25 12:50:0						ARSENIC	IAMINANI	LOAD METAL	S 0.080 0.020		ND ND	PASS	5 1.5
-	: 03/15/25 13:50:04	+					CADMIUM			0.020	1. I.	ND	PASS	0.5
vilution: 10	25.01; 021725.06;	022625 053					MERCURY			0.020		ND	PASS	3
onsumables :		022025.1155					LEAD				ppm	ND	PASS	0.5
ipette : N/A otal yeast and r	nold testing is perform	ned utilizing M	IPN and traditi	onal culture based	l techniques	in	Analyzed by: 1022, 3379, 5	85, 1440	Weight: 0.2055				Extracted 1022,405	
cordance with	F.S. Rule 64ER20-39.							od : SOP.T.3 ch : DA0843 sed : DA-ICPI	30.082.FL, SOP. 804HEA MS-004	T.40.082.FL)3/13/25 1		
							Dilution : 50 Reagent : 012 120324.07; 0	925.R32; 02 30625.R25 : 040724CH	22425.R19; 031 01; J609879-01	1025.R42; 0305 193; 179436	25.R29; ()31025.R4	0; 03102	5.R41;

Pipette : DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/15/25



Kaycha Labs

Page 5 of 5

Sunnyside Chews 100mg 10pk Orange Orange Matrix : Edible Type: Soft Chew



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50312019-001 Harvest/Lot ID: 2221140923244698 Batch#: 2221140923244698 Sample Size Received: 12 units Sampled : 03/12/25 Ordered : 03/12/25

Ρ

Total Amount : 2300 units Completed : 03/15/25 Expires: 03/15/26 Sample Method : SOP.T.20.010

Filth/Foreign Material
Material

ASSED		
-------	--	--

Homogeneity

Amount of tests conducted : 22

PASSED

Analyte Filth and Foreign	Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	Analyte		LOD	Units	Pass/Fail	Result	Action Level
Analyzed by: 1879, 585, 1440	Weight: 1g		raction dat 14/25 09:5		Ext 187	racted by: 79	_ TOTAL THC - HOMOG (RSD)	ENEITY	0.001	%	PASS	0.879	
Analysis Method : S(Analytical Batch : D/ Instrument Used : Fi Analyzed Date : 03/2	A084336FIL ilth/Foreign Materi	al Micro	oscope	Batch D	ate: 03/14	4/25 09:43:58	Analyzed by - 3335, 585, 1440	Average Weight		Extractio			Atracted By :
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign mate	rial inspection is per	formed h	w visual ins	nection utilizi	ng naked eve	e and microscope	Analysis Method : SOP. Analytical Batch : DA08 Instrument Used : DA-L Analyzed Date : 03/14/2	4257HOM C-006		.111.FL	10:47:07		
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.						Dilution: 40 Reagent: 120324.07; 030825.R08; 090924.05; 030825.R04 Consumables: 947.110; 04312111; 062224CH01; 1009487156; 1009468945; 0000355309 Pipette: DA-079; DA-108; DA-078						000355309	
	Water Activity PASSED					Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.							

Analyte Water Activity	-	.0D).010	Units aw	Result 0.67	- / -	Action Level 0.85
Analyzed by: 4797, 585, 1440	Weight: 7.448g		traction d /13/25 15			Extracted by: 1797
Analysis Method : SOP Analytical Batch : DA08 Instrument Used : DA-0 Analyzed Date : 03/14/	34275WAT 028 Rotronic Hyg	gropal	m	Batch I	Date : 03/13	8/25 09:19:29
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/15/25