

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50312019-007


Production Method: Other - Not Listed

Harvest/Lot ID: 9820488733061011

Batch#: 9820488733061011

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 1816268164583732

Harvest Date: 03/07/25

Sample Size Received: 16 units

Total Amount: 881 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 03/12/25

Sampled: 03/12/25

Completed: 03/15/25

Sampling Method: SOP.T.20.010

Mar 15, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
NOT TESTED

 Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
90.475%

Total THC/Container : 904.750 mg


Total CBD
0.162%

Total CBD/Container : 1.620 mg


Total Cannabinoids
94.775%

Total Cannabinoids/Container : 947.750 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	90.439	0.042	0.162	ND	ND	3.178	ND	0.571	0.339	ND	0.044
mg/unit	904.39	0.42	1.62	ND	ND	31.78	ND	5.71	3.39	ND	0.44
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 1665, 585, 1440

 Weight:
 0.0915g

 Extraction date:
 03/13/25 12:58:41

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084266POT

Instrument Used : DA-LC-003

Analyzed Date : 03/14/25 10:46:53

Batch Date : 03/13/25 08:52:49

Dilution : 400

Reagent : 012725.03; 030725.R01; 030725.R05

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 03/15/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Grn Crck (S)
Grn Crck (S)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50312019-007
Harvest/Lot ID: 9820488733061011

Batch# : 9820488733061011 Sample Size Received : 16 units
Sampled : 03/12/25 Total Amount : 881 units
Ordered : 03/12/25 Completed : 03/15/25 Expires: 03/15/26
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	35.57	3.557	PULEGONE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	9.56	0.956	SABINENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	6.03	0.603	SABINENE HYDRATE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	4.04	0.404	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	2.52	0.252	ALPHA-TERPINENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	1.80	0.180	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	1.70	0.170	GAMMA-TERPINENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	1.64	0.164	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
VALENCENE	0.007	TESTED	1.54	0.154	Analyzed by: 4451, 585, 5440				
ALPHA-TERPINEOL	0.007	TESTED	0.81	0.081	Weight: 0.2044g		Extraction date: 03/13/25 12:49:47		Extracted by: 4451
FENCHYL ALCOHOL	0.007	TESTED	0.77	0.077	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINOLENE	0.007	TESTED	0.50	0.050	Analytical Batch : DA0842737ER				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.48	0.048	Instrument Used : DA-GCMS-004				
GERANIOL	0.007	TESTED	0.48	0.048	Analyzed Date : 03/14/25 10:46:54				
ALPHA-HUMULENE	0.007	TESTED	0.46	0.046	Dilution : 10				
OCIMENE	0.007	TESTED	0.43	0.043	Reagent : 120224.06				
FARNESENE	0.001	TESTED	0.42	0.042	Consumables : 947.110; 04312111; 2240626; 0000355309				
NEROL	0.007	TESTED	0.41	0.041	Pipette : DA-065				
HEXAHYDROTHYMOL	0.007	TESTED	0.35	0.035	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ISOBORNOL	0.007	TESTED	0.35	0.035					
3-CARENE	0.007	TESTED	0.34	0.034					
CAMPHERE	0.007	TESTED	0.34	0.034					
GUAIOL	0.007	TESTED	0.30	0.030					
ALPHA-CEDRENE	0.005	TESTED	0.30	0.030					
BORNEOL	0.013	TESTED	ND	ND					
CAMPFOR	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
Total (%)				3.557					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
03/15/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Grn Crck (S)
Grn Crck (S)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50312019-007
Harvest/Lot ID: 9820488733061011

Batch# : 9820488733061011 Sample Size Received : 16 units
Sampled : 03/12/25 Total Amount : 881 units
Ordered : 03/12/25 Completed : 03/15/25 Expires: 03/15/26
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED


Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	3621, 3379, 585, 1440	Weight:	0.2243g	Extraction date:	03/13/25 12:57:53
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.102.FL, SOP.T.40.102.FL			Extracted by:	450
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA084282PES				
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)			Batch Date :	03/13/25 10:11:16
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	03/14/25 11:33:32				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	031225.R11; 081023.01				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	040724CH01; 6822423-02				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	N/A				
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	450, 3379, 585, 1440	Weight:	0.2243g	Extraction date:	03/13/25 12:57:53
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151A.FL, SOP.T.40.151.FL			Extracted by:	450
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA084285VOL				
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Instrument Used :	DA-GCMS-010			Batch Date :	03/13/25 10:13:24
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	03/14/25 11:25:08				
MALATHION	0.010	ppm	0.2	PASS	ND	Dilution :	250				
METALAXYL	0.010	ppm	0.1	PASS	ND	Reagent :	031225.R11; 081023.01; 031025.R43; 031025.R44				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :	040724CH01; 6822423-02; 17473601				
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/15/25



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.chavez@crescolabs.com

Sample : DA50312019-007

Harvest/Lot ID: 9820488733061011

Batch# : 9820488733061011

Sampled : 03/12/25

Ordered : 03/12/25

Sample Size Received : 16 units

Total Amount : 881 units

Completed : 03/15/25 Expires: 03/15/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:
 850, 3379, 585, 1440

 Weight:
 0.0256g

 Extraction date:
 03/14/25 11:13:15

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA084307SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 03/14/25 12:38:36

Batch Date : 03/13/25 15:13:55

 Dilution : 1
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A


Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Grn Crck (S)
Grn Crck (S)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED



Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50312019-007
Harvest/Lot ID: 9820488733061011

Batch# : 9820488733061011 Sample Size Received : 16 units
Sampled : 03/12/25 Total Amount : 881 units
Ordered : 03/12/25 Completed : 03/15/25 Expires: 03/15/26
Sample Method : SOP.T.20.010

Page 5 of 6


	Microbial					PASSED		Mycotoxins					PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level		Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS			AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS NIGER			Not Present	PASS			AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FUMIGATUS			Not Present	PASS			OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FLAVUS			Not Present	PASS			AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
SALMONELLA SPECIFIC GENE			Not Present	PASS			AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
ECOLI SHIGELLA			Not Present	PASS									
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		Analyzed by: 3621, 3379, 585, 1440	Weight: 0.2243g	Extraction date: 03/13/25 12:57:53		Extracted by: 450		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL							
Analytical Batch : DA084259MIC						Analytical Batch : DA084284MYC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)						Instrument Used : N/A						Batch Date : 03/13/25 10:12:55	
Batch Date : 03/13/25 08:07:17						Analyzed Date : 03/14/25 11:35:07							
Dilution : 10						Dilution : 250							
Reagent : 012425.01; 021725.06; 021925.R61; 101624.11						Reagent : 031225.R11; 081023.01							
Consumables : 7580002026						Consumables : 040724CH01; 6822423-02							
Pipette : N/A						Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Grn Crck (S)
Grn Crck (S)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50312019-007

Harvest/Lot ID: 9820488733061011

Batch# : 9820488733061011

Sampled : 03/12/25

Ordered : 03/12/25

Sample Size Received : 16 units

Total Amount : 881 units

Completed : 03/15/25 Expires: 03/15/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/14/25 09:53:11	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA084336FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 03/14/25 10:01:53

Batch Date : 03/14/25 09:43:58

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.499	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 0.1917g	Extraction date: 03/13/25 15:45:39	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA084275WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 03/14/25 09:44:33

Batch Date : 03/13/25 09:19:29

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/15/25