

# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50312019-008



Production Method: Other - Not Listed

Harvest/Lot ID: 4198147253207221

Batch#: 4198147253207221

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 2209349976414015

Harvest Date: 03/04/25

Sample Size Received: 16 units

Total Amount: 1433 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 03/12/25

Sampled: 03/12/25

Completed: 03/15/25

Sampling Method: SOP.T.20.010

Mar 15, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**TESTED**



Total THC

**88.071%**

Total THC/Container : 880.710 mg



Total CBD

**0.317%**

Total CBD/Container : 3.170 mg



Total Cannabinoids

**92.425%**

Total Cannabinoids/Container : 924.250 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.071	ND	0.317	ND	ND	2.680	ND	0.869	0.354	ND	0.134
mg/unit	880.71	ND	3.17	ND	ND	26.80	ND	8.69	3.54	ND	1.34
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.0915g

Extraction date:  
03/13/25 12:58:41

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084266POT

Instrument Used : DA-LC-003

Analyzed Date : 03/14/25 09:50:34

Batch Date : 03/13/25 08:52:49

Dilution : 400

Reagent : 012725.03; 030725.R01; 030725.R05

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

### Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
03/15/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Me Time Cartridge 1g  
Me Time  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50312019-008  
Harvest/Lot ID: 4198147253207221

Batch# : 4198147253207221 Sample Size Received : 16 units  
Sampled : 03/12/25 Total Amount : 1433 units  
Ordered : 03/12/25 Completed : 03/15/25 Expires: 03/15/26  
Sample Method : SOP.T.20.010

Page 2 of 6


Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	47.66	4.766	PULEGONE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	13.11	1.311	SABINENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	9.68	0.968	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	8.28	0.828	VALENCENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	3.32	0.332	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	2.57	0.257	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	1.51	0.151	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	1.50	0.150	GAMMA-TERPINENE	0.007	TESTED	ND	ND
FENICYL ALCOHOL	0.007	TESTED	1.34	0.134	Analyzed by: 4451, 385, 5440 Weight: 0.2344g Extraction date: 03/13/25 12:49:47 Extracted by: 4451				
ALPHA-BISABOLOL	0.007	TESTED	1.34	0.134	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA084273TER Instrument Used : DA-GCMS-004 Analyzed Date : 03/14/25 10:46:57 Batch Date : 03/13/25 09:10:47				
ALPHA-TERPINOLENE	0.007	TESTED	0.63	0.063	Dilution : 10 Reagent : 120224.06 Consumables : 947.110; 04312111; 2240626; 0000355309 Pipette : DA-065				
GERANIOL	0.007	TESTED	0.54	0.054	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.51	0.051					
CAMPHER	0.007	TESTED	0.50	0.050					
ALPHA-HUMULENE	0.007	TESTED	0.49	0.049					
TRANS-NEROLIDOL	0.005	TESTED	0.41	0.041					
GUAIOL	0.007	TESTED	0.37	0.037					
HEXAHYDROTHYMOL	0.007	TESTED	0.35	0.035					
CAMPHOR	0.007	TESTED	0.33	0.033					
ISOBORNEOL	0.007	TESTED	0.32	0.032					
3-CARENE	0.007	TESTED	0.31	0.031					
ALPHA-TERPINENE	0.007	TESTED	0.25	0.025					
BORNEOL	0.013	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.001	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
Total (%)				4.766					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/15/25



# Certificate of Analysis

**PASSED**

Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: julio.Chavez@crescolabs.com

Sample : DA50312019-008

Harvest/Lot ID: 4198147253207221

Batch# : 4198147253207221

Sampled : 03/12/25

Ordered : 03/12/25


Sample Size Received : 16 units

Total Amount : 1433 units

Completed : 03/15/25 Expires: 03/15/26

Sample Method : SOP.T.20.010


Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result	
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND	
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND	
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND	
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND	
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND	
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND	
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND	
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND	
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND	
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND	
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND	
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND	
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND	
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND	
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND	
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND	
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND	
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND	
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND	
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND	
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND	
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND	
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 3379, 585, 1440 Weight: 0.2566g Extraction date: 03/13/25 12:57:53 Extracted by: 450 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA084282PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 03/14/25 11:33:34 Dilution : 250 Reagent : 031225.R11; 081023.01 Consumables : 040724CH01; 6822423-02 Pipette : N/A Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						
DIAZINON	0.010	ppm	0.1	PASS	ND		Analyzed by: 450, 3379, 585, 1440 Weight: 0.2566g Extraction date: 03/13/25 12:57:53 Extracted by: 450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084285VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/14/25 11:25:09 Dilution : 250 Reagent : 031225.R11; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.010	ppm	0.1	PASS	ND							
DIMETHOATE	0.010	ppm	0.1	PASS	ND							
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND							
ETOFENPROX	0.010	ppm	0.1	PASS	ND							
ETOXAZOLE	0.010	ppm	0.1	PASS	ND							
FENHEXAMID	0.010	ppm	0.1	PASS	ND							
FENOXYCARB	0.010	ppm	0.1	PASS	ND							
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND							
FIPRONIL	0.010	ppm	0.1	PASS	ND							
FLONICAMID	0.010	ppm	0.1	PASS	ND							
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND							
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND							
IMAZALIL	0.010	ppm	0.1	PASS	ND							
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND							
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND							
MALATHION	0.010	ppm	0.2	PASS	ND							
METALAXYL	0.010	ppm	0.1	PASS	ND							
METHIOCARB	0.010	ppm	0.1	PASS	ND							
METHOMYL	0.010	ppm	0.1	PASS	ND							
MEVINPHOS	0.010	ppm	0.1	PASS	ND							
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND							
NALED	0.010	ppm	0.25	PASS	ND							



# Certificate of Analysis

**PASSED**

Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: julio.Chavez@crescolabs.com

Sample : DA50312019-008

Harvest/Lot ID: 4198147253207221

Batch# : 4198147253207221

Sampled : 03/12/25

Ordered : 03/12/25

Sample Size Received : 16 units

Total Amount : 1433 units

Completed : 03/15/25 Expires: 03/15/26

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:  
 850, 3379, 585, 1440

 Weight:  
 0.0288g

 Extraction date:  
 03/14/25 11:13:15

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA084307SOL  
 Instrument Used : DA-GCMS-002  
 Analyzed Date : 03/14/25 12:38:37

Batch Date : 03/13/25 15:13:55

 Dilution : 1  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Me Time Cartridge 1g

Me Time

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50312019-008

Harvest/Lot ID: 4198147253207221

Batch# : 4198147253207221

Sampled : 03/12/25

Ordered : 03/12/25




Sample Size Received : 16 units

Total Amount : 1433 units

Completed : 03/15/25 Expires: 03/15/26

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>					
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>		
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.0862g	Extraction date: 03/13/25 10:38:32	Extracted by: 4520				
Analytical Batch : DA084259MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 03/13/25 08:07:17						
Analysis Date : 03/14/25 11:19:36							
Dilution : 10							
Reagent : 012425.01; 021725.06; 021925.R61; 101624.11							
Consumables : 7580002026							
Pipette : N/A							
Analysis Method : SOP.T.40.209.FL	Weight: 1.0862g	Extraction date: 03/13/25 10:38:32	Extracted by: 4520				
Analytical Batch : DA084260TYM							
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]	Batch Date : 03/13/25 08:09:46						
Analysis Date : 03/15/25 13:50:09							
Dilution : 10							
Reagent : 012425.01; 021725.06; 022625.R53							
Consumables : N/A							
Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							
	<b>Mycotoxins</b>	<b>PASSED</b>					
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>		
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02		
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02		
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL	Weight: 0.2566g	Extraction date: 03/13/25 12:57:53	Extracted by: 450				
Analytical Batch : DA084284MYC							
Instrument Used : N/A	Batch Date : 03/13/25 10:12:55						
Analysis Date : 03/14/25 11:35:09							
Dilution : 250							
Reagent : 031225.R11; 081023.01							
Consumables : 040724CH01; 6822423-02							
Pipette : N/A							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
	<b>Heavy Metals</b>	<b>PASSED</b>					
<b>Metal</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>		
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1		
ARSENIC	0.020	ppm	ND	PASS	0.2		
CADMIUM	0.020	ppm	ND	PASS	0.2		
MERCURY	0.020	ppm	ND	PASS	0.2		
LEAD	0.020	ppm	ND	PASS	0.5		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2559g	Extraction date: 03/13/25 13:17:46	Extracted by: 1022,4056				
Analytical Batch : DA084301HEA							
Instrument Used : DA-ICPMS-004	Batch Date : 03/13/25 11:03:39						
Analysis Date : 03/14/25 11:15:59							
Dilution : 50							
Reagent : 012925.R32; 022425.R19; 031025.R42; 030525.R29; 031025.R40; 031025.R41; 120324.07; 030625.R25							
Consumables : 040724CH01; J609879-0193; 179436							
Pipette : DA-061; DA-191; DA-216							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164


Signature  
03/15/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Me Time Cartridge 1g  
Me Time  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA50312019-008

Harvest/Lot ID: 4198147253207221

Batch# : 4198147253207221

Sampled : 03/12/25

Ordered : 03/12/25

Sample Size Received : 16 units

Total Amount : 1433 units

Completed : 03/15/25 Expires: 03/15/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/14/25 09:53:11	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA084336FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 03/14/25 10:01:51

Batch Date : 03/14/25 09:43:58

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.488	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 0.406g	Extraction date: 03/13/25 15:46:03	Extracted by: 4797
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA084275WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 03/14/25 09:44:34

Batch Date : 03/13/25 09:19:29

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/15/25