

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50312019-010



Mar 15, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US

Kaycha Labs

Good News Vegas Cartridge 1g

Vegas

Matrix: Derivative Classification: High THC Type: Distillate

Production Method: Other - Not Listed

Harvest/Lot ID: 3048828739942758

Batch#: 3048828739942758

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 3149179897173730

Harvest Date: 03/05/25

Sample Size Received: 16 units Total Amount: 1782 units

Retail Product Size: 1 gram Retail Serving Size: 1 gram

Servings: 1

Ordered: 03/12/25 Sampled: 03/12/25

Completed: 03/15/25

Sampling Method: SOP.T.20.010

PASSED

Sunnyside

Pages 1 of 6

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents **PASSED**



Filth **PASSED**

Batch Date: 03/13/25 08:56:52



Water Activity **PASSED**



NOT TESTED



Terpenes **TESTED**

TESTED



Cannabinoid

Total THC

Total THC/Container: 825.930 mg



Total CBD 0.369%

Total CBD/Container: 3.690 mg



Total Cannabinoids

Total Cannabinoids/Container: 869.500

Analysis Method: SOP.T.40.031. SOP.T.30.031

Analytical Batch: DA084268POT Instrument Used: DA-LC-007 Analyzed Date: 03/14/25 11:25:17

Reagent: 030725.R01; 012725.03; 030725.R05

Consumables: 4052-629; 947.110; 040724CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Label Claim

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

PASSED





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50312019-010 Harvest/Lot ID: 3048828739942758

Batch#: 3048828739942758 Sample Size Received: 16 units Sampled: 03/12/25 Total Amount: 1782 units Ordered: 03/12/25

Completed: 03/15/25 **Expires:** 03/15/26 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

| ES | | U |
|----|--|---|
| | | |
| | | |

| TOTAL TERPINS | | | | | | | | | | | | |
|--|--------------------|-------|--------|------|-------|---|--|---------------------------|---------------------|-------------------|-------------------------------------|---------------|
| REPLA CARPONYLLENE 0.007 TST15 0.21 2.15 2.15 2.15 1.215 1.000 1.0 | | | | | | | | | | | | |
| MANUBOL 0,007 TST00 0,27 0, | | | | | | | | | | | | |
| ALPHA_CEDENIE 0.007 TST0 3.6 0.36 ALPHA_CEDENIE 0.005 TST0 ND ND | | | | | | | | | | | | |
| ALPHA-PHELLANDERNE 0,007 TST 00 0,331 | | | | | | | | | | | | |
| CS-MEDICIDO 0.003 TEST 0 NO NO NO NO NO NO NO NO NO NO NO NO NO NO NO | | | | | | | | | | ND | ND | |
| PAM-HUNILINE 0.007 TST0 2.0 0.20 1 | | | | | | | | 0.007 | | ND | | |
| TRAINS HEROLOGIC 0.005 TESTED 1.54 0.154 1.54 | | | | | | | | | TESTED | ND | ND | |
| Marke National Nat | | | | | | | GAMMA-TERPINENE | | TESTED | | | |
| Marie Nation | | | | | | | TRANS-NEROLIDOL | 0.005 | TESTED | ND | ND | |
| RADIPLE MARCHE 1007 TESTED 100 1006 1 | | | | | | | Analyzed by: | Weight: | | Extraction date | | Extracted by: |
| PAM-PRINEN 0,007 | | 0.007 | TESTED | 1.23 | 0.123 | | 4451, 585, 1440 | 0.2441g | | 03/13/25 12:49 | :47 | 4451 |
| Marchan Marc | | 0.007 | | 0.96 | | | | 061A.FL | | | | |
| Ambrient Note Control | | 0.007 | | 0.91 | 0.091 | | | | | | Patris Date : 03/13/25 09:10:47 | |
| ANOPHYLERE CROME | LPHA-TERPINEOL | | | | | | | | | | DECE DECE : 0.3/1.3/23 05.10.47 | |
| PUM-TERMOLEKE | ARYOPHYLLENE OXIDE | 0.007 | TESTED | 0.58 | 0.058 | | | | | | | |
| CAMENE | LPHA-TERPINOLENE | 0.007 | TESTED | 0.49 | | | Reagent: 120224.06 | | | | | |
| CARENE 0.007 | ERANIOL | 0.007 | TESTED | 0.48 | 0.048 | | | 000355309 | | | | |
| MARMENUE 0.007 15110 0.40 0.400 RROL 0.007 175170 0.35 0.356 RROL 0.007 175170 0.34 0.333 MUSCONE 0.007 175170 0.34 0.333 MUSCONE 0.007 175170 0.32 0.333 MUSCONE 0.007 175170 0.32 0.333 MUSCONE 0.007 175170 0.32 0.033 AMBHUNE 0.007 175170 0.22 0.023 AMBHUNE 0.007 175170 0.20 0.030 RINGE 0.007 175170 0.00 0.003 RINGE 0.007 175170 0.00 0.003 RINGE 0.003 175170 0.003 RINGE 0 | | 0.007 | TESTED | 0.42 | 0.042 | | | | | | | |
| RROL 0,07 TESTED 0,34 0,034 IMBOQ 0,07 TESTED 0,33 0,034 IMBOQ 0,07 TESTED 0,33 0,035 IMBOQ 0,07 TESTED 0,27 0,027 AMAPOR 0,07 TESTED 0,22 0,022 IMBOQ 0,07 TESTED 0,22 0,022 IMBOQ 0,07 TESTED 0,20 0,020 IMBOQ 0,07 TESTED 0,0 0,000 IMBOQ 0,07 TESTED 0,0 0,000 IMBOQ 0,07 TESTED 0,0 0,000 IMBOQ 0,000 TESTED 0,000 I | CIMENE | 0.007 | TESTED | 0.40 | 0.040 | ĺ | Terpenoid testing is performed utilizing Gas Chromatol | igrapny Mass Spectrometry | . For all Flower sa | impies, the Total | Terpenes % is any-weight corrected. | |
| UNION. 0.007 TESTED 0.33 0.03 ULIGONE 0.007 TESTED 0.03 ULIGONE 0.007 TESTED 0.02 0.02 ULIGONE 0.007 TESTED 0.0 0.00 ULIGONE 0.007 TESTED 0.0 ULIGONE 0.007 ULIGONE 0.007 TESTED 0.0 ULIGONE 0.007 ULIGONE 0.007 TESTED 0.0 ULIGONE 0.007 ULIGONE | AMPHENE | 0.007 | TESTED | 0.36 | 0.036 | ĺ | | | | | | |
| VILLODAN 0.07 TESTED 0.27 0.027 AMM-POR 0.07 TESTED 0.22 0.022 ABINENE 0.007 TESTED 0.22 0.020 UPM-TERMINE 0.013 TESTED 0.0 0.020 DIDIO 0.013 TESTED ND ND ULLYPTOL 0.007 TESTED ND ND ABMESINE 0.007 TESTED ND ND RUCHONE 0.007 TESTED ND ND | IEROL | 0.007 | TESTED | 0.34 | 0.034 | Î | | | | | | |
| AMPHOR 0,07 TESTE 0,23 0,038 ABINENE 0,007 TESTE 0,22 0,022 APPLATERIANTE 0,007 TESTE 0,00 0,000 ARROLL 0,013 TESTE NO NO NO EDNO. 0,017 TESTE NO NO NO EDNO. 0,007 TESTE NO NO NO EDNO. 0,007 TESTE NO NO NO EMBORIANTE 0,007 TESTE NO NO NO EMBORIANTE 0,007 TESTE NO NO NO EMBORIANTE 0,007 TESTE NO NO NO | UAIOL | 0.007 | TESTED | 0.33 | 0.033 | ĺ | | | | | | |
| ABINEME 0.007 TESTE 0.20 0.022 UNATERIMENTE 0.007 TESTE 0.20 0.020 UNATERIMENTE 0.007 TESTE NO NO NO UNDOWN 0.007 TESTE NO NO NO UNDOWN 0.007 TESTE NO NO NO UNDOWN 0.007 TESTE NO NO NO ABMESTRE 0.001 TESTE NO NO NO ENCOUNTED 0.007 TESTE NO NO NO ENCOUNTED 0.007 TESTE NO NO NO | ULEGONE | 0.007 | TESTED | 0.27 | 0.027 | ĺ | | | | | | |
| PAPA-TERNINE | AMPHOR | 0.007 | TESTED | 0.23 | 0.023 | | | | | | | |
| DRINGL 0.13 TESTED NO NO DEBOOL DEBOO | ABINENE | 0.007 | TESTED | 0.22 | 0.022 | | | | | | | |
| DENOL 0.007 TESTED ND | LPHA-TERPINENE | 0.007 | TESTED | 0.20 | 0.020 | | | | | | | |
| UCALYPTOL 0.007 TESTED NO NO NAMESUNE 0.001 TESTED NO N | ORNEOL | 0.013 | TESTED | ND | ND | | | | | | | |
| ARRIESENE 0.001 TESTED NO NO ENCHONE 0.007 TESTED NO NO | EDROL | 0.007 | TESTED | ND | ND | | | | | | | |
| ENCHONE 0.007 TESTED ND ND | UCALYPTOL | 0.007 | TESTED | ND | ND | | | | | | | |
| | ARNESENE | 0.001 | TESTED | ND | ND | | | | | | | |
| SERANYL ACETATE 0.007 TESTED ND ND | ENCHONE | 0.007 | TESTED | ND | ND | | | | | | | |
| | ERANYL ACETATE | 0.007 | TESTED | ND | ND | | | | | | | |
| otal (%) 4.417 | -4-1 (0/) | | | | 4 417 | | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

LOD Units

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50312019-010 Harvest/Lot ID: 3048828739942758

Batch#: 3048828739942758 Sample Size Received: 16 units Sampled: 03/12/25

Total Amount: 1782 units Ordered: 03/12/25 **Completed:** 03/15/25 **Expires:** 03/15/26 Sample Method: SOP.T.20.010

Pesticide

Pass/Fail Result

Page 3 of 6

Action

LOD Units



Pesticides

PASSED

Pass/Fail Result

| | | Level | , | | resticae | | 011110 | Level | 1 433/1 411 | 11054 |
|-------------------------------------|-----------|-------|------|----|---|-------------|----------------|---------------|------------------|----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 ppm | 5 | PASS | ND | OXAMYL | 0.010 |) ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 |) ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 ppm | 0.1 | PASS | ND | PHOSMET | 0.010 |) ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 ppm | 0.2 | PASS | ND | PRALLETHRIN | | ppm ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 ppm | 0.1 | PASS | ND | PROPICONAZOLE | | ppm ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 ppm | 0.1 | PASS | ND | | | | | PASS | |
| ACEPHATE | 0.010 ppm | 0.1 | PASS | ND | PROPOXUR | | ppm | 0.1 | | ND |
| CEQUINOCYL | 0.010 ppm | 0.1 | PASS | ND | PYRIDABEN | |) ppm | 0.2 | PASS | ND |
| ACETAMIPRID | 0.010 ppm | 0.1 | PASS | ND | SPIROMESIFEN | |) ppm | 0.1 | PASS | ND |
| LDICARB | 0.010 ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 |) ppm | 0.1 | PASS | ND |
| ZOXYSTROBIN | 0.010 ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 |) ppm | 0.1 | PASS | ND |
| IFENAZATE | 0.010 ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 |) ppm | 0.1 | PASS | ND |
| IFENTHRIN | 0.010 ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 |) ppm | 0.1 | PASS | ND |
| OSCALID | 0.010 ppm | 0.1 | PASS | ND | THIAMETHOXAM | |) ppm | 0.5 | PASS | ND |
| ARBARYL | 0.010 ppm | 0.5 | PASS | ND | TRIFLOXYSTROBIN | |) ppm | 0.1 | PASS | ND |
| ARBOFURAN | 0.010 ppm | 0.1 | PASS | ND | | | ppm ppm | 0.15 | PASS | ND |
| HLORANTRANILIPROLE | 0.010 ppm | 1 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | | | 0.13 | PASS | ND |
| HLORMEQUAT CHLORIDE | 0.010 ppm | 1 | PASS | ND | PARATHION-METHYL * | | ppm | 0.1 | PASS | ND ND |
| HLORPYRIFOS | 0.010 ppm | 0.1 | PASS | ND | CAPTAN * | |) ppm | | | |
| LOFENTEZINE | 0.010 ppm | 0.2 | PASS | ND | CHLORDANE * | |) ppm | 0.1 | PASS | ND |
| DUMAPHOS | 0.010 ppm | 0.1 | PASS | ND | CHLORFENAPYR * | |) ppm | 0.1 | PASS | ND |
| AMINOZIDE | 0.010 ppm | 0.1 | PASS | ND | CYFLUTHRIN * | 0.050 |) ppm | 0.5 | PASS | ND |
| AZINON | 0.010 ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 |) ppm | 0.5 | PASS | ND |
| CHLORVOS | 0.010 ppm | 0.1 | PASS | ND | Analyzed by: Weight: | F | xtraction da | te: | Extrac | ted by: |
| METHOATE | 0.010 ppm | 0.1 | PASS | ND | 3621, 3379, 585, 1440 0.255q | | 3/13/25 12:5 | | 450 | wy. |
| HOPROPHOS | 0.010 ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.I | FL | | | | |
| OFENPROX | 0.010 ppm | 0.1 | PASS | ND | Analytical Batch : DA084282PES | | | | | |
| OXAZOLE | 0.010 ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | Batch | Date:03/13/ | 25 10:11:16 | |
| NHEXAMID | 0.010 ppm | 0.1 | PASS | ND | Analyzed Date: 03/14/25 11:33:37 | | | | | |
| NOXYCARB | 0.010 ppm | 0.1 | PASS | ND | Dilution: 250 Reagent: 031225.R11; 081023.01 | | | | | |
| ENPYROXIMATE | 0.010 ppm | 0.1 | PASS | ND | Consumables: 040724CH01: 6822423-02 | | | | | |
| PRONIL | 0.010 ppm | 0.1 | PASS | ND | Pipette: N/A | | | | | |
| LONICAMID | 0.010 ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing L | iguid Chror | matography Ti | iple-Quadrupo | le Mass Spectroi | metry in |
| LUDIOXONIL | 0.010 ppm | 0.1 | PASS | ND | accordance with F.S. Rule 64ER20-39. | , | -5 | , про | | , |
| EXYTHIAZOX | 0.010 ppm | 0.1 | PASS | ND | Analyzed by: Weight: | | traction dat | | Extract | ed by: |
| MAZALIL | 0.010 ppm | 0.1 | PASS | ND | 450, 3379, 585, 1440 0.255g | | 3/13/25 12:57 | :53 | 450 | |
| IIDACLOPRID | 0.010 ppm | 0.4 | PASS | ND | Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151 | .FL | | | | |
| RESOXIM-METHYL | 0.010 ppm | 0.1 | PASS | ND | Analytical Batch : DA084285VOL Instrument Used : DA-GCMS-010 | | Datel: D | ate:03/13/25 | 10.12.24 | |
| ALATHION | 0.010 ppm | 0.2 | PASS | ND | Analyzed Date: 03/14/25 11:25:11 | | Batch D | ate: U3/13/25 | 10.13:24 | |
| ETALAXYL | 0.010 ppm | 0.1 | PASS | ND | Dilution: 250 | | | | | |
| ETHIOCARB | 0.010 ppm | 0.1 | PASS | ND | Reagent: 031225.R11; 081023.01; 031025.R43; 0. | 31025.R44 | 4 | | | |
| ETHOMYL | 0.010 ppm | 0.1 | PASS | ND | Consumables: 040724CH01; 6822423-02; 174736 | | | | | |
| EVINPHOS | 0.010 ppm | 0.1 | PASS | ND | Pipette: DA-080; DA-146; DA-218 | | | | | |
| IYCLOBUTANIL | 0.010 ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing G | ias Chroma | atography Trip | le-Quadrupole | Mass Spectrome | etry in |
| IALED | 0.010 ppm | 0.25 | PASS | ND | accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





PASSED

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50312019-010 Harvest/Lot ID: 3048828739942758

Batch#: 3048828739942758 Sample Size Received: 16 units Sampled: 03/12/25 Ordered: 03/12/25

Total Amount: 1782 units **Completed:** 03/15/25 **Expires:** 03/15/26 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|--------------------------------------|------------------------|------------------------------|--------------|-----------|-------------------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |
| Analyzed by: 850, 3379, 585, 1440 | Weight: 0.0267g | Extraction 03/14/25 1 | | | Extracted by: 850 |

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA084307SOL Instrument Used: DA-GCMS-002 **Analyzed Date:** 03/14/25 12:38:39

Dilution: 1 Reagent: N/A Consumables: N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 03/13/25 15:13:55

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50312019-010 Harvest/Lot ID: 3048828739942758

Sampled: 03/12/25 Ordered: 03/12/25

Batch#: 3048828739942758 Sample Size Received: 16 units Total Amount: 1782 units Completed: 03/15/25 Expires: 03/15/26 Sample Method: SOP.T.20.010

Page 5 of 6

Batch Date: 03/13/25 10:12:55



Microbial

Batch Date: 03/13/25 08:09:46



Mycotoxins

PASSED

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--------------------------|---------|------------------|-------------|----------------|-----------------|
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 |
| Analyzed by: | Weight: | Extraction date: | | Extract | ted by: |

4520, 4571, 4531, 585, 1440 0.841g 03/13/25 10:38:32 4520

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA084259MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 03/13/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 03/14/25 11:19:38

Dilution: 10

Reagent: 012425.01; 021725.06; 021925.R61; 101624.11

Consumables: 7580002026 Pipette: N/A

|--|

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA084260TYM

Instrument Used : Incubator (25*C) DA- 328 [calibrated with

DA-3821 Analyzed Date: 03/15/25 13:50:10

Dilution: 10

Reagent: 012425.01; 021725.06; 022625.R53

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| 280 | . ry co coxiiio | | | | | |
|-------------|-----------------|-------|-------|--------|----------------|-----------------|
| Analyte | | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN E | 32 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN E | 31 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN | A A | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN (| G1 | 0.002 | ppm | ND | PASS | 0.02 |

0.002 ppm **AFLATOXIN G2** 0.002 ppm ND PASS 0.02 Analyzed by: **Extraction date:** Extracted by: Weight: 3621, 3379, 585, 1440 0.255g 03/13/25 12:57:53

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch: DA084284MYC Instrument Used : N/A

Analyzed Date : 03/14/25 11:35:11

Dilution: 250

Reagent: 031225.R11; 081023.01 Consumables: 040724CH01; 6822423-02

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|-------------------------------|-------|-------|--------|----------------|-----------------|
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |
| | | | | | |

Extraction date: Extracted by: 1022, 3379, 585, 1440 0.2535g 03/13/25 13:19:28 1022,4056

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA084301HEA

Instrument Used: DA-ICPMS-004 Batch Date: 03/13/25 11:03:39 Analyzed Date: 03/14/25 11:16:01

Dilution: 50

Reagent: 012925.R32; 022425.R19; 031025.R42; 030525.R29; 031025.R40; 031025.R41; 120324.07; 030625.R25

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





PASSED

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50312019-010 Harvest/Lot ID: 3048828739942758

Sampled: 03/12/25 Ordered: 03/12/25

Batch#: 3048828739942758 Sample Size Received: 16 units Total Amount: 1782 units Completed: 03/15/25 Expires: 03/15/26 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 03/14/25 09:53:11 1879

Analysis Method : SOP.T.40.090

Analytical Batch : DA084336FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 03/14/25 09:43:58

Analyzed Date: 03/14/25 10:01:48

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

| Analyte | _ | OD Units | Result | P/F | Action Level |
|---------------------------------|--------------------|---------------|--------|------|--------------|
| Water Activity | | .010 aw | 0.602 | PASS | 0.85 |
| Analyzed by: 4797, 585, 1440 | Weight: 0.1343g | Extraction of | | | tracted by: |

Analysis Method: SOP.T.40.019 Analytical Batch: DA084275WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 03/13/25 09:19:29

Analyzed Date: 03/14/25 09:44:35

Dilution : N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164