



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50312019-016



Production Method: Other - Not Listed

Harvest/Lot ID: 1158045806695788

Batch#: 1158045806695788

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 6050025525880961

Harvest Date: 03/07/25

Sample Size Received: 31 units

Total Amount: 360 units

Retail Product Size: 0.5 gram

Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 03/12/25

Sampled: 03/12/25

Completed: 03/15/25

Revision Date: 03/18/25

Sampling Method: SOP.T.20.010

Mar 18, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC

88.484%

Total THC/Container : 442.420 mg



Total CBD

0.257%

Total CBD/Container : 1.285 mg



Total Cannabinoids

92.950%

Total Cannabinoids/Container : 464.750 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.299	0.211	0.193	0.073	ND	3.144	ND	0.615	0.349	ND	0.066
mg/unit	441.50	1.06	0.97	0.37	ND	15.72	ND	3.08	1.75	ND	0.33
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1099g

Extraction date:
03/13/25 12:48:19

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084268POT

Instrument Used : DA-LC-007

Analyzed Date : 03/14/25 11:27:23

Batch Date : 03/13/25 08:56:52

Dilution : 400

Reagent : 030725.R01; 012725.03; 030725.R05

Consumables : 4052-629; 947.110; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/15/25

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Grn Crck (S)
Grn Crck (S)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50312019-016

Harvest/Lot ID: 1158045806695788

Batch# : 1158045806695788

Sampled : 03/12/25

Ordered : 03/12/25

Sample Size Received : 31 units

Total Amount : 360 units

Completed : 03/15/25 Expires: 03/18/26

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	16.37	3.273	ISOPULEGOL	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	4.42	0.884	NEROL	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	2.85	0.570	PULEGONE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	1.90	0.380	SABINENE HYDRATE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	1.18	0.235	ALPHA-TERPINENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	0.85	0.169	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	0.79	0.158	GAMMA-TERPINENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	0.77	0.154	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
VALENCENE	0.007	TESTED	0.72	0.144	Analyzed by: 4851, 385, 5440				
ALPHA-TERPINEOL	0.007	TESTED	0.38	0.075	Weight: 0.2366g				
FENCHYL ALCOHOL	0.007	TESTED	0.35	0.070	Extraction date: 03/13/25 12:49:47				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.24	0.047	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINOLENE	0.007	TESTED	0.23	0.045	Analytical Batch: DA084273TER				
GERANIOL	0.007	TESTED	0.21	0.041	Instrument Used: DA-GCMS-004				
ALPHA-HUMULENE	0.007	TESTED	0.20	0.040	Analyzed Date: 03/14/25 11:27:26				
OCIMENE	0.007	TESTED	0.19	0.038	Dilution: 10				
FARNESENE	0.001	TESTED	0.18	0.036	Reagent: 120224.06				
CAMPHENE	0.007	TESTED	0.15	0.030	Consumables: 947.110; 04312111; 2240626; 0000355309				
ISOBORNEOL	0.007	TESTED	0.15	0.030	Pipette: DA-065				
3-CARENE	0.007	TESTED	0.15	0.029	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GUAIOL	0.007	TESTED	0.13	0.026					
ALPHA-CEDRENE	0.005	TESTED	0.13	0.026					
SABINENE	0.007	TESTED	0.12	0.023					
ALPHA-PHELLANDRENE	0.007	TESTED	0.12	0.023					
BORNEOL	0.013	TESTED	ND	ND					
CAMPOR	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
Total (%)				3.273					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/15/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Grn Crck (S)
Grn Crck (S)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50312019-016

Harvest/Lot ID: 1158045806695788

Batch# : 1158045806695788

Sampled : 03/12/25

Ordered : 03/12/25

Sample Size Received : 31 units

Total Amount : 360 units

Completed : 03/15/25 Expires: 03/18/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	3621, 3379, 585, 1440	Weight:	0.2064g	Extraction date:	03/13/25 12:57:54
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.102.FL, SOP.T.40.102.FL			Extracted by:	450
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA084282PES				
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)			Batch Date :	03/13/25 10:11:16
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	03/14/25 11:33:44				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	031225.R11; 081023.01				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	040724CH01; 6822423-02				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	N/A				
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	450, 3379, 585, 1440	Weight:	0.2064g	Extraction date:	03/13/25 12:57:54
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151A.FL, SOP.T.40.151.FL			Extracted by:	450
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA084285VOL				
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Instrument Used :	DA-GCMS-010			Batch Date :	03/13/25 10:13:24
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	03/14/25 11:25:20				
MALATHION	0.010	ppm	0.2	PASS	ND	Dilution :	250				
METALAXYL	0.010	ppm	0.1	PASS	ND	Reagent :	031225.R11; 081023.01; 031025.R43; 031025.R44				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :	040724CH01; 6822423-02; 17473601				
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/15/25


Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 500mg - Grn Crck (S)
Grn Crck (S)
Matrix : Derivative
Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50312019-016

Harvest/Lot ID: 1158045806695788

Batch# : 1158045806695788

Sampled : 03/12/25

Ordered : 03/12/25

Sample Size Received : 31 units

Total Amount : 360 units

Completed : 03/15/25 Expires: 03/18/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 3379, 585, 1440

Weight:
0.0251g

Extraction date:
03/14/25 11:13:16

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA084307SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 03/14/25 12:38:44

Batch Date : 03/13/25 15:13:55

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/15/25

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Grn Crck (S)

Grn Crck (S)

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50312019-016

Harvest/Lot ID: 1158045806695788

Batch# : 1158045806695788

Sampled : 03/12/25

Ordered : 03/12/25


Sample Size Received : 31 units


Total Amount : 360 units


Completed : 03/15/25 Expires: 03/18/26

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	
Analyzed by: 4520, 4571, 4531, 585, 1440		Weight: 1.168g	Extraction date: 03/13/25 10:38:33		Extracted by: 4520	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						
Analytical Batch : DA084259MIC						
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)			Batch Date : 03/13/25 08:07:17			
Analyzed Date : 03/14/25 11:19:54						
Dilution : 10						
Reagent : 012425.01; 021725.06; 021925.R61; 101624.11						
Consumables : 7580002026						
Pipette : N/A						
Analyzed by: 4571, 4531, 585, 1440						
Weight: 1.168g		Extraction date: 03/13/25 10:38:33		Extracted by: 4520		
Analysis Method : SOP.T.40.209.FL						
Analytical Batch : DA084260TYM						
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]			Batch Date : 03/13/25 08:09:46			
Analyzed Date : 03/15/25 13:50:15						
Dilution : 10						
Reagent : 012425.01; 021725.06; 022625.R53						
Consumables : N/A						
Pipette : N/A						
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						

	Mycotoxins					PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
Analyzed by: 3621, 3379, 585, 1440		Weight: 0.2064g	Extraction date: 03/13/25 12:57:54		Extracted by: 450	
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL						
Analytical Batch : DA084284MYC						
Instrument Used : N/A			Batch Date : 03/13/25 10:12:55			
Analyzed Date : 03/14/25 11:35:19						
Dilution : 250						
Reagent : 031225.R11; 081023.01						
Consumables : 040724CH01; 6822423-02						
Pipette : N/A						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

	Heavy Metals					PASSED
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC	0.020	ppm	ND	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	
MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	ND	PASS	0.5	
Analyzed by: 1022, 3379, 585, 1440		Weight: 0.2101g	Extraction date: 03/13/25 13:24:02		Extracted by: 1022,4056	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA084301HEA						
Instrument Used : DA-ICPMS-004			Batch Date : 03/13/25 11:03:39			
Analyzed Date : 03/14/25 11:16:07						
Dilution : 50						
Reagent : 012925.R32; 022425.R19; 031025.R42; 030525.R29; 031025.R40; 031025.R41; 120324.07; 030625.R25						
Consumables : 040724CH01; J609879-0193; 179436						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/15/25

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Grn Crck (S)
Grn Crck (S)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50312019-016

Harvest/Lot ID: 1158045806695788

Batch# : 1158045806695788

Sampled : 03/12/25

Ordered : 03/12/25

Sample Size Received : 31 units

Total Amount : 360 units

Completed : 03/15/25 Expires: 03/18/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/18/25 11:32:39	Extracted by: N/A
---------------------------------	---------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA084336FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 03/14/25 10:01:37

Batch Date : 03/14/25 09:43:58

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.463	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 0.4311g	Extraction date: 03/13/25 15:48:31	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA084275WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 03/14/25 09:44:43

Batch Date : 03/13/25 09:19:29

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/15/25

Revision: #1

This revision supersedes any and all previous versions of this document.