

**4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50312019-016

## Kaycha Labs X

Supply Vape Cartridge 500mg - Grn Crck (S)

Grn Crck (S)

Matrix: Derivative Classification: High THC Type: Distillate

Production Method: Other - Not Listed Harvest/Lot ID: 1158045806695788

Batch#: 1158045806695788

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 6050025525880961

Harvest Date: 03/07/25

Sample Size Received: 31 units

Total Amount: 360 units Retail Product Size: 0.5 gram

Retail Serving Size: 0.5 gram Servings: 1

> Ordered: 03/12/25 Sampled: 03/12/25

Completed: 03/15/25 Revision Date: 03/18/25

Sampling Method: SOP.T.20.010

PASSED

## **Sunnyside**

Pages 1 of 2

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides **PASSED** 



Heavy Metals **PASSED** 



**Certificate of Analysis** 

Microbials **PASSED** 



**Mvcotoxins PASSED** 



Residuals Solvents **PASSED** 



Filth **PASSED** 

Batch Date: 03/13/25 08:56:52



Water Activity **PASSED** 



**NOT TESTED** 



Terpenes **TESTED** 

TESTED



#### Cannabinoid

Mar 18, 2025 | Sunnyside

**Total THC** 

88.484% Total THC/Container: 442.420 mg



**Total CBD** 


Total CBD/Container: 1.285 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 464.750

ma



Analysis Method: SOP.T.40.031. SOP.T.30.031 Analytical Batch: DA084268POT Instrument Used: DA-LC-007

Analyzed Date: 03/14/25 11:27:23

Reagent: 030725.R01; 012725.03; 030725.R05

Consumables: 4052-629; 947.110; 040724CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

**Label Claim** 

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

**PASSED** 

Signature 03/15/25





4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Supply Vape Cartridge 500mg - Grn Crck (S)

Grn Crck (S)

Matrix: Derivative Type: Distillate

# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50312019-016 Harvest/Lot ID: 1158045806695788

Sampled: 03/12/25 Ordered: 03/12/25

Batch#: 1158045806695788 Sample Size Received: 31 units Total Amount: 360 units

Completed: 03/15/25 Expires: 03/18/26 Sample Method: SOP.T.20.010

Page 2 of 2



### Terpenes

**TESTED** 

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	16.37	3.273	_	ISOPULEGOL	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	4.42	0.884		NEROL	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	2.85	0.570		PULEGONE	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	1.90	0.380		SABINENE HYDRATE	0.007	TESTED	ND	ND	
ALPHA-PINENE	0.007	TESTED	1.18	0.235		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	0.85	0.169		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	0.79	0.158		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	0.77	0.154		TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
/ALENCENE	0.007	TESTED	0.72	0.144		Analyzed by:	Weight:		xtraction date	Extract	ted by:
LPHA-TERPINEOL	0.007	TESTED	0.38	0.075		4451, 585, 1440	0.2366g	(	3/13/25 12:49	47 4451	•
ENCHYL ALCOHOL	0.007	TESTED	0.35	0.070		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.0	061A.FL				
ARYOPHYLLENE OXIDE	0.007	TESTED	0.24	0.047	j	Analytical Batch : DA084273TER Instrument Used : DA-GCMS-004				Batch Date: 03/13/25 09:10:47	
LPHA-TERPINOLENE	0.007	TESTED	0.23	0.045	j	Analyzed Date : 03/14/25 11:27:26				Batch Date 103/13/23 09:10:47	
ERANIOL	0.007	TESTED	0.21	0.041	ĺ	Dilution: 10					
LPHA-HUMULENE	0.007	TESTED	0.20	0.040	1	Reagent: 120224.06					
CIMENE	0.007	TESTED	0.19	0.038	Î	Consumables: 947.110; 04312111; 2240626; 00	000355309				
ARNESENE	0.001	TESTED	0.18	0.036		Pipette : DA-065					
AMPHENE	0.007	TESTED	0.15	0.030		Terpenoid testing is performed utilizing Gas Chromato	graphy Mass Spectrometry.	. For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
SOBORNEOL	0.007	TESTED	0.15	0.030							
-CARENE	0.007	TESTED	0.15	0.029							
GUAIOL	0.007	TESTED	0.13	0.026							
ALPHA-CEDRENE	0.005	TESTED	0.13	0.026							
ABINENE	0.007	TESTED	0.12	0.023							
LPHA-PHELLANDRENE	0.007	TESTED	0.12	0.023							
ORNEOL	0.013	TESTED	ND	ND							
AMPHOR	0.007	TESTED	ND	ND							
EDROL	0.007	TESTED	ND	ND							
UCALYPTOL	0.007	TESTED	ND	ND							
ENCHONE	0.007	TESTED	ND	ND							
GERANYL ACETATE	0.007	TESTED	ND	ND							
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
otal (%)				3 273							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

03/15/25