




Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50313016-007



Production Method: Other - Not Listed

Harvest/Lot ID: 7816736075564824

Batch#: 7816736075564824

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 8674385437461098

Harvest Date: 03/10/25

Sample Size Received: 5 units

Total Amount: 730 units

Retail Product Size: 7 gram

Retail Serving Size: 7 gram

Servings: 1

Ordered: 03/13/25

Sampled: 03/13/25

Completed: 03/17/25

Sampling Method: SOP.T.20.010

Mar 17, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.

TESTED



Cannabinoid



Total THC
19.108%

Total THC/Container : 1337.560 mg



Total CBD
0.055%

Total CBD/Container : 3.850 mg



Total Cannabinoids
22.362%

Total Cannabinoids/Container : 1565.340 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.607	21.096	ND	0.063	ND	0.046	0.524	ND	ND	ND	0.026
mg/unit	42.49	1476.72	ND	4.41	ND	3.22	36.68	ND	ND	ND	1.82
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%			%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2036g

Extraction date:
03/14/25 11:31:12

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084327POT

Instrument Used : DA-LC-001

Analyzed Date : 03/17/25 08:38:49

Batch Date : 03/14/25 08:52:44

Dilution : 400

Reagent : 030825.R07; 012725.03; 030825.R04

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/17/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50313016-007
Harvest/Lot ID: 7816736075564824

Batch# : 7816736075564824 Sample Size Received : 5 units
Sampled : 03/13/25 Total Amount : 730 units
Ordered : 03/13/25 Completed : 03/17/25 Expires: 03/17/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	101.01	1.443	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	25.55	0.365	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	20.58	0.294	ALPHA-PINENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	15.61	0.223	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	12.74	0.182	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	8.75	0.125	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-BISBOLOL	0.007	TESTED	6.44	0.092	GAMMA-TERPINENE	0.007	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	4.20	0.060	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	4.13	0.059					
BETA-PINENE	0.007	TESTED	3.01	0.043	Analysis Method : SOP.T.30.061A.FL.SOP.T.40.061A.FL	Weight : 1.0002g	Extraction date : 03/14/25 11:30:33	Extracted by : JAC	
3-CARENE	0.007	TESTED	ND	ND	Analyzed by : JAC				
BORNEOL	0.013	TESTED	ND	ND	4825_885_5440				
CAMPHERE	0.007	TESTED	ND	ND	Analysis Method : SOP.T.30.061A.FL.SOP.T.40.061A.FL				
CAMPHOR	0.007	TESTED	ND	ND	Analytical Batch : DA084337TER				Batch Date : 03/14/25 09:44:43
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Instrument Used : DA-GCMS-008				
CEDROL	0.007	TESTED	ND	ND	Analyzed Date : 03/17/25 08:38:52				
EUCALYPTOL	0.007	TESTED	ND	ND	Dilution : 10				
FARNESENE	0.007	TESTED	ND	ND	Reagent : 120224.06				
FENCHONE	0.007	TESTED	ND	ND	Consumables : 947.110; 04312111; 2240626; 0000355309				
GERANIOL	0.007	TESTED	ND	ND	Pipette : DA-065				
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
VALENCENE	0.007	TESTED	ND	ND					
Total (%)				1.443					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
03/17/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50313016-007
Harvest/Lot ID: 7816736075564824

Batch# : 7816736075564824 Sample Size Received : 5 units
Sampled : 03/13/25 Total Amount : 730 units
Ordered : 03/13/25 Completed : 03/17/25 Expires: 03/17/26
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3621, 585, 1440	0.9332g	03/14/25 12:20:21	450,3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.102.FL, SOP.T.40.102.FL					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch :DA084340PES					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed Date :03/17/25 10:31:13					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Reagent : 031125.R21; 031025.R03; 031225.R11; 012925.R01; 031025.R01; 081023.01					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	450, 585, 1440	0.9332g	03/14/25 12:20:21	450,3379		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151A.FL, SOP.T.40.151.FL					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analytical Batch :DA084342VOL					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-010					
MALATHION	0.010	ppm	0.2	PASS	ND	Analyzed Date :03/17/25 10:30:27					
METALAXYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHIACARB	0.010	ppm	0.1	PASS	ND	Reagent : 031225.R11; 081023.01; 031025.R43; 031025.R44					
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02; 040724CH01; 17473601					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/17/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50313016-007
Harvest/Lot ID: 7816736075564824

Batch# : 7816736075564824 Sample Size Received : 5 units
Sampled : 03/13/25 Total Amount : 730 units
Ordered : 03/13/25 Completed : 03/17/25 Expires: 03/17/26
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	11000	PASS	100000

Analyzed by: 4520, 585, 1440 Weight: 0.919g Extraction date: 03/14/25 09:15:22 Extracted by: 4520,4571
 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
 Analytical Batch : DA084310MIC
 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (95°C) DA-049, DA-402 Thermo Scientific Heat Block (55 C)
 Batch Date : 03/14/25 07:24:51
 Analyzed Date : 03/17/25 08:30:21

Dilution : 10
 Reagent : 012425.01; 021725.05; 021925.R61; 101624.11
 Consumables : 7580002046
 Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	11000	PASS	100000

Analyzed by: 4520, 4777, 585, 1440 Weight: 0.919g Extraction date: 03/14/25 09:15:22 Extracted by: 4520,4571
 Analysis Method : SOP.T.40.209.FL
 Analytical Batch : DA084312TYM
 Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]
 Batch Date : 03/14/25 07:26:14
 Analyzed Date : 03/17/25 08:31:10

Dilution : 10
 Reagent : 012425.01; 021725.05; 022625.R53
 Consumables : N/A
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3621, 585, 1440 Weight: 0.9332g Extraction date: 03/14/25 12:20:21 Extracted by: 450,3379

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
 Analytical Batch : DA084341MYC
 Instrument Used : N/A
 Batch Date : 03/14/25 10:01:55
 Analyzed Date : 03/17/25 08:49:59

Dilution : 250
 Reagent : 031125.R21; 031025.R03; 031225.R11; 012925.R01; 031025.R01; 081023.01
 Consumables : 6822423-02
 Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 4056, 585, 1440 Weight: 0.2027g Extraction date: 03/14/25 10:04:51 Extracted by: 4056

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
 Analytical Batch : DA084332HEA
 Instrument Used : DA-ICPMS-004
 Batch Date : 03/14/25 09:05:33
 Analyzed Date : 03/17/25 08:44:28

Dilution : 50
 Reagent : 012925.R32; 022425.R19; 031025.R42; 030525.R29; 031025.R40; 031025.R41; 120324.07; 030625.R25
 Consumables : 040724CH01; J609879-0193; 179436
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50313016-007
Harvest/Lot ID: 7816736075564824
Batch#: 7816736075564824 Sample Size Received : 5 units
Sampled : 03/13/25 Total Amount : 730 units
Ordered : 03/13/25 Completed : 03/17/25 Expires: 03/17/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	9.8	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/14/25 09:53:15	Extracted by: 1879			Analyzed by: 4797, 585, 1440	Weight: 0.501g	Extraction date: 03/14/25 10:54:52	Extracted by: 4797		
Analysis Method : SOP.T.40.090 Analytical Batch : DA084336FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 03/14/25 10:00:23 Batch Date : 03/14/25 09:43:58						Analysis Method : SOP.T.40.021 Analytical Batch : DA084319MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 03/15/25 14:29:53 Batch Date : 03/14/25 07:36:16					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.525	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 1.839g	Extraction date: 03/14/25 09:34:15	Extracted by: 4797		
Analysis Method : SOP.T.40.019 Analytical Batch : DA084321WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : 03/15/25 14:31:43 Batch Date : 03/14/25 07:38:59					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.