



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50313016-008



Production Method: Other - Not Listed

Harvest/Lot ID: 5829396683131274

Batch#: 5829396683131274

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 9072894254170384

Harvest Date: 03/07/25

Sample Size Received: 11 units

Total Amount: 725 units

Retail Product Size: 2.5 gram

Retail Serving Size: 2.5 gram

Servings: 1

Ordered: 03/13/25

Sampled: 03/13/25

Completed: 03/18/25

Sampling Method: SOP.T.20.010

Mar 18, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC

22.334%

Total THC/Container : 558.350 mg



Total CBD

0.037%

Total CBD/Container : 0.925 mg



Total Cannabinoids

26.479%

Total Cannabinoids/Container : 661.975 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.752	24.609	<0.003	0.043	0.028	0.077	0.927	ND	ND	ND	0.043
mg/unit	18.80	615.23	<0.08	1.08	0.70	1.93	23.18	ND	ND	ND	1.08
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2133g

Extraction date:
03/14/25 11:31:12

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084327POT

Instrument Used : DA-LC-001

Analyzed Date : 03/18/25 08:36:35

Batch Date : 03/14/25 08:52:44

Dilution : 400

Reagent : 030825.R07; 012725.03; 030825.R04

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/18/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Jkrz Cndy (S)
Jkrz Cndy (S)
Matrix : Flower
Type: Preroll



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50313016-008
Harvest/Lot ID: 5829396683131274

Batch# : 5829396683131274 Sample Size Received : 11 units
Sampled : 03/13/25 Total Amount : 725 units
Ordered : 03/13/25 Completed : 03/18/25 Expires: 03/18/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	24.15	0.966	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	6.25	0.250	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	6.00	0.240	ALPHA-PINENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	3.08	0.123	ALPHA-TERPINENE	0.007	TESTED	ND	ND
GUAIOL	0.007	TESTED	2.23	0.089	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	1.88	0.075	CIS-NEROLIDOL	0.003	TESTED	ND	ND
OCIMENE	0.007	TESTED	1.70	0.068	GAMMA-TERPINENE	0.007	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	1.18	0.047	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	1.13	0.045	Analyzed by: 4851, 385, 5440 Weight: 1.0296g Extraction date: 03/14/25 11:30:33 Extracted by: 4451				
BETA-PINENE	0.007	TESTED	0.73	0.029	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA084337TER Instrument Used : DA-GCMS-008 Analyzed Date : 03/17/25 08:38:56 Batch Date : 03/14/25 09:44:43				
3-CARENE	0.007	TESTED	ND	ND	Dilution : 10 Reagent : 120224.06 Consumables : 947.110; 04312111; 2240626; 0000355309 Pipette : DA-065				
BORNEOL	0.013	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHERE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
LIMONENE	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
VALENCENE	0.007	TESTED	ND	ND					
ALPHA-BISABOLOL	0.007	TESTED	ND	ND					
Total (%)					0.966				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/18/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Jkrz Cndy (S)
Jkrz Cndy (S)
Matrix : Flower
Type: Preroll



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50313016-008
Harvest/Lot ID: 5829396683131274

Batch# : 5829396683131274 Sample Size Received : 11 units
Sampled : 03/13/25 Total Amount : 725 units
Ordered : 03/13/25 Completed : 03/18/25 Expires: 03/18/26
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 1.0754g	Extraction date: 03/14/25 12:20:22	Extracted by: 450,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084340PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 03/14/25 09:58:53	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/17/25 10:31:16					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 031125.R21; 031025.R03; 031225.R11; 012925.R01; 031025.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.0754g	Extraction date: 03/14/25 12:20:22	Extracted by: 450,3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084342VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 03/14/25 10:01:58	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/17/25 10:30:27					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 031225.R11; 081023.01; 031025.R43; 031025.R44					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02; 040724CH01; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/18/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Jkrz Cndy (S)
Jkrz Cndy (S)
Matrix : Flower
Type: Preroll



Certificate of Analysis

PASSED




Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50313016-008
Harvest/Lot ID: 5829396683131274

Batch# : 5829396683131274 Sample Size Received : 11 units
Sampled : 03/13/25 Total Amount : 725 units
Ordered : 03/13/25 Completed : 03/18/25 Expires: 03/18/26
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
TOTAL YEAST AND MOLD	10	CFU/g	13000	PASS	100000		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.091g	Extraction date: 03/14/25 09:15:27	Extracted by: 4520,4571				
Analytical Batch : DA084310MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 03/14/25 07:24:51						
Analysis Date : 03/17/25 08:30:21							
Dilution : 10							
Reagent : 012425.01; 021725.05; 021925.R61; 101624.11							
Consumables : 7580002046							
Pipette : N/A							
Analysis Method : SOP.T.40.209.FL	Weight: 1.091g	Extraction date: 03/14/25 09:15:27	Extracted by: 4520,4571				
Analytical Batch : DA084312TYM							
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]	Batch Date : 03/14/25 07:26:14						
Analysis Date : 03/17/25 08:31:11							
Dilution : 10							
Reagent : 012425.01; 021725.05; 022625.R53							
Consumables : N/A							
Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							
	Mycotoxins	PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02		
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02		
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL	Weight: 1.0754g	Extraction date: 03/14/25 12:20:22	Extracted by: 450,3379				
Analytical Batch : DA084341MYC							
Instrument Used : N/A	Batch Date : 03/14/25 10:01:55						
Analysis Date : 03/17/25 08:50:00							
Dilution : 250							
Reagent : 031125.R21; 031025.R03; 031225.R11; 012925.R01; 031025.R01; 081023.01							
Consumables : 6822423-02							
Pipette : DA-093; DA-094; DA-219							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
	Heavy Metals	PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level		
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1		
ARSENIC	0.020	ppm	ND	PASS	0.2		
CADMIUM	0.020	ppm	ND	PASS	0.2		
MERCURY	0.020	ppm	ND	PASS	0.2		
LEAD	0.020	ppm	ND	PASS	0.5		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2703g	Extraction date: 03/14/25 10:00:15	Extracted by: 4056				
Analytical Batch : DA084332HEA							
Instrument Used : DA-ICPMS-004	Batch Date : 03/14/25 09:05:33						
Analysis Date : 03/17/25 08:44:24							
Dilution : 50							
Reagent : 012925.R32; 022425.R19; 031025.R42; 030525.R29; 031025.R40; 031025.R41; 120324.07; 030625.R25							
Consumables : 040724CH01; J609879-0193; 179436							
Pipette : DA-061; DA-191; DA-216							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
03/18/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Jkrz Cndy (S)
Jkrz Cndy (S)
Matrix : Flower
Type: Preroll



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50313016-008

Harvest/Lot ID: 5829396683131274

Batch# : 5829396683131274

Sampled : 03/13/25

Ordered : 03/13/25

Sample Size Received : 11 units

Total Amount : 725 units

Completed : 03/18/25 Expires: 03/18/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filtration/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	9.9	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/14/25 09:53:15			Extracted by: 1879	Analyzed by: 4797, 585, 1440	Weight: 0.496g	Extraction date: 03/14/25 10:59:10			Extracted by: 4797
Analysis Method : SOP.T.40.090 Analytical Batch : DA084336FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 03/14/25 10:00:23						Analysis Method : SOP.T.40.021 Analytical Batch : DA084319MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 03/15/25 14:29:54					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.497	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 1.929g	Extraction date: 03/14/25 09:34:26	Extracted by: 4797		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA084321WAT					
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 03/14/25 07:38:59		
Analyzed Date : 03/15/25 14:31:44					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/18/25