



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50313016-009



Production Method: Other - Not Listed

Harvest/Lot ID: 0552729492320698

Batch#: 0552729492320698

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 9691708306329531

Harvest Date: 03/12/25

Sample Size Received: 25 units

Total Amount: 6848 units

Retail Product Size: 3.5 gram

Retail Serving Size: 3.5 gram

Servings: 1

Ordered: 03/13/25

Sampled: 03/13/25

Completed: 03/17/25

Revision Date: 03/17/25

Sampling Method: SOP.T.20.010

Mar 17, 2025 | Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
22.328%
Total THC/Container : 781.480 mg



Total CBD
0.057%
Total CBD/Container : 1.995 mg



Total Cannabinoids
26.046%
Total Cannabinoids/Container : 911.610 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.764	24.589	ND	0.066	ND	0.039	0.514	ND	ND	ND	0.074
mg/unit	26.74	860.62	ND	2.31	ND	1.37	17.99	ND	ND	ND	2.59
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%			%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2062g

Extraction date:
03/14/25 11:31:12

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084327POT

Instrument Used : DA-LC-001

Analyzed Date : 03/17/25 08:39:00

Batch Date : 03/14/25 08:52:44

Dilution : 400
 Reagent : 030825.R07; 012725.03; 030825.R04
 Consumables : 947.110; 04312111; 062224CH01; 0000355309
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164



Signature
 03/17/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50313016-009
Harvest/Lot ID : 0552729492320698

Batch# : 0552729492320698 Sample Size Received : 25 units
Sampled : 03/13/25 Total Amount : 6848 units
Ordered : 03/13/25 Completed : 03/17/25 Expires: 03/17/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	78.19	2.234	VALENCENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	21.77	0.622	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LIMONENE	0.007	TESTED	21.07	0.602	ALPHA-PHILANDRENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	6.58	0.245	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	6.76	0.193	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	5.88	0.168	CIS-NEROLIDOL	0.003	TESTED	ND	ND
FARNESENE	0.007	TESTED	3.47	0.099	GAMMA-TERPINENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	2.94	0.084	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	2.07	0.059					
ALPHA-TERPINEOL	0.007	TESTED	2.07	0.059	Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-BISABOLOL	0.007	TESTED	1.86	0.053	4825_885_5440	1.1275g	03/14/25 11:10:23	4451	
ALPHA-PINENE	0.007	TESTED	1.75	0.050	Analysis Method : SOP.T.30.061A.FL SOP.T.40.061A.FL				Batch Date : 03/14/25 09:44:43
3-CARENE	0.007	TESTED	ND	ND	Analytical Batch : DA084337TER				
BORNEOL	0.013	TESTED	ND	ND	Instrument Used : DA-GCMS-008				
CAMPHENE	0.007	TESTED	ND	ND	Analyzed Date : 03/17/25 08:39:03				
CAMPHOR	0.007	TESTED	ND	ND	Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Reagent : 120224.06				
CEDROL	0.007	TESTED	ND	ND	Consumables : 947.110; 04312111; 2240626; 0000355309				
EUCALYPTOL	0.007	TESTED	ND	ND	Pipette : DA-065				
FENCHONE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAJOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
Total (%)				2.234					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
03/17/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50313016-009
Harvest/Lot ID : 0552729492320698

Batch# : 0552729492320698 Sample Size Received : 25 units
Sampled : 03/13/25 Total Amount : 6848 units
Ordered : 03/13/25 Completed : 03/17/25 Expires: 03/17/26
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 1.1434g	Extraction date: 03/14/25 12:20:22	Extracted by: 450,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084340PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 03/14/25 09:58:53	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/17/25 10:31:17					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 031125.R21; 031025.R03; 031225.R11; 012925.R01; 031025.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.1434g	Extraction date: 03/14/25 12:20:22	Extracted by: 450,3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084342VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 03/14/25 10:01:58	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/17/25 10:30:28					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 031225.R11; 081023.01; 031025.R43; 031025.R44					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02; 040724CH01; 17473601					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
03/17/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50313016-009
Harvest/Lot ID: 0552729492320698

Batch# : 0552729492320698 Sample Size Received : 25 units
Sampled : 03/13/25 Total Amount : 6848 units
Ordered : 03/13/25 Completed : 03/17/25 Expires: 03/17/26
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	190	PASS	100000

Analyzed by: 4520, 585, 1440 Weight: 1.003g Extraction date: 03/14/25 09:15:33 Extracted by: 4520,4571
 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
 Analytical Batch : DA084310MIC
 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (95°C) DA-049, DA-402 Thermo Scientific Heat Block (55 C)
 Analyzed Date : 03/17/25 08:30:22
 Dilution : 10
 Reagent : 012425.01; 021725.05; 021925.R61; 101624.11
 Consumables : 7580002046
 Pipette : N/A

Analyzed by: 4520, 4777, 585, 1440 Weight: 1.003g Extraction date: 03/14/25 09:15:33 Extracted by: 4520,4571
 Analysis Method : SOP.T.40.209.FL
 Analytical Batch : DA084312TYM
 Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]
 Analyzed Date : 03/17/25 08:31:11
 Dilution : 10
 Reagent : 012425.01; 021725.05; 022625.R53
 Consumables : N/A
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3621, 585, 1440 Weight: 1.1434g Extraction date: 03/14/25 12:20:22 Extracted by: 450,3379
 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
 Analytical Batch : DA084341MYC
 Instrument Used : N/A
 Analyzed Date : 03/17/25 08:50:00
 Batch Date : 03/14/25 10:01:55

Dilution : 250
 Reagent : 031125.R21; 031025.R03; 031225.R11; 012925.R01; 031025.R01; 081023.01
 Consumables : 6822423-02
 Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS					
ARSENIC	0.080	ppm	ND	PASS	1.1
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 4056, 585, 1440 Weight: 0.2606g Extraction date: 03/14/25 10:05:22 Extracted by: 4056
 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
 Analytical Batch : DA084332HEA
 Instrument Used : DA-ICPMS-004
 Analyzed Date : 03/17/25 08:44:29
 Batch Date : 03/14/25 09:05:33

Dilution : 50
 Reagent : 012925.R32; 022425.R19; 031025.R42; 030525.R29; 031025.R40; 031025.R41; 120324.07; 030625.R25
 Consumables : 040724CH01; J609879-0193; 179436
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
03/17/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50313016-009
Harvest/Lot ID : 0552729492320698
Batch# : 0552729492320698 Sample Size Received : 25 units
Sampled : 03/13/25 Total Amount : 6848 units
Ordered : 03/13/25 Completed : 03/17/25 Expires: 03/17/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	11.6	PASS	15
Analyzed by: 1879, 585, 1440 Weight: 1g Extraction date: 03/14/25 09:53:16 Batch Date: 03/14/25 09:43:58 Analysis Method: SOP.T.40.090 Analytical Batch: DA084336FIL Instrument Used: Filth/Foreign Material Microscope Analyzed Date: 03/14/25 10:00:22						Analyzed by: 4797, 585, 1440 Weight: 0.499g Extraction date: 03/14/25 11:01:04 Batch Date: 03/14/25 07:36:16 Analysis Method: SOP.T.40.021 Analytical Batch: DA084319MOI Instrument Used: DA-003 Moisture Analyzer Analyzed Date: 03/15/25 14:29:55					
Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A						Dilution: N/A Reagent: 092520.50; 120324.07 Consumables: N/A Pipette: DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.475	PASS	0.65
Analyzed by: 4797, 585, 1440 Weight: 1.737g Extraction date: 03/14/25 10:31:39 Batch Date: 03/14/25 07:38:59 Analysis Method: SOP.T.40.019 Analytical Batch: DA084321WAT Instrument Used: DA-028 Rotronic HygroPalm Analyzed Date: 03/15/25 14:31:45					
Dilution: N/A Reagent: 101724.36 Consumables: PS-14 Pipette: N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/17/25