

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

### Kaycha Labs

..... FloraCal Live Rosin Cartridge 500mg - Benzina (H) Benzina (H)



Matrix: Derivative Classification: High THC Type: Live Rosin Cart

Production Method: Other - Not Listed

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 9220379681242480

Sampling Method: SOP.T.20.010

Pages 1 of 6

Harvest/Lot ID: 4311953770645725

Batch#: 4311953770645725

Harvest Date: 03/11/25 Sample Size Received: 31 units Total Amount: 834 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

> Servings: 1 Ordered: 03/14/25 Sampled: 03/14/25 Completed: 03/18/25

> > PASSED

### **Certificate of Analysis** Cultivation Facility: FL - Indiantown (4430) **COMPLIANCE FOR RETAIL** Processing Facility : FL - Indiantown (4430) Laboratory Sample ID: DA50314007-014



Mar 18, 2025 | Sunnyside 22205 Sw Martin Hwv indiantown, FL, 34956, US

### 

Label Claim	n								PASSED
Full Spectrum can	nabinoid analysis utiliz	ing High Performance	Liquid Chromatography v	with UV detection in accordan	ce with F.S. Rule 64ER20-39.				
Consumables : 9	25.R02; 012725.02; 47.110; 04312111; 9; DA-108; DA-078		0355309						
Analytical Batch Instrument Used		P.T.30.031				Batch Date : 03/17/25	07:30:27		
Analyzed by: 3335, 1665, 585,	, 1440			Weight: 0.1098g	Extraction date: 03/17/25 11:47:	03		Extracted by: 3335	
100	%	%	%	% %	%	%	% %	%	%
mg/unit LOD	404.49 0.001	1.42 0.001	0.65 0.001	ND NC 0.001 0.0	33.48           001         0.001	1.32 0.001	0.12 2.94 0.001 0.001	ND 0.001	4.87 0.001
%	рэ-тнс 80.897	тнса 0.284	CBD 0.129	ND ND		CBGA 0.264	сви тнсу 0.023 0.587	CBDV ND	свс 0.973
L	- Total I	HC/Container :	405.730 mg		Total CBD/Container	': 0.645 mg	v v lota mg	I Cannabinoids/Conta	iner : 449.265
	Total 81	.146			Total CBD <b>0.129</b> %	0		al Cannabinoids 9.853%	)
Ä	Cannab	inoid							TESTED
Pesticio PASSI		vy Metals ASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents <b>PASSED</b>	Filth PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes TESTED
R Ø	[	Нд	Ċ.	ۍ ډ	Ä		$(\bigcirc)$		Ô
									MISC.

Sunnyside\*

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/18/25



FloraCal Live Rosin Cartridge 500mg - Benzina (H) Benzina (H) Matrix : Derivative Type: Live Rosin Cart



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

## PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50314007-014 Harvest/Lot ID: 4311953770645725 Batch#: 4311953770645725 Sample Size Received: 31 units Sampled : 03/14/25 Ordered : 03/14/25

Total Amount : 834 units Completed : 03/18/25 Expires: 03/18/26 Sample Method : SOP.T.20.010

Page 2 of 6

$\bigcirc$
------------

**Terpenes** 

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD	) (%) Pass/	ail mg/	unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	31.10	6.220	VALENCENE	0.00	7 TESTER	ND		ND	
ETA-CARYOPHYLLENE	0.007	TESTED	10.31	2.061	ALPHA-CEDRENE	0.00	5 TESTER	ND		ND	
MONENE	0.007	TESTED	6.04	1.208	ALPHA-PHELLAND	ENE 0.00	7 TESTER	ND		ND	
LPHA-HUMULENE	0.007	TESTED	5.63	1.126	ALPHA-TERPINENE	0.00	7 TESTER	ND		ND	
NALOOL	0.007	TESTED	3.24	0.647	ALPHA-TERPINOLE	NE 0.00	7 TESTE	ND		ND	
LPHA-BISABOLOL	0.007	TESTED	1.99	0.397	BETA-PINENE	0.00	7 TESTE	ND		ND	
ETA-MYRCENE	0.007	TESTED	1.31	0.261	CIS-NEROLIDOL	0.00	3 TESTER	ND		ND	
LPHA-PINENE	0.007	TESTED	0.81	0.161	GAMMA-TERPINEN	E 0.00	7 TESTE	ND		ND	
ENCHYL ALCOHOL	0.007	TESTED	0.56	0.112	Analyzed by:	Weight:		Extracti	n date:		Extracted by:
PHA-TERPINEOL	0.007	TESTED	0.54	0.108	4451, 585, 1440	0.2423g		03/17/2	5 10:35:	17	4451
RANS-NEROLIDOL	0.005	TESTED	0.54	0.107	Analysis Method : SC	P.T.30.061A.FL, SOP.T.40.061A.FL					
AMPHENE	0.007	TESTED	0.16	0.032	Analytical Batch : DA Instrument Used : DA					Batch Date : 03/15/25 12:33:06	
CARENE	0.007	TESTED	ND	ND	Analyzed Date : 03/1					Batch Date 103/15/25 12:33:06	
DRNEOL	0.013	TESTED	ND	ND	Dilution : 10						
AMPHOR	0.007	TESTED	ND	ND	Reagent : N/A						
RYOPHYLLENE OXIDE	0.007	TESTED	ND	ND		10; 04402004; 2240626; 0000355309					
DROL	0.007	TESTED	ND	ND	Pipette : DA-065						
CALYPTOL	0.007	TESTED	ND	ND	Terpenoid testing is per	formed utilizing Gas Chromatography Mass Spec	trometry. For all Fig	wer samples, t	ne Total T	erpenes % is dry-weight corrected.	
RNESENE	0.007	TESTED	ND	ND							
NCHONE	0.007	TESTED	ND	ND							
RANIOL	0.007	TESTED	ND	ND							
RANYL ACETATE	0.007	TESTED	ND	ND							
UAIOL	0.007	TESTED	ND	ND							
EXAHYDROTHYMOL	0.007	TESTED	ND	ND							
OBORNEOL	0.007	TESTED	ND	ND							
OPULEGOL	0.007	TESTED	ND	ND							
EROL	0.007	TESTED	ND	ND							
IMENE	0.007	TESTED	ND	ND							
JLEGONE	0.007	TESTED	ND	ND							
BINENE	0.007	TESTED	ND	ND							
	0.007	TESTED	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/18/25



. . . . . . . . . . . . . . . . FloraCal Live Rosin Cartridge 500mg - Benzina (H) Benzina (H) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

#### Sample : DA50314007-014 Harvest/Lot ID: 4311953770645725 Batch#: 4311953770645725 Sample Size Received: 31 units

Sampled : 03/14/25 Ordered : 03/14/25

Total Amount : 834 units Completed : 03/18/25 Expires: 03/18/26 Sample Method : SOP.T.20.010

Page 3 of 6



## **Pesticides**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
FOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN				0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010				
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	1.1.	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	maa	0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND			0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZE	NE (PCNB) *				PASS	
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1		ND
CHLORPYRIFOS	0.010	- F F	0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
DAMINOZIDE	0.010	- F F	0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
DICHLORVOS	0.010	T. P.	0.1	PASS	ND	Analyzed by:	Weight:	Extractio	n date:		Extracted by:	
DIMETHOATE	0.010		0.1	PASS	ND	3621, 585, 1440	0.2548g	03/16/25			4640,3379,585	
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.1	.02.FL, SOP.T.40.10	)2.FL				
ETOFENPROX	0.010	1.1.	0.1	PASS	ND	Analytical Batch : DA084373						
ETOXAZOLE	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-(			Batch	Date :03/15/	25 11:32:01	
FENHEXAMID	0.010		0.1	PASS	ND	Analyzed Date : 03/18/25 08:	16:40					
FENOXYCARB	0.010	1.1.	0.1	PASS	ND	Dilution : 250 Reagent : 031125.R21; 0310	25 DO3- 031/25 D1	7. 031425 PO	5. 012025 PO	1. 031025 PC	1. 081023 01	
FENPYROXIMATE	0.010		0.1	PASS	ND	Consumables : 6822423-02	25.1105, 051425.111	.7, 031423.110	5, 012525.110	1, 051025.10	1, 001025.01	
FIPRONIL	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA	-219					
FLONICAMID	0.010		0.1	PASS	ND	Testing for agricultural agents i	s performed utilizin	g Liquid Chron	natography Tri	iple-Quadrupo	le Mass Spectron	netry in
FLUDIOXONIL	0.010		0.1	PASS	ND	accordance with F.S. Rule 64EP						
HEXYTHIAZOX	0.010	- F F	0.1	PASS	ND	Analyzed by:	Weight:		ction date:		Extracted by	
MAZALIL	0.010		0.1	PASS	ND	4640, 450, 585, 1440	0.2548g		/25 13:41:57		4640,3379,5	85
MIDACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.1 Analytical Batch : DA084375		151.FL				
CRESOXIM-METHYL	0.010	- F F	0.1	PASS	ND	Instrument Used : DA-GCMS-			Batch Da	te:03/15/25	11.33.48	
MALATHION	0.010		0.2	PASS	ND	Analyzed Date :03/18/25 08:			Daten Du		12:00:70	
METALAXYL	0.010		0.1	PASS	ND	Dilution : 250						
METHIOCARB	0.010		0.1	PASS	ND	Reagent: 031425.R17; 0810						
METHOMYL	0.010		0.1	PASS	ND	Consumables : 6822423-02;		73601				
MEVINPHOS	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA						
MYCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents i accordance with F.S. Rule 64EP		g Gas Chroma	tography Tripl	e-Quadrupole	Mass Spectrome	try in
NALED	0.010	ppm	0.25	PASS	ND	accordance with F.S. Külé 64EP	20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/18/25

### PASSED



FloraCal Live Rosin Cartridge 500mg - Benzina (H) Benzina (H) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50314007-014 Harvest/Lot ID: 4311953770645725 Batch#: 4311953770645725 Sample Size Received: 31 units Sampled : 03/14/25 Ordered : 03/14/25

Total Amount : 834 units Completed : 03/18/25 Expires: 03/18/26 Sample Method : SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
I-HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
ROPANE	500.000	ppm	5000	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
OTAL XYLENES	15.000	ppm	150	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.0214g	Extraction date: 03/17/25 14:41:29		<b>E</b> x 85	tracted by:
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA084400SOL nstrument Used : DA-GCMS-002 Analyzed Date : 03/18/25 07:48:45			Batch Date : 03/15/25 1	4:52:18	

Reagent: 030420.09 Consumables : 430596: 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/18/25

PASSED

PASSED



. . . . . . . . . . . . . . . . FloraCal Live Rosin Cartridge 500mg - Benzina (H) Benzina (H) Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50314007-014 Harvest/Lot ID: 4311953770645725 Batch#: 4311953770645725 Sample Size Received: 31 units Sampled : 03/14/25

Ordered : 03/14/25

Total Amount : 834 units Completed : 03/18/25 Expires: 03/18/26 Sample Method : SOP.T.20.010

Page 5 of 6

G	Microbia	I			PAS	SED	స్తో	Му	coto	xins				PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte	1			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	5 TERREUS			Not Present	PASS	Level	AFLATOXIN	B2			0.002	ppm	ND	PASS	0.02
ASPERGILLUS				Not Present	PASS		AFLATOXIN				0.002		ND	PASS	0.02
	5 FUMIGATUS			Not Present	PASS		OCHRATOXI				0.002		ND	PASS	0.02
ASPERGILLUS	5 FLAVUS			Not Present	PASS		AFLATOXIN	G1			0.002		ND	PASS	0.02
SALMONELLA	SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2			0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction	on date:		Evtr	acted by:	
TOTAL YEAST	AND MOLD	10	CFU/g	<10	PASS	100000	3621, 585, 144	40	0.2548g	03/16/2				),3379,58	5
Analyzed by: 777, 585, 144	Weight: 0 0.979g		ction date: 5/25 09:22:	36	Extracted 4520	by:	Analysis Meth			50P.T.40.10	2.FL				
alysis Metho	d:SOP.T.40.056C, SOF h:DA084358MIC				4320		Analytical Bat Instrument Us Analyzed Date	ed:N/A			Batch	<b>Date :</b> 03	3/15/25 11	:33:46	
Dilution : 10	: 03/18/25 12:34:00 25.18; 021725.02; 021 7580002051	925.R61;	101624.11				Consumables Pipette : DA-0 Mycotoxins tes accordance wit	93; DA-094	4; DA-219 Liquid Chrom	natography w	ith Triple-	-Quadrupo	le Mass Spe	ctrometry	in
Analyzed by: 1777, 585, 144	Weight: 0 0.979g		ction date: 5/25 09:22:	36	Extracted 4520	by:	Hg	Не	avy N	/etal	S			PAS	SED
Analytical Batc Instrument Use DA-382]	d : SOP.T.40.209.FL h : DA084359TYM d : Incubator (25*C) DA : 03/18/25 07:49:49	4- 328 [ca	librated wit	h Batch Dat	<b>te :</b> 03/15/2	5 07:53:29	Motal	raminan'	LOAD ME		LOD 0.080	<b>Units</b>	<b>Result</b>	Pass / Fail PASS	Action Level
Dilution : 10	. 03/10/23 07.43.43						ARSENIC				0.020	ppm	ND	PASS	0.2
	25.18; 021725.02; 022	625 R53					CADMIUM				0.020	ppm	ND	PASS	0.2
Consumables :		025.1155					MERCURY				0.020	ppm	ND	PASS	0.2
Pipette : N/A							LEAD				0.020	ppm	ND	PASS	0.5
	nold testing is performed F.S. Rule 64ER20-39.	utilizing MF	N and traditi	onal culture base	d techniques	in	Analyzed by: 4056, 1022, 58	85, 1440			xtractio 3/16/25	n date: 11:04:47	,	Extracte 4056	d by:
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch:DA084 ed:DA-ICI	396HEA PMS-004	50P.T.40.08		<b>h Date :</b> (	3/15/25 1	3:09:23	
							Dilution : 50 Reagent : 012 120324.07; 03 Consumables	30625.R25				25.R29; 0	31025.R4	0; 03102!	5.R41;

Consumables : 040724CH01: I609879-0193: 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/18/25



Page 6 of 6

. . . . . . . . . . . . . . . . . FloraCal Live Rosin Cartridge 500mg - Benzina (H) Benzina (H) Matrix : Derivative Type: Live Rosin Cart



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Filth/Foreign

## **Certificate of Analysis**

## PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50314007-014 Harvest/Lot ID: 4311953770645725 Batch#: 4311953770645725 Sample Size Received: 31 units Sampled : 03/14/25 Ordered : 03/14/25

PASSED

Total Amount : 834 units Completed : 03/18/25 Expires: 03/18/26 Sample Method : SOP.T.20.010

	Materia		••		FA	JJLD	
Analyte Filth and Forei	gn Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level	
Analyzed by: 1879, 585, 1440	Weight: 1g		action da		Extracted by: 1879		
Analyzed Date : ( Dilution : N/A Reagent : N/A Consumables : N/	: Filth/Foreign Mater 3/16/25 11:14:33	rial Micro	oscope	Batch D	eate:03/1	6/25 10:48:56	
	aterial inspection is pe ordance with F.S. Rule Water A	64ER20-3	39.	spection utilizi		re and microscope	
Analyte Water Activity		<b>LOD</b> 0.010	<b>Units</b> aw	<b>Result</b> 0.450	P/F PASS	Action Level	

mater Activity	,	J.010 8W 0.4.	0.05
Analyzed by: 4797, 585, 1440	<b>Weight:</b> 0.4204g	Extraction date: 03/15/25 14:19:40	Extracted by: 4797,585
Analysis Method : SOF Analytical Batch : DAC Instrument Used : DA- Analyzed Date : 03/18	84366WAT 028 Rotronic Hy	gropalm Batch	Date: 03/15/25 09:53:33
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : DA-066			
Water Activity is perform	ad using a Datrani	c HygroBolm HB 22 AW in acc	ardance with E.C. Bula 64ED20.20

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

03/18/25