



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50318018-003



Production Method: Other - Not Listed
Harvest/Lot ID: 6794739276265853
Batch#: 6794739276265853
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 0161214126810577
Harvest Date: 03/12/25
Sample Size Received: 16 units
Total Amount: 322 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 03/18/25
Sampled: 03/18/25
Completed: 03/21/25
Sampling Method: SOP.T.20.010

Mar 21, 2025 | Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
 Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
87.042%

Total THC/Container : 870.420 mg



Total CBD
ND

Total CBD/Container : 0.000 mg



Total Cannabinoids
99.455%

Total Cannabinoids/Container : 994.550 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	98.872	ND	ND	ND	ND	0.251	ND	ND	ND	ND
mg/unit	ND	988.72	ND	ND	ND	ND	2.51	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
 3335, 1665, 585, 1440

Weight:
 0.11g

Extraction date:
 03/19/25 10:35:04

Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA084476POT
 Instrument Used : DA-LC-003
 Analyzed Date : 03/20/25 21:50:06

Batch Date : 03/19/25 08:18:04

Dilution : 400
 Reagent : 031425.R03; 012725.01; 030725.R03
 Consumables : 947.110; 04312111; 062224CH01; 0000355309
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 03/21/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50318018-003
Harvest/Lot ID : 6794739276265853

Batch# : 6794739276265853 Sample Size Received : 16 units
Sampled : 03/18/25 Total Amount : 322 units
Ordered : 03/18/25 Completed : 03/21/25 Expires: 03/21/26
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	5.16	0.516	ALPHA-PINENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	1.26	0.126	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	0.63	0.063	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	0.56	0.056	BETA-MYRCENE	0.007	TESTED	ND	ND
BORNEOL	0.013	TESTED	0.53	0.053	BETA-PINENE	0.007	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	0.43	0.043	CIS-NEROLIDOL	0.003	TESTED	ND	ND
LIMONENE	0.007	TESTED	0.41	0.041	GAMMA-TERPINENE	0.007	TESTED	ND	ND
CARYOPHYLLENE OXIDE	0.007	TESTED	0.39	0.039	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
FENCHONE	0.007	TESTED	0.36	0.036					
FENCHYL ALCOHOL	0.007	TESTED	0.34	0.034	Analysis Method : SOP.T.30.061A.FL.SOP.T.40.061A.FL	Weight:	Extraction date:		Extracted by:
VALENCENE	0.007	TESTED	0.25	0.025	684, 443, 385, 1440	0.2069g	03/19/25 10:40:34		4444
3-CARENE	0.007	TESTED	ND	ND	Analysis Batch : DA084483TER				Batch Date : 03/19/25 08:59:25
CAMPHENE	0.007	TESTED	ND	ND	Instrument Used : DA-GCMS-004				
CAMPHOR	0.007	TESTED	ND	ND	Analyzed Date : 03/21/25 08:48:27				
CECROL	0.007	TESTED	ND	ND	Dilution : 10				
EUCALYPTOL	0.007	TESTED	ND	ND	Reagent : 023525.47				
FARNESENE	0.001	TESTED	ND	ND	Consumables : 947.110; 04402004; 2240626; 0000355309				
GERANIOL	0.007	TESTED	ND	ND	Pipette : DA-065				
GERANYL ACETATE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry weight corrected.				
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
ALPHA-BISBOLOL	0.007	TESTED	ND	ND					
ALPHA-CEDRENE	0.005	TESTED	ND	ND					
ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND					
Total (%)				0.516					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/21/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50318018-003
Harvest/Lot ID: 6794739276265853

Batch# : 6794739276265853 Sample Size Received : 16 units
Sampled : 03/18/25 Total Amount : 322 units
Ordered : 03/18/25 Completed : 03/21/25 Expires: 03/21/26
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA084487PES Instrument Used : DA-LCMS-003 (PES) Batch Date : 03/19/25 09:20:40 Analyzed Date : 03/20/25 09:24:44 Dilution : 250 Reagent : 031725.R01; 081023.01 Consumables : 040724CH01; 6822423-02 Pipette : N/A					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
MALATHION	0.010	ppm	0.2	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
METHIACARB	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA084489VOL Instrument Used : DA-GCMS-011 Batch Date : 03/19/25 09:23:52 Analyzed Date : 03/20/25 09:23:00 Dilution : 250 Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080;					



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

 Sample : DA50318018-003
 Harvest/Lot ID: 6794739276265853

 Batch# : 6794739276265853 Sample Size Received : 16 units
 Sampled : 03/18/25 Total Amount : 322 units
 Ordered : 03/18/25 Completed : 03/21/25 Expires: 03/21/26
 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 4451, 585, 1440	Weight: 0.0228g	Extraction date: 03/20/25 09:18:20	Extracted by: 4451,585
---------------------------------	--------------------	---------------------------------------	---------------------------

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA08449450L
 Instrument Used : DA-GCMS-003
 Analyzed Date : 03/20/25 10:31:05

Batch Date : 03/19/25 12:04:27

 Dilution : 1
 Reagent : 030420.09
 Consumables : 430596; 319008
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50318018-003
Harvest/Lot ID: 6794739276265853
Batch# : 6794739276265853 Sample Size Received : 16 units
Sampled : 03/18/25 Total Amount : 322 units
Ordered : 03/18/25 Completed : 03/21/25 Expires: 03/21/26
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 4520, 585, 1440 Weight: 1.004g Extraction date: 03/19/25 10:29:07 Extracted by: 4777,4520
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA084464MIC
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)
Batch Date : 03/19/25 07:05:58
Analyzed Date : 03/20/25 10:26:34

Dilution : 10
Reagent : 020125.08; 020125.09; 021925.R61; 093024.02
Consumables : 7580002043
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 4520, 4044, 585, 1440 Weight: 1.004g Extraction date: 03/19/25 10:29:07 Extracted by: 4777,4520
Analysis Method : SOP.T.40.209.FL
Analytical Batch : DA084467TYM
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]
Batch Date : 03/19/25 07:08:30
Analyzed Date : 03/21/25 09:59:19

Dilution : 10
Reagent : 020125.08; 020125.09; 022625.R53
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3621, 585, 1440 Weight: 0.2515g Extraction date: 03/19/25 11:25:31 Extracted by: 4640,450

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : DA084488MYC
Instrument Used : N/A
Batch Date : 03/19/25 09:22:58
Analyzed Date : 03/20/25 09:14:52

Dilution : 250
Reagent : 031725.R01; 081023.01
Consumables : 040724CH01; 6822423-02
Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2733g Extraction date: 03/19/25 09:37:01 Extracted by: 4056

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA084480HEA
Instrument Used : DA-ICPMS-005
Batch Date : 03/19/25 08:43:37
Analyzed Date : 03/20/25 10:32:27

Dilution : 50
Reagent : N/A
Consumables : N/A
Pipette : N/A

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs



Cresco Crushed Diamonds 1g - Red Pop (I)
 Red Pop (I)
 Matrix : Derivative
 Type: Live Resin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA50318018-003
 Harvest/Lot ID: 6794739276265853
 Batch# : 6794739276265853 Sample Size Received : 16 units
 Sampled : 03/18/25 Total Amount : 322 units
 Ordered : 03/18/25 Completed : 03/21/25 Expires: 03/21/26
 Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/19/25 10:57:03	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090
 Analytical Batch : DA084493FIL
 Instrument Used : Filth/Foreign Material Microscope Batch Date : 03/19/25 10:48:06
 Analyzed Date : 03/19/25 12:13:52

Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.472	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 0.3481g	Extraction date: 03/19/25 10:43:07	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
 Analytical Batch : DA084486WAT
 Instrument Used : DA-028 Rotronic HygroPalm Batch Date : 03/19/25 09:10:48
 Analyzed Date : 03/19/25 14:49:02

Dilution : N/A
 Reagent : 101724.36
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 03/21/25